

## Product datasheet for **RC402808**

### **MERTK (NM\_006343) Human Mutant ORF Clone**

#### **Product data:**

Product Type:	Mutant ORF Clones
Product Name:	MERTK (NM_006343) Human Mutant ORF Clone
Mutation Description:	R651X
Affected Codon#:	651
Affected NT#:	1951
Nucleotide Mutation:	MERTK Mutant (R651X), Myc-DDK-tagged ORF clone of Homo sapiens c-mer proto-oncogene tyrosine kinase (MERTK) as transfection-ready DNA
Effect:	Retinitis pigmentosa
Symbol:	MERTK
Synonyms:	c-Eyk; c-mer; MER; RP38; Tyro12
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_006343
ORF Size:	1950 bp
Restriction Sites:	Sgfl-MluI



[View online »](#)

**ORF Nucleotide  
Sequence:**

>RC402808 representing NM\_006343  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGGGCCGGCCCGCTGCCGCTGCTGCTGGGCTCTTCTCCCCGCGCTCTGGCGTAGAGCTATCACTG  
 AGGCAAGGGAAGAAGCCAAGCCTTACCCGCTATTCCCGGACCTTTTCCAGGGAGCCTGCAAACTGACCA  
 CACACCGCTGTTATCCCTTCTCACGCCAGTGGGTACAGCCTGCCTTGATGTTTTACCAACCCAGCCT  
 GGAAGACCACATACAGGAAACGTAGCCATTCCCAGGTGACCTCTGTGAATCAAAGCCCTACCGCCTC  
 TTGCTTCAAACACACAGTTGGACACATAATACTTTCTGAACATAAAGGTGTCAAATTTAATTGCTCAAT  
 CAGTGTACCTAATATATACCAGGACACCACAATTTCTGGTGGAAAGATGGGAAGGAATTGCTTGGGGCA  
 CATCATGCAATTACACAGTTTTATCCAGATGATGAAGTTACAGCAATAATCGTTCCTTCAGCATAACCA  
 GTGTGCAGCGTTCAGACAATGGGTGCTATATCTGTAAGATGAAAATAACAATGAAGAGATCGTGTCTGA  
 TCCCATCTACATCGAAGTACAAGGACTTCTCACTTTACTAAGCAGCCTGAGAGCATGAATGTCACCAGA  
 AACACAGCCTTCAACCTCACCTGTGAGGCTGTGGGCCCGCCTGAGCCCGTCAACATTTTCTGGGTCAA  
 ACAGTAGCCGTGTTAACGAACAGCCTGAAAAATCCCCCTCCGTGCTAACTGTTCCAGGCCTGACGGAGAT  
 GGCGGTCTTCAGTTGTGAGGCCCAATGACAAAGGGCTGACCGTGTCCAAGGGAGTGCAGATCAACATC  
 AAAGCAATTCCTCCCCACCACTGAAGTCAGCATCCGTAACAGCACTGCACACAGCATTTCTGATCTCT  
 GGGTTCCTGGTTTTGATGGATACTCCCGTTCAGGAATTGCAGCATTCAAGTCAAGGAAGCTGATCCGCT  
 GAGTAATGGCTCAGTCATGATTTTTAACACCTCTGCCTTACCACATCTGTACCAATCAAGCAGCTGCAA  
 GCCCTGGCTAATTACAGCATTGGTGTTCCTGCATGAATGAAATAGGCTGGTCTGCAGTGAGCCCTTGA  
 TTCTAGCCAGCAGACTGAAGGAGCCCCATCAGTAGCACCTTTAAATGTCAGTGTGTTCTGAATGAATC  
 TAGTGATAATGTGGACATCAGATGGATGAAGCCTCCGACTAAGCAGCAGGATGGAGAAGTGGTGGGCTAC  
 CGGATATCCCACGTGTGGCAGAGTGCAGGGATTTCAAAGAGCTCTGGAGGAAGTTGGCCAGAATGGCA  
 GCCGAGCTCGGATCTCTGTTCAAGTCCACAATGCTACGTGCACAGTGAAGATTGCAGCCGTACCCAGAGG  
 GGGAGTTGGGCCCTTCAGTGATCCAGTGAAAAATTTTATCCCTGCACACGGTTGGGTAGATTATGCCCCC  
 TCTTCAACTCCGGCGCTGGCAACGCAGATCCTGTGCTCATCATCTTTGGCTGCTTTTGTGGATTTATTT  
 TGATTGGGTTGATTTTATACATCTCCTTGCCATCAGAAAAAGAGTCCAGGAGACAAAGTTTGGGAATGC  
 ATTCACAGAGGAGGATTCTGAATTAGTGGTGAATTATATAGCAAAGAAATCCTTCTGTCGGCGAGCCATT  
 GAACCTTACCTTACATAGCTTGGGAGTCAGTGAGGAACACAAAATAAACTAGAAGATGTTGTGATTGACA  
 GGAATCTTCTAATTCTTGAAAAATTTCTGGGTGAAGGAGAGTTTGGGTCTGTAATGGAAGGAAATCTTAA  
 GCAGGAAGATGGGACCTCTCTGAAAGTGGCAGTGAAGACCATGAAGTTGGACAACCTTTCACAGCGGGAG  
 ATCGAGGAGTTTCTCAGTGAGGCAGCGTGCATGAAAGACTTCAGCCACCCAAATGTCATT

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence: >RC402808 representing NM\_006343  
 Red=Cloning site Green=Tags(s)


MGPAPLPLLLGLFLPALWRAITEAREEAKPYPLFPGPFPGSLQTDHTPLLSLPHASGYQPALMFSTQP  
 GRPHTGNVAIPQVTSVESKLPPLAFKHTVGHILSEHKGVKFNCISVPNIYQDTTISWWKDGKELLGA  
 HHAITQFYPDDEVTAIIASFSTSVQRSDNGSYICKMKINNEIVSDPIYIEVQGLPHFTKQPESMNVT  
 NTAFLNLTQAVGPPEPVNIFWVQNSRVNEQPEKSPSVLTVPLGTEMAVFSCEAHNDKGLTVSKGVQINI  
 KAIPSPPTVEVSIRNSTAHSILISWVPGFDGYSPFRNCISQVKEADPLSNGSVMIFNTSALPHLYQIKQLQ  
 ALANYSIGVSCMNEIGWSAVSPWILASTTEGAPSVAPLNVTVFLNESSDNVDIRWMKPPTKQDDELGVY  
 RISHVWQSAGISKELLEEVGQNGSRARISVQVHNATCTVRIA AVTRGGVGPFSDPVKIFIPAHGWVDYAP  
 SSTPAPGNADPVLIIFGCF CGFILIGLILYISLAIRKRVQETKFGNAFTEEDSELVYNYIAKKSFCRRAI  
 ELTLHSLGVSEELQNKLEDVVIDRNLLILGKILGEGFGSVMENLQKEDGTSKLVAVKTMKLDNSSQRE  
 IEEFLSEAACMKDFSHPNVI

SGPTRRRL**EQKLISEEDLA**ANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>RefSeq:</b>	<a href="#">NP_006334</a>
<b>RefSeq Size:</b>	1950 bp
<b>RefSeq ORF:</b>	3000 bp
<b>Locus ID:</b>	10461
<b>Cytogenetics:</b>	2q13
<b>Domains:</b>	pkinase, TyrKc, S_TKc, ig, IG, FN3
<b>Protein Families:</b>	Druggable Genome, Protein Kinase, Transmembrane
<b>MW:</b>	71.5 kDa
<b>Gene Summary:</b>	<p>This gene is a member of the MER/AXL/TYRO3 receptor kinase family and encodes a transmembrane protein with two fibronectin type-III domains, two Ig-like C2-type (immunoglobulin-like) domains, and one tyrosine kinase domain. Mutations in this gene have been associated with disruption of the retinal pigment epithelium (RPE) phagocytosis pathway and onset of autosomal recessive retinitis pigmentosa (RP). [provided by RefSeq, Jul 2008]</p>