

Product datasheet for **RC402988**

BRCA1 (NM_007294) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	BRCA1 (NM_007294) Human Mutant ORF Clone
Mutation Description:	E908X
Affected Codon#:	908
Affected NT#:	2722
Nucleotide Mutation:	BRCA1 Mutant (E908X), Myc-DDK-tagged ORF clone of Homo sapiens breast Cancer, early onset (BRCA1), transcript variant 1 as transfection-ready DNA
Effect:	Breast cancer
Symbol:	BRCA1
Synonyms:	BRCAI; BRCC1; BROVCA1; FANCS; IRIS; PNCA4; PPP1R53; PSCP; RNF53
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_007294
ORF Size:	2721 bp
Restriction Sites:	Sgfl-Mlul



[View online »](#)

ORF Nucleotide
Sequence:

>RC402988 representing NM_007294
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCCGCATCGCC

ATGGATTTATCTGCTCTTCGCGTTGAAGAAGTACAAAATGTCATTAATGCTATGCAGAAAATCTTAGAGT
GTCCCATCTGTCTGGAGTTGATCAAGGAACCTGTCTCCACAAAGTGAGCCACATATTTTGCAAATTTG
CATGCTGAAACTTCTCAACCAGAAGAAAGGGCCTTACAGTGTCTTTATGTAAGAATGATATAACCAAA
AGGAGCCTACAAGAAAGTACGAGATTTAGTCAACTTGTGAGAGCTATTGAAAAATTTGTGCTTTTC
AGCTTGACACAGGTTTGGAGTATGCAACAGCTATAATTTTGCAAAAAGGAAAAAATACTCTCTGAACA
TCTAAAAGATGAAGTTTCTATCATCCAAAGTATGGGCTACAGAAAACCGTCCAAAAGACTTCTACAGAGT
GAACCCGAAAAATCCTTCCTTGCAGGAAACAGTCTCAGTGTCCAACCTCTAACCTTGGAACTGTGAGAA
CTCTGAGGACAAAGCAGCGGATACAACCTCAAAAGACGCTGTCTACATTGAATTGGGATCTGATTCTTC
TGAAGATACCGTTAATAAGGCAACTTATTGCAGTGTGGGAGATCAAGAATTGTTACAAAATCACCCCTCAA
GGAACAGGGATGAAATCAGTTTGGATTCTGCAAAAAGGCTGCTTGTGAATTTTCTGAGACGGATGTAA
CAAATACTGAACATCATCAACCCAGTAATAATGATTTGAACACCACTGAGAAGCGTGCAGCTGAGAGGCA
TCCAGAAAAGTATCAGGGTAGTTCTGTTTCAAACCTGTCATGTGGAGCCATGTGGCACAATACTCATGCC
AGCTCATTACAGCATGAGAACAGCAGTTTATTACTCACTAAAGACAGAAATGAATGTAGAAAAGGCTGAAT
TCTGTAATAAAAAGCAAACAGCCTGGCTTAGCAAGGAGCCAACATAACAGATGGCTGGAAGTAAAGAAAC
ATGTAATGATAGGCGGACTCCAGCACAGAAAAAAGGTAGATCTGAATGCTGATCCCTGTGTGAGAGA
AAAGAAATGGAATAAGCAGAACTGCCATGCTCAGAGAATCCTAGAGATACTGAAGATGTTCCCTGGATAA
CACTAAATAGCAGCATTAGAAAAGTTAATGAGTGGTTTTCCAGAAGTGAAGTGTAGGTTTCTGATGAT
CTCACATGATGGGGAGTCTGAATCAAATGCCAAAGTAGCTGATGTATTGGACGTTCTAAATGAGGTAGAT
GAATATTCTGGTTCTTACAGAAAAATAGACTTACTGGCCAGTGCCTCATGAGGCTTTAATATGTAATA
GTGAAAGAGTTCACTCCAAATCAGTAGAGAGTAATATTGAAGACAAAATATTTGGGAAAACCTATCGGAA
GAAGGCAAGCCTCCCAACTTAAGCCATGTAACGAAAAATCTAATTATAGGAGCATTGTTACTGAGCCA
CAGATAATACAAGAGCGTCCCTCACAAATAAATTAAGCGTAAAAGGAGACCTACATCAGGCTTCATC
CTGAGGATTTTATCAAGAAAGCAGATTTGGCAGTTCAAAAGACTCCTGAAATGATAAATCAGGAACTAA
CCAAACGAGCAGAATGGTCAAGTATGATTAATACTAATAGTGGTCATGAGAATAAAACAAAAGGTGAT
TCTATTCAGAATGAGAAAAATCCTAACCAATAGAATCACTCGAAAAAGAAATCTGCTTTCAAACGAAAG
CTGAACCTATAAGCAGCAGTATAAGCAATATGGAACCTCGAATTAATATCCACAATTCAAAAGCACCTAA
AAAGAATAGGCTGAGGAGGAAGTCTTACCAGGCATATTCATGCGCTTGAACCTAGTAGTCAAGTAAAT
CTAAGCCACCTAATTGTACTGAATTGCAAAATGATAGTTGTTCTAGCAGTGAAGAGATAAAGAAAAAAA
AGTACAACCAATGCCAGTCAGGCACAGCAGAAACCTACAACCTCATGGAAGGTAAGAACCTGCAACTGG
AGCCAAGAAGAGTAACAAGCCAAATGAACAGACAAGTAAAAGACATGACAGCGTACTTTCCAGAGCTG
AAGTTAACAAAATGCACCTGGTTCTTTTACTAAGTGTCAAATACCAGTGAACCTAAAGAATTTGTCAATC
CTAGCCTTCCAAGAGAAGAAAAAGAAGAGAACTAGAAACAGTTAAAGTGTCTAATAATGCTGAAGACCC
CAAAGATCTCATGTTAAGTGGAGAAAGGTTTTGCAAACTGAAAGATCTGTAGAGAGTGCAGTATTTCA
TTGGTACTGGTACTGATTATGGCACTCAGGAAAGTATCTCGTTACTGGAAGTTAGCACTTAGGGAAGG
CAAAAACAGAACCAAAATAAATGTGTGAGTCAAGTGTGCAGCATTGAAAACCCCAAGGACTAATTCATGG
TTGTTCCAAAGATAATAGAAATGACACAGAAGGCTTTAAGTATCCATTGGGACATGAAGTTAACCACAGT
CGGAAACAAGCATAGAAATGGAAGAAAGTGAACCTTGATGCTCAGTATTTGCAGAATACATTCAAGGTTT
CAAAGCGCAGTCATTTGCTCCGTTTTCAAATCCAGGAAATGCAGAAGAGGAATGTGCAACATTCTCTGC
CCTACTGGTCTTAAAGAAACAAAGTCCAAAAGTCACTTTTGAATGTGAACAAAAGGAA

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence: >RC402988 representing NM_007294
 Red=Cloning site Green=Tags(s)


MDLSALRVEEVQNVINAMQKILECPICLLELIKEPVSTKCDHIFCKFCMLKLLNQKKGPSQCPLCKNDITK
 RSLQESTRFSQLVEELLKIICAFQLDTGLEAYANSYNFAKKENNSPEHLKDEVSI IQSMGYRNRARLLQS
 EPENPSLQETSLSVQLSNLGTVRTLRKQRIQPQKTSVYIELGSDSSEDTVNKATYCSVGDQELLQITPQ
 GTRDEISLDSAKKAACEFSETDVTNTEHHQPSNNDLNTTEKRAAERHPEKYQGSSVSNLHVPCGNTNTHA
 SSLQHENSLLLLTKDRMNVEKAFCNKSKQPGLARSQHNWRWAGSKETCNDRRTPSTEKKVDLNADPLCER
 KEWNNKQLPCSENPRDTEVPWITLNSSIQKVNEWFSRSEDELLGSDSDHGESESNKAVADVLDVLENEVD
 EYSGSSEKIDLLASDPHEALICKSERVHKSVESNIEDKIFGKTYRKKASLPNLSHVTENLIIGAFVTEP
 QIIQERPLTNKLKRRRPTSGLHPEDFIKKADLAVQKTPEMINQGTNQTQNGQVMNITNSGHENKTKGD
 SIQNEKNPNPIESLEKESAFKTKAEPISSSISNMELELNIHNSKAPKKNRLRRKSSTRHIALELVVSRN
 LSPNCTELQIDSCSSSEEEKKKYNQMPVHRNRLQLMEGKEPATGAKKSNKPNEQTSKRHDSDTFPEL
 KLTNAPGSFTKCSNTSELKEFVNPSLPREEKEELETVKVSNNAEDPKDMLSGERVLQTERSVESSSIS
 LVPGTDYGTQESISLLEVSTLGAKTEPNKCVSQCAAFENPKGLIHGCSKDNRNDTEGFKYPLGHEVNH
 RETSIEMEESELDAQYLQNTFKVSKRQSFAPFSNPNAEEEECATFSAHSGSLKKQSPKVTFECEQKE

SGPTRRRLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
RefSeq:	<p>NP_009225</p>
RefSeq Size:	<p>2721 bp</p>
RefSeq ORF:	<p>5592 bp</p>
Locus ID:	<p>672</p>
Cytogenetics:	<p>17q21.31</p>
Domains:	<p>BRCT, RING</p>
Protein Families:	<p>Druggable Genome, Transcription Factors</p>
Protein Pathways:	<p>Ubiquitin mediated proteolysis</p>
MW:	<p>99.8 kDa</p>
Gene Summary:	<p>This gene encodes a 190 kD nuclear phosphoprotein that plays a role in maintaining genomic stability, and it also acts as a tumor suppressor. The BRCA1 gene contains 22 exons spanning about 110 kb of DNA. The encoded protein combines with other tumor suppressors, DNA damage sensors, and signal transducers to form a large multi-subunit protein complex known as the BRCA1-associated genome surveillance complex (BASC). This gene product associates with RNA polymerase II, and through the C-terminal domain, also interacts with histone deacetylase complexes. This protein thus plays a role in transcription, DNA repair of double-stranded breaks, and recombination. Mutations in this gene are responsible for approximately 40% of inherited breast cancers and more than 80% of inherited breast and ovarian cancers. Alternative splicing plays a role in modulating the subcellular localization and physiological function of this gene. Many alternatively spliced transcript variants, some of which are disease-associated mutations, have been described for this gene, but the full-length natures of only some of these variants has been described. A related pseudogene, which is also located on chromosome 17, has been identified. [provided by RefSeq, May 2020]</p>