

Product datasheet for **RC403204**

STAT1 (NM_007315) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	STAT1 (NM_007315) Human Mutant ORF Clone
Mutation Description:	L706S
Affected Codon#:	706
Affected NT#:	2117
Nucleotide Mutation:	STAT1 Mutant (L706S), Myc-DDK-tagged ORF clone of Homo sapiens signal transducer and activator of transcription 1, 91kDa (STAT1), transcript variant alpha as transfection-ready DNA
Effect:	Impired myoberil immunity
Symbol:	STAT1
Synonyms:	CANDF7; IMD31A; IMD31B; IMD31C; ISGF-3; STAT91
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_007315
ORF Size:	2250 bp
Restriction Sites:	Sgfl-Mlul



[View online »](#)

ORF Nucleotide Sequence:

>RC403204 representing NM_007315
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGTCTCAGTGGTACGAACCTCAGCAGCTTGACTCAAATTCCTGGAGCAGGTTACCAGCTTTATGATG
 ACAGTTTTCCCATGGAAATCAGACAGTACCTGGCACAGTGGTTAGAAAAGCAAGACTGGGAGCACGCTGC
 CAATGATGTTTCATTTGCCACCATCCGTTTTTCATGACCTCCTGTACAGCTGGATGATCAATATAGTCGC
 TTTTCTTTGGAGAATAACTTCTTGCTACAGCATAACATAAGGAAAAGCAAGCGTAATCTTCAGGATAATT
 TTCAGGAAGACCCAATCCAGATGTCTATGATCATTACAGCTGTCTGAAGGAAGAAAGGAAAATTCTGGA
 AAACGCCCAGAGATTTAATCAGGCTCAGTCGGGAATATTCAGAGCACAGTGTAGTGTAGACAAACAGAAA
 GAGCTTGACAGTAAAGTCAGAAATGTGAAGGACAAGGTTATGTGTATAGAGCATGAAATCAAGAGCCTGG
 AAGATTTACAAGATGAATATGACTTCAAATGCAAAACCTTGCAGAACAGAGAACACGAGACCAATGGTGT
 GGCAAAGAGTGATCAGAAACAAGAACAGCTGTTACTCAAGAAGATGATTTAATGCTTGACAATAAGAGA
 AAGGAAGTAGTTCACAAAATAATAGAGTTGCTGAATGTCACTGAACTTACCCAGAATGCCCTGATTAATG
 ATGAACTAGTGGAGTGAAGCGGAGACAGCAGAGCGCCTGTATTGGGGGGCCGCCAATGCTTGCTTGGA
 TCAGCTGCAGAACTGGTTCACCTAGTTGCGGAGAGTCTGCAGCAAGTTCGGCAGCAGCTTAAAAAGTTG
 GAGGAATTGGAACAGAAATACACCTACGAACATGACCCTATCACAAAAACAACAAGTGTATGGGACC
 GCACCTTCAGTCTTTCCAGCAGCTCATTACAGACTCGTTTGGTGGAAAGACAGCCCTGCATGCCAAC
 GCACCTCAGAGGCCGCTGGTCTGAAGACAGGGTCCAGTTCCTGTGAAGTTGAGACTGTTGGTGAAA
 TTCAAAGAGCTGAATTAATTTGAAAGTCAAAGTCTTATTTGATAAAGATGTGAATGAGAGAAAATACAG
 TAAAAGGATTTAGGAAGTTCAACATTTGGGCACGCACACAAAAGTGAACATGGAGGAGTCCACCAA
 TGGCAGTCTGGCGGCTGAATTTCCGACCTGCAATTGAAAGAACAGAAAAATGCTGGCACCAGAACGAAT
 GAGGGTCTCTCATCGTTACTGAAGAGCTTCACTCCCTTGTGTTTGAACCCAATTGTGCCAGCCTGGTT
 TGGTAATTGACCTCGAGACGACCTCTCTGCCGTTGTGGTGTCTCCAACGTGAGCCAGCTCCCGAGCGG
 TTGGGCTCCATCCTTTGGTACAACATGCTGGTGGCGGAACCCAGGAATCTGTCTTCTTCTGACTCCA
 CCATGTGCACGATGGGCTCAGCTTTCAGAAGTGTGAGTTGGCAGTTTTCTTCTGTCCACAAAAGAGGTC
 TCAATGTGGACCAGCTGAACATGTTGGGAGAGAAGCTTCTTGGTCTAACGCCAGCCCCGATGGTCTCAT
 TCCGTGGACGAGGTTTTGTAAGGAAAATAAAATGATAAAAAATTTCCCTTCTGGCTTTGGATTGAAAGC
 ATCCTAGAACTCATAAAAAACACCTGCTCCCTCTCTGGAATGATGGGTGCATCATGGGCTTCATCAGCA
 AGGAGCGAGAGCGTGCCCTGTTGAAGGACCAGCAGCCGGGACCTTCTGCTGCGGTTGAGTGGAGGCTC
 CCGGGAAGGGGCCATCACATTCATGGGTGGAGCGGTCCAGAACGGAGGCGAACCTGACTTCCATGCC
 GTTGAACCCTACACGAAGAAAGAACTTTCTGCTGTTACTTTCCCTGACATCATTGCAATTACAAAGTCA
 TGGCTGCTGAGAAATTCCTGAGAAATCCCCTGAAGTATCTGTATCCAAATATTGACAAAGACCATGCCTT
 TGGAAAGTATTACTCCAGGCCAAAGGAAGCACCAGACCAATGGAAGTGTGATGGCCCTAAAGGAAGTGA
 TATATCAAGACTGAGTCGATTTCTGTGTCTGAAGTTACCCTTCTAGACTTCAGACCACAGACAACCTGC
 TCCCCATGTCCTGAGGAGTTTGACGAGGTGTCTCGGATAGTGGGCTCTGTAGAATTCGACAGTATGAT
 GAACACAGTA

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence: >RC403204 representing NM_007315
 Red=Cloning site Green=Tags(s)


MSQWYELQQLDKFLQVHQLYDDSPFMEIRQYLAQWLEKQDWEHAANDVSFATIRFHDLLSQLDDQYSR
 FSLENNFLQHNIRKSKRNLQDNFQEDPIQMSMIYISCLKEERKILENAQRFNQAQSGNIQSTVMLDKQK
 ELDSKVRNVKDKVMCIEHEIKSLEDLQDEYDFKCKTLQNRHEHTNGVAKSDQKQEQLLLKKMYLMLDNKR
 KEVVHKIIELLNVTELTQNALINDELVEWKRRQQSACIGGPPNAQLDQLQNWFTIVAESLQQVRRQLKLL
 EEELEQKYTYEHPITKNKQVLWDRTFSLFQQLIQSSFVVERQPCMPHPQRPLVLKTGVQFTVKLRLLVK
 LQELNYNLKVKVLFDKDVNERNTVKGFRKFNILGTHTKVMNMEESTNGSLAAEFRHLQLKEQKNAGTRTN
 EGPLIVTEELHLSLQFETQLCQPLVIDLETTSLPVVVISNVSQPLPSGWASILWYNMLVAEPRNLSFFLTP
 PCARWAQLSEVLSWQFSSVTKRGLNVDQLNMLGEKLLGPNASPDGLIPWTRFCKENINDKNFPFWLWIES
 ILELIKHLPLWNDGCMGFISKERERALLKDQQPGTFLLRFSESSREGAITFTWVERSQNGGEPDFHA
 VEPYTKKELSAVTFPDIIRNYKMAAENIPENPLKYL YPNIDKDHAFGKYYSRPKEAPEPEMELDGPKGTG
 YIKTESISVSEVHPSRLQTTDNLLPMSPEEFDEVSRIVGSVEFDSMMNTV

SGPTRRRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:



* The last codon before the Stop codon of the ORF

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
RefSeq:	<p>NP_009330</p>
RefSeq Size:	<p>2250 bp</p>
RefSeq ORF:	<p>2253 bp</p>
Locus ID:	<p>6772</p>
Cytogenetics:	<p>2q32.2</p>
Domains:	<p>SH2, STAT</p>
Protein Families:	<p>Druggable Genome, Transcription Factors</p>
Protein Pathways:	<p>Chemokine signaling pathway, Jak-STAT signaling pathway, Pancreatic cancer, Pathways in cancer, Toll-like receptor signaling pathway</p>
MW:	<p>82.5 kDa</p>
Gene Summary:	<p>The protein encoded by this gene is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. The protein encoded by this gene can be activated by various ligands including interferon-alpha, interferon-gamma, EGF, PDGF and IL6. This protein mediates the expression of a variety of genes, which is thought to be important for cell viability in response to different cell stimuli and pathogens. The protein plays an important role in immune responses to viral, fungal and mycobacterial pathogens. Mutations in this gene are associated with Immunodeficiency 31B, 31A, and 31C. [provided by RefSeq, Jun 2020]</p>