

## Product datasheet for **RC403328**

### RET (NM\_020975) Human Mutant ORF Clone

#### Product data:

|                           |   |
|---------------------------|---|
| Product Type:             | Mutant ORF Clones   |
| Product Name:             | RET (NM_020975) Human Mutant ORF Clone  |
| Mutation Description:     | K780X   |
| Affected Codon#:          | 780   |
| Affected NT#:             | 2338  |
| Nucleotide Mutation:      | RET Mutant (K780X), Myc-DDK-tagged ORF clone of Homo sapiens ret proto-oncogene (RET), transcript variant 2 as transfection-ready DNA |
| Effect:                   | Hirschsprung disease  |
| Symbol:                   | RET   |
| Synonyms:                 | CDHF12; CDHR16; HSCR1; MEN2A; MEN2B; MTC1; PTC; RET-ELE1  |
| E. coli Selection:        | Kanamycin (25 ug/mL)  |
| Mammalian Cell Selection: | Neomycin  |
| Vector:                   | pCMV6-Entry (PS100001)  |
| Tag:                      | Myc-DDK   |
| ACCN:                     | NM_020975   |
| ORF Size:                 | 2337 bp   |
| Restriction Sites:        | Sgfl-Mlul   |



[View online »](#)

**ORF Nucleotide Sequence:**

>RC403328 representing NM\_020975  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGCGAAGGCGACGTCCGGTGCCGCGGGGCTGCGTCTGCTGTTGCTGCTGCTGCCGCTGCTAGGCA  
 AAGTGGCATTGGGCTCTACTTCTCGAGGGATGCTTACTGGGAGAAGCTGTATGTGGACCAGGCGCCGG  
 CACGCCCTTGCTGTACGTCCATGCCCTGCGGGACGCCCTGAGGAGGTGCCAGCTTCCGCTGGCCAG  
 CATCTCTACGGCAGTACCGCACACGGCTGCATGAGAACAAGTGGATCTGCATCCAGGAGGACACCGGCC  
 TCCTCTACCTAAACGGAGCCTGGACCATAGCTCCTGGGAGAAGCTCAGTGTCCGCAACCGCGGCTTTCC  
 CCTGCTCACCGTCTACCTCAAGGTCTTCTGTACCCACATCCCTTCGTGAGGGCGAGTGCCAGTGGCCA  
 GGCTGTGCCCGGTATACTTCTCCTTCTCAACACCTCCTTCCAGCCTGCAGTCCCTCAAGCCCCGGG  
 AGCTCTGCTTCCAGAGACAAGGCCCTCCTCCGCATTGGGAGAACCGACCCCCAGGCACCTTCCACCA  
 GTTCCGCTGCTGCCTGTGCAGTCTTGTGCCCAACATCAGCGTGGCCTACAGGCTCCTGGAGGTTGAG  
 GGTCTGCCCTTCCGCTGCGCCCCGACAGCCTGGAGGTGAGCACGCGCTGGGCCCTGGACCGCGAGCAGC  
 GGGAGAAGTACGAGCTGGTGGCCGTGTGCACCGTGCACGCCGGCGCGCGAGGAGGTGGTATGGTGCC  
 CTTCCCGGTGACCGTGTACGACGAGGACGACTCGGCGCCACCTTCCCGCGGGCGTGCACACCGCCAGC  
 GCCGTGGTGGAGTTCAAGCGGAAGGAGGACACCGTGGTGGCCACGCTGCGTGTCTTCGATGCAGACGTGG  
 TACCTGCATCAGGGGAGCTGGTGGGGGTACACAAGCACGCTGCTCCCCGGGGACACCTGGGCCAGCA  
 GACCTTCCGGGTGGAACACTGGCCCAACGAGACCTCGGTCCAGGCAACGGCAGCTTCGTGCGGGCGACC  
 GTACATGACTATAGCTGGTTCACACCGAACCTCTCCATCTCGGAGAACCACCATGCAGCTGGCGG  
 TGCTGGTCAATGACTCAGACTTCCAGGGCCAGGAGCGGGCGTCTCTTGTCTCAACTTCAACGTGTGCT  
 GCTGCCGGTCAGCCTGCACCTGCCAGTACCTACTCCCTCTCCGTGAGCAGGAGGGCTCGCCGATTTGCC  
 CAGATCGGAAAAGTCTGTGTGAAAAACTGCCAGGCATTAGTGGCATCAACGTCCAGTACAAGCTGCATT  
 CCTCTGGTGCCAACTGCAGCACGCTAGGGGTGGTACCTCAGCCGAGGACACCTCGGGGATCCTGTTTGT  
 GAATGACACCAAGGCCCTGCGGCGGCCAAGTGTGCCAACTTCACTACATGGTGGTGGCCACCGACCAG  
 CAGACCTTAGGCAGGCCAGGCCAGCTGCTTGTAAAGTGGAGGGTGCATATGTGGCCGAGGAGGCGG  
 GCTGCCCCCTGTCTGTGCAGTCAGCAAGAGACGGCTGGAGTGTGAGGAGTGTGGCGCCTGGGCTCCCC  
 AACAGGCAGGTGTGAGTGGAGGCAAGGAGATGGCAAAGGATCACCAGGAACCTTCCACCTGCTCTCCC  
 AGCACCAAGACCTGCCCCGACGGCCACTGCGATGTTGTGGAGACCAAGACATCAACATTTGCCCTCAGG  
 ACTGCCTCCGGGGCAGCATTGTTGGGGACACGAGCCTGGGGAGCCCCGGGGATTAAAGCTGGCTATGG  
 CACCTGCAACTGCTTCCCTGAGGAGGAGAAGTCTTCTGCGAGCCCCAAGACATCCAGGATCCACTGTGC  
 GACGAGCTGTGCCGACGGTGTGCGAGCCGCTGCTCTTCTCCTTCATCGTCTCGGTGCTGCTGTCTG  
 CCTTCTGCATCCACTGTACCACAAGTTTGCCACAAGCCACCATCTCCTCAGCTGAGATGACCTTCCG  
 GAGGCCCGCCAGGCCTTCCCGGTGAGTACTCCTCTTCCGGTGGCCGCGGCCCTCGCTGGACTCCATG  
 GAGAACCAGGTCTCCGTGGATGCCTTCAAGATCCTGGAGGATCCAAGTGGGAATCCCTCGGAAGAACT  
 TGTTCTTGAAAAACTTAGGAGAAGGCGAATTTGAAAAAGTGGTCAAGGCAACGGCCCTCCATCTGAA  
 AGGCAGAGCAGGTTACACCACGGTGGCCGTGAAGATGCTGAAAGAGAACGCCCTCCCCGAGTGAGCTTCA  
 GACCTGCTGTCAGAGTTCAACGTCTG

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

**Protein Sequence:** >RC403328 representing NM\_020975  
Red=Cloning site Green=Tags(s)

```


MAKATSGAAGRLLLLLLLPLLKGVALGLYFSRDAYWEKLYVDQAAGTPLLYVHALRDAPEEVPFRLGQ
HLYGTYRTRLHENNWICIQEDTGLLYLNRSLDHSSWEKLSVRNRGFPLLVYLVKVFLLSPTSLREGECQWP
GCARVYF SFFNTSFPACSSLKPRELCFPETRPSFRIENRPPGTFHQFRLLPVQFLCPNISVAYRLLGE
QLPFRCAPDSLEVSTRWALDREQREKYLVAVCTVHAGAREEVVMVFPVTVYDEDDSAPTFFPAGVDTAS
AVVEFKRKEDTVVATLRVFDADVVPASGELVRRYTSTLLPGDTWAQQTFRVEHWPNETSVQANGSFVRAT
VHDYRLVLRNLSISENRTMQLAVLVNDSDFQGGAGVLLLFHNVSVLPVSLHLPSTYSLVSRARRFA
QIGKVCVENCQAFSGINVQYKLHSSGANCSTLGVVTS AEDTSGILFVNDTKALRRPKCAELHYMVVATDQ
QTSRQAQAQLLVTVEGSYVAEEAGCPLSCAVSKRRLECEECGGLGSPTRCEWRQGDGKGITRNFSTCSP
STKTCPDGHCDVVETQDINICPDQLRGSIVGGHEPGEPRGIKAGYGTNCNFPEEEKCFCEPEDIQDPLC
DELCRTVIAAAVLFSFIVSVLLSAFCIHCHYKFAHKPPISSAEMTFRRPAQAFPVSYSSSGARRPSLDSM
ENQVSDAFKILEDPKWEFPRKNLVLGKTLGEGEFGKVVKATAFHLKGRAGYTTVAVKMLKENASPSLR
DLLSEFNVL
    
```

SGPTRTRRLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**



**OTI Disclaimer:**

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:**

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

|                          |   |
|--------------------------|---|
| <b>Components:</b>       | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).  |
| <b>RefSeq:</b>           | <a href="#">NP_066124</a>   |
| <b>RefSeq Size:</b>      | 2337 bp   |
| <b>RefSeq ORF:</b>       | 3345 bp   |
| <b>Locus ID:</b>         | 5979  |
| <b>Cytogenetics:</b>     | 10q11.21  |
| <b>Protein Families:</b> | Druggable Genome, Protein Kinase, Transmembrane   |
| <b>Protein Pathways:</b> | Endocytosis, Pathways in cancer, Thyroid cancer   |
| <b>MW:</b>               | 85.7 kDa  |
| <b>Gene Summary:</b>     | This gene encodes a transmembrane receptor and member of the tyrosine protein kinase family of proteins. Binding of ligands such as GDNF (glial cell-line derived neurotrophic factor) and other related proteins to the encoded receptor stimulates receptor dimerization and activation of downstream signaling pathways that play a role in cell differentiation, growth, migration and survival. The encoded receptor is important in development of the nervous system, and the development of organs and tissues derived from the neural crest. This proto-oncogene can undergo oncogenic activation through both cytogenetic rearrangement and activating point mutations. Mutations in this gene are associated with Hirschsprung disease and central hypoventilation syndrome and have been identified in patients with renal agenesis. [provided by RefSeq, Sep 2017] |