

Product datasheet for **RC403358**

RET (NM_020975) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	RET (NM_020975) Human Mutant ORF Clone
Mutation Description:	R897X
Affected Codon#:	897
Affected NT#:	2689
Nucleotide Mutation:	RET Mutant (R897X), Myc-DDK-tagged ORF clone of Homo sapiens ret proto-oncogene (RET), transcript variant 2 as transfection-ready DNA
Effect:	Aganglionosis, total colonic
Symbol:	RET
Synonyms:	CDHF12; CDHR16; HSCR1; MEN2A; MEN2B; MTC1; PTC; RET-ELE1
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_020975
ORF Size:	2688 bp
Restriction Sites:	Sgfl-Mlul



[View online »](#)

ORF Nucleotide Sequence:

>RC403358 representing NM_020975
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCGAAGGCGACGTCCGGTGCCGCGGGGCTGCGTCTGCTGTTGCTGCTGCTGCTGCCGCTGCTAGGCA
 AAGTGGCATTGGGCTCTACTTCTCGAGGGATGCTTACTGGGAGAAGCTGTATGTGGACCAAGCGGCCGG
 CACGCCCTTGCTGTACGTCCATGCCCTGCGGGACGCCCTGAGGAGGTGCCAGCTTCCGCCCTGGGCCAG
 CATCTCTACGGCACGTACCGCACACGGCTGCATGAGAACAACCTGGATCTGCATCCAGGAGGACACCGGCC
 TCCTCTACCTTAACGGAGCCTGGACCATAGCTCCTGGGAGAAGCTCAGTGTCCGCAACCGCGGCTTTCC
 CCTGCTCACCGTCTACCTCAAGGTCTTCTGTACCCACATCCCTTCGTGAGGGCGAGTGCCAGTGGCCA
 GGCTGTGCCCGGTATACTTCTCCTTCTCAACACCTCCTTTCCAGCCTGCAGCTCCCTCAAGCCCCGGG
 AGCTCTGCTTCCAGAGACAAGGCCCTCCTTCCGCATTGGGAGAACCGACCCCCAGGCACCTTCCACCA
 GTTCCGCCCTGCTGCCTGTGCAGTCTTGTGCCCAACATCAGCGTGGCCTACAGGCTCCTGGAGGGTGTAG
 GGTCTGCCCTTCCGCTGCGCCCCGACAGCCTGGAGGTGAGCACGCGCTGGGCCCTGGACCGCGAGCAGC
 GGGAGAAGTACGAGCTGGTGGCCGTGTGCACCGTGCACGCCGGCGCGCGAGGAGGTGGTGTGGTGGCC
 CTTCCCGGTGACCGTGTACGACGAGGACGACTCGGCGCCACCTTCCCGCGGGCGTGCACACCGCCAGC
 GCCGTGGTGGAGTTCAAGCGGAAGGAGGACACCGTGGTGGCCACGCTGCGTGTCTTCGATGCAGACGTGG
 TACCTGCATCAGGGGAGCTGGTGGGGGTACACAAGCACGCTGCTCCCCGGGGACACCTGGGCCAGCA
 GACCTTCCGGGTGGAACACTGGCCCAACGAGACCTCGGTCCAGGCCAACGGCAGCTTCGTGCGGGCGACC
 GTACATGACTATAGGCTGGTTCTCAACCGGAACCTCTCCATCTCGGAGAACCACCATGCAGCTGGCGG
 TGCTGGTCAATGACTCAGACTTCCAGGGCCAGGAGCGGGCTCCTCTTGCTCCACTTCAACGTGTGGT
 GCTGCCGGTCAAGCTGCACCTGCCAGTACCTACTCCCTCTCCGTGAGCAGGAGGGCTCGCCGATTTGCC
 CAGATCGGAAAAGTCTGTGTGAAAACCTGCCAGGCATTAGTGGCATCAACGTCCAGTACAAGCTGCATT
 CCTCTGGTGCCAACTGCAGCACGCTAGGGGTGGTACCTCAGCCGAGGACACCTCGGGGATCCTGTTTGT
 GAATGACACCAAGGCCCTGCGGCGGCCAAGTGTGCCAACTTCACTACATGGTGGTGGCCACCGACAGC
 CAGACCTTAGGCAGGCCAGGCCAGCTGCTTGTAAAGTGGAGGGTGCATATGTGGCCGAGGAGGCGG
 GCTGCCCTGTCTGTGCAGTCAAGAGACGGCTGGAGTGTGAGGAGTGTGGCGGCTGGGCTCCCC
 AACAGGCAGGTGTGAGTGGAGGCAAGGAGATGGCAAAGGATCACCAGGAACCTTCCACCTGCTCTCC
 AGCACCAAGACCTGCCCCGACGGCCACTGCGATGTTGTGGAGACCAAGACATCAACATTTGCCCTCAGG
 ACTGCCTCCGGGGCAGCATTGTTGGGGACACGAGCCTGGGGAGCCCCGGGGATTAAAGCTGGCTATGG
 CACCTGCAACTGCTTCCCTGAGGAGGAGAAGTCTTCTGCGAGCCGAAGACATCCAGGATCCACTGTGC
 GACGAGCTGTGCCGACGGTGTGCGAGCCGCTGCTCTTCTCCTTCATCGTCTCGGTGCTGCTGTCTG
 CCTTCTGCATCCACTGTACCACAAGTTTGCCACAAGCCACCATCTCCTCAGCTGAGATGACCTTCCG
 GAGGCCCGCCAGGCCTTCCCGTCACTACTCCTCTTCCGGTGGCCGCGGCCCTCGCTGGACTCCATG
 GAGAACCAGGTCTCCGTGGATGCCTTCAAGATCCTGGAGGATCCAAGTGGGAATCCCTCGGAAGAACT
 TGTTCTTGAAAACTCTAGGAGAAGGCGAATTTGAAAAGTGGTCAAGGCAACGGCCTTCCATCTGAA
 AGGCAGAGCAGGGTACACCACGGTGGCCGTGAAGATGCTGAAAGAGAACGCCTCCCCGAGTGGCTTCA
 GACCTGTGTGAGAGTTCAACGTCTGAAGCAGGTCAACCACCCACATGTCATCAAATTTGATGGGGCT
 GCAGCCAGGATGGCCCGTCTCCTCATCGTGGAGTACGCCAAATACGGCTCCCTGCGGGGCTTCTCCG
 CGAGAGCCGAAAGTGGGGCTGGTACCTGGGCAAGTGGAGGACGCCGAACTCCAGCTCCCTGGACCAC
 CCGGATGAGCGGGCCCTACCATGGGCGACCTCATCTCATTTGCCGAGATCTCACAGGGGATGCAGT
 ATCTGGCCGAGATGAAGCTGTTTCATCGGGACTGGCAGCCAGAAACATCCTGGTAGCTGAGGGGCGGAA
 GATGAAGATTTCCGATTTCCGGCTGTCC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
 TGGATTACAAGGATGACGACGA TAAGGTTTAA


Protein Sequence: >RC403358 representing NM_020975
Red=Cloning site Green=Tags(s)

MAKATSGAAGRLRLLLLLLLPLLGLKVALGLYFSRDAYWEKLYVDQAAGTPLLYVHALRDAPEEVPSFRLGQ
 HLYGTYRTRLHENNWICIQEDTGLLYLNRSLDHSSWEKLSVRNRGFPLLTYYLKVFLSPTSLREGECQWP
 GCARVYF SFFNTSFPACSSLKPRELCFPETRPSFRIENRPPGTFHQFRLLPVQFLCPNISVAYRLLGE
 GLPFRCAPDSLEVSTRWALDREQREKLYELVAVCTVHAGAREEVVMVFPVTVYDEDDSAPTFPAGVDTAS
 AVVEFKRKEDTVVATLRVFDADVVPASGELVRRYVSTLLPGDTWAQQTFRVEHWPNETSVQANGSFVRAT
 VHDYRLVLNRNLSISENRTMQLAVLVNDSDFQGGAGVLLLFHNVSVLPVSLHLPSTYSLSVSRARRFA
 QIGKVCVENCQAFSGINVQYKLHSSGANCSTLGVVTS AEDTSGILFVNDTKALRRPKCAELHYMVVATDQ
 QTSRQAQQLLVTEGSYVAEEAGCPLSCAVSKRRLECEECGGLGSPTRCEWRQGDGKIGTRNFSTCSP
 STKTCPDGHCDVVETQDINICPQDCLRGSIVGGHEPGEPRGIKAGYGTNCNCFPEEEKCFCEPEDIQDPLC
 DELCRTVIAAAVLF SFI VSVLLSAFCIHCHYKFAHKPPISSAEMTFRRPAQAFPVSYSSSGARRPSLDSM
 ENQVSDAFKILEDPKWEFPRKNLVLGKTLGEGEFGKVVKATAFHLKGRAGYTTVAVKMLKENASPSLR
 DLLSEFNVLKQVNHVHIKLYGACSDQGPLLLIVEYAKYGSRLRGLRESRKVGPGLYSGGSRNSSSLDH
 PDERALTMGDLISFAWQISQGMQYLAEMKLVHRDLAARNILVAEGRKMKISDFGLS

SGPTRTRRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:	NP_066124
RefSeq Size:	2688 bp
RefSeq ORF:	3345 bp
Locus ID:	5979
Cytogenetics:	10q11.21
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
Protein Pathways:	Endocytosis, Pathways in cancer, Thyroid cancer
MW:	98.6 kDa
Gene Summary:	<p>This gene encodes a transmembrane receptor and member of the tyrosine protein kinase family of proteins. Binding of ligands such as GDNF (glial cell-line derived neurotrophic factor) and other related proteins to the encoded receptor stimulates receptor dimerization and activation of downstream signaling pathways that play a role in cell differentiation, growth, migration and survival. The encoded receptor is important in development of the nervous system, and the development of organs and tissues derived from the neural crest. This proto-oncogene can undergo oncogenic activation through both cytogenetic rearrangement and activating point mutations. Mutations in this gene are associated with Hirschsprung disease and central hypoventilation syndrome and have been identified in patients with renal agenesis. [provided by RefSeq, Sep 2017]</p>