

## Product datasheet for **RC403469**

### Wilms Tumor Protein (WT1) (NM\_024426) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	Wilms Tumor Protein (WT1) (NM_024426) Human Mutant ORF Clone
Mutation Description:	H441Q
Affected Codon#:	441
Affected NT#:	1323
Nucleotide Mutation:	WT1 Mutant (H441Q), Myc-DDK-tagged ORF clone of Homo sapiens Wilms tumor 1 (WT1), transcript variant D as transfection-ready DNA
Effect:	Denys-Drash syndrome
Symbol:	Wilms Tumor Protein
Synonyms:	AWT1; GUD; NPHS4; WAGR; WIT-2; WT33
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_024426
ORF Size:	1551 bp
Restriction Sites:	Sgfl-Mlul



[View online »](#)

**ORF Nucleotide Sequence:**

>RC403469 representing NM\_024426  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCCCGCATCGCC

ATG CAGGACCCGGCTTCCACGTGTGTCCCGGAGCCGGCTCTCAGCACACGCTCCGCTCCGGCCTGGT  
 GCCTACAGCAGCCAGAGCAGCAGGGAGTCCGGGACCCGGCGGCATCTGGCCAAAGTTAGCGCCGCCGA  
 GGCCAGCGCTGAACGTCTCCAGGGCCGAGGAGCCGCGGGCGTCCGGTCTGAGCCGACGAAATGGGC  
 TCCGACGTGCGGGACCTGAACGCGCTGTGCCCGCCGTCCTCCCTGGGTGGCGGCGCGGCTGTGCC  
 TGCCTGTGAGCGGCGCGCGCAGTGGCGCCGGTGTGGACTTTGCGCCCCGGGCGCTTCGGCTTACGG  
 GTCGTTGGGCGGCCCGCGCCGACCCGGCTCCGCCGCCACCCCGCGCGCGCCCTACTCCTTCATC  
 AAACAGGAGCCGAGCTGGGGCGGCGGAGCCGCACGAGGAGCAGTGCCTGAGCGCCTTACTGTCCACT  
 TTTCCGGCCAGTTCACTGGCACAGCCGAGCCTGTGCTACGGGCCCTTCGGTCTCTCCGCCAGCCA  
 GCGCTCATCCGGCCAGGCCAGGATGTTTCTAACGCGCCCTACCTGCCAGCTGCCTCGAGAGCCAGCCC  
 GCTATTGCAATCAGGGTTACAGCACGGTCACCTTCGACGGGACGCCAGCTACGGTACACGCCCTCGC  
 ACCATGCGGCGCAGTTCCCAACCCTCATTCAAGCATGAGGATCCCATGGGCCAGCAGGGCTCGTGGG  
 TGAGCAGCAGTACTCGGTGCCGCCCGGTCTATGGTGCCACACCCACCACAGCTGCACCGGCAGC  
 CAGGCTTTGCTGCTGAGGACGCCCTACAGCAGTGACAATTTATACCAATGACATCCCAGCTTGAATGCA  
 TGACCTGGAATCAGATGAACTTAGGAGCCACCTTAAAGGGAGTTGCTGCTGGGAGCTCCAGCTCAGTAA  
 ATGGACAGAAGGGCAGAGCAACCACAGCACAGGATACGAGAGCGATAACCACACAACGCCATCCTCTGC  
 GGAGCCCAATACAGAATACACACGCACGGTGTCTTACAGGGCATTGAGGATGTGCGACGTGTGCCGGAG  
 TAGCCCCGACTTTGTACGGTCCGATCTGAGACCAGTGAAGAACGCCCTTTCATGTGCTTACCCAGG  
 CTGCAATAAGAGATATTTTAAGCTGTCCCACTTACAGATGCACAGCAGGAAGCACACTGGTGAGAAACCA  
 TACCAGTGTGACTTCAAGGACTGTGAACGAAGTTTTCTCGTTACAGCAGCTCAAAAGACAGCAAAAGGA  
 GACATACAGGTGTGAAACCATTCCAGTGTAAAACCTGTGAGCGAAAGTTCTCCCGGTCCGACCACCTGAA  
 GACCCACACCAGGACTCATAAGGTAACAAGTGAAGGCCCTTACAGTGTGCGTGGCCAAAGTTGTGAG  
 AAAAGTTTCCCGGTGAGTGAATAGTCCGCCATCACAAATGCATCAGAGAAACATGACCAAACTCC  
 AGCTGGCGCTT

AGCGGACCGACGCGTACGCGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

**Protein Sequence:**

>RC403469 representing NM\_024426  
 Red=Cloning site Green=Tags(s)

MQDPASTCVPEPASQHTLRSGPGCLQQPEQQVVRDPGGIWAKLGAAEASAERLQRRSRGASGSEPPQMG  
 SDVVDLNLALLPAVPSLGGGGCALPVSGAAQWAPVLDFAAPPASAYGSLGGPAPPAPPPPPPPPHSFI  
 KQEPSWGAEPHEEQCLSAFTVHFSGQFTGTAGACRYGPFPPPPSQASSGQARMFPNAPYLPSCLSEQP  
 AIRNQYSTVTFDGTSPSYGHTPSHAAQFPNHSFKHEDPMGQQGSLGEQQYSVPPPVYGCHTPTDSTGS  
 QALLLRTPYSSDNLQMTSQLCMTWNQMLGATLKGVAAGSSSVKWTGQSNHSTGYESDNHTTPILC  
 GAQYRIHTHGVRGIQDVRVPGVAPTLVRSASETSEKRPFMCAYPGCNKRYFKLSHLQMSRKHTGEKP  
 YQCDFKDCERRFSRSDQLKRQRRHTGVKPFQCKTCQRKFSRSDHLKTHTRHTGKTSEKPFSCRWPSCQ  
 KKFARSDELVRHHNMHRNMTKLQLAL

SGPTRRRLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:**

Sgfl-Mlul

**Cloning Scheme:**

**OTI Disclaimer:**

Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:**

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:**

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Note:**

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

**RefSeq:**

[NP\\_077744](#)

**RefSeq Size:**

1551 bp

**RefSeq ORF:**

1569 bp

**Locus ID:**

7490

**Cytogenetics:**

11p13

**Domains:**

WT1, zf-C2H2

**Protein Families:** Druggable Genome, Transcription Factors

**MW:** 56.9 kDa

**Gene Summary:** This gene encodes a transcription factor that contains four zinc-finger motifs at the C-terminus and a proline/glutamine-rich DNA-binding domain at the N-terminus. It has an essential role in the normal development of the urogenital system, and it is mutated in a small subset of patients with Wilms tumor. This gene exhibits complex tissue-specific and polymorphic imprinting pattern, with biallelic, and monoallelic expression from the maternal and paternal alleles in different tissues. Multiple transcript variants have been described. In several variants, there is evidence for the use of a non-AUG (CUG) translation initiation codon upstream of, and in-frame with the first AUG. Authors of PMID:7926762 also provide evidence that WT1 mRNA undergoes RNA editing in human and rat, and that this process is tissue-restricted and developmentally regulated. [provided by RefSeq, Mar 2015]