

## Product datasheet for **RC403541**

### Menin (MEN1) (NM\_130799) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	Menin (MEN1) (NM_130799) Human Mutant ORF Clone
Mutation Description:	H139R
Affected Codon#:	139
Affected NT#:	416
Nucleotide Mutation:	MEN1 Mutant (H139R), Myc-DDK-tagged ORF clone of Homo sapiens multiple endocrine neoplasia I (MEN1), transcript variant 2 as transfection-ready DNA
Effect:	Multiple endocrine neoplasia 1
Symbol:	MEN1
Synonyms:	MEAI; SCG2
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_130799
ORF Size:	1830 bp
Restriction Sites:	Sgfl-Mlul



[View online »](#)

**ORF Nucleotide Sequence:**

>RC403541 representing NM\_130799  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGGGCTGAAGGCCGCCAGAAGACGCTGTTCCCGCTGCGCTCCATCGACGACGTGGTGCGCCCTGTTTG  
 CTGCCGAGCTGGGCCGAGAGGAGCCGGACCTGGTGCTCCTTTCCCTGGTCTGGCTTCGTGGAGCATTT  
 TCTGGCTGTCAACCGCTCATCCCTACCAACGTTCCCGAGCTCACCTTCCAGCCAGCCCCGCCCCGAC  
 CCGCTGGCGGCCTCACCTACTTTCCCGTGCCGACCTGTCTATCATCGCCGCCCTCTATGCCCGTTCA  
 CCGCCAGATCCGAGGCGCCGTGACCTGTCCCTCTATCCTCGAGAAGGGGTGTCTCCAGCCGTGAGCT  
 GGTGAAGAAGTCTCCGATGTCATATGGAACAGCCTCAGCCGCTCCTACTTCAAGGATCGGGCCCGCATC  
 CAGTCCCTTTCAGTTCATCACAGGCACCAAATTGGACAGCTCCGGTGTGCCCTTTGCTGTGGTTGGGG  
 CCTGCCAGGCCCTGGGTCTCCGGGATGCCACCTCGCCCTGTCTGAGGATCATGCCTGGGTAGTGTGGG  
 GCCCAATGGGGAGCAGACAGCTGAGGTACCTGGCACGGCAAGGGCAACGAGGACCGCAGGGGCCAGACA  
 GTCAATGCCGGTGTGGCTGAGCGGAGCTGGCTGTACCTGAAAGGATCATACATGCCTGTGACCCGAAGA  
 TGGAGGTGGCGTTCATGGTGTGTGCCATCAACCCTCCATTGACCTGCACACCGACTCGCTGGAGCTTCT  
 GCAGCTGCAGCAGAAGCTGCTCTGGTCTCTATGACCTGGGACATCTGGAAAGGTACCCCATGGCCTTA  
 GGGAACTGGCAGATCTAGAGGAGCTGGAGCCACCCCTGGCCGGCCAGACCCACTCACCTCTACCACA  
 AGGGCATTGCCTCAGCCAAGACCTACTATCGGGATGAACACATCTACCCCTACATGTACCTGGCTGGCTA  
 CCACTGTCGAACCGCAATGTGCGGGAAGCCCTGCAGGCTGGCGGACACGGCCACTGTATCCAGGAC  
 TACAACCTACTGCCGGGAAGACGAGGAGATCTACAAGGAGTTCTTTGAAGTAGCCAATGATGTCATCCCA  
 ACCTGCTGAAGGAGGCAGCCAGCTTGTGGAGCGGGCAGGAGCGGCCGGGGGAGCAAGCCAGGCATC  
 CCAGAGCCAAGGTTCCGCCCTCCAGGACCTGAGTGCTTCGCCACCTGCTGCGATTCTACGACGGCATC  
 TGCAAATGGGAGGAGGGCAGTCCACGCCTGTGCTGCACGTGGGCTGGGCCACCTTTCTGTGCAGTCCC  
 TAGGCCGTTTTGAGGGACAGGTGCGGCAGAAGGTGCGCATAGTGAGCCGAGAGGCCGAGGCGGCCGAGGC  
 CGAGGAGCCGTGGGGCAGGAAGCCCGGAAGGCCGGCGGGGCCACGGCGGGAGTCCAAGCCAGAG  
 GAGCCCCCGCCCAAGAAGCCAGCACTGGACAAGGGCTGGCACCGGCCAGGGTGCAGTGTGAGGAC  
 CCCCCCGAAGCCTCTGGGACTGTGCTGGCACAGCCCGAGGCCCTGAAGGTGGCAGCACGGCTCAGGT  
 GCCAGCACCCGCAGCATACCACCGCCGAGGGTCCAGTGCTCACTTTCCAGAGTGAGAAGTGAAGGGC  
 ATGAAGGAGCTGCTGGTGGCCACCAAGATCAACTCGAGGCCATCAAGCTGCAACTCACGGCACAGTCCG  
 AAGTGCAGATGAAGAAGCAGAAAGTGTCCACCCTAGTACTACTCTGTCTTCTCAAGCGGCAGCG  
 CAAAGGCCTC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

**Protein Sequence:**


>RC403541 representing NM\_130799  
 Red=Cloning site Green=Tags(s)

MGLKAAQKTLFPLRSIDVVRLF AAELGREPDLVLLSLVLFVGFVEHFLAVNRVIPTNVPETFQPSAPD  
 PPGGLTYFPVADLSIIAALYARFTAQIRGAVDLSLYPREGGVSSREL VKKVSDVIWNSLSRSYFKDRARI  
 QSLFSFITGKLDSSGVAVFVVGACQALGLRDVHLAL SEDHAWVVFVGPNGEQTA EVTWHGKGNEDRRGQT  
 VNAGVAERSWL YLKGSYMRCDRKMVAFMVCAINPSIDLHTDSELELLQLQKLLWLL YDLGHLERYPMAL  
 GNLADLEELPTPGRPDPL TL YHKGIASAKTYRDEHIYPYMYLAGYHCRNRNVREALQAWADTATVIQD  
 YNYCREDEEIIYKEFFEYANDVIPNLLKEAASLLEAGEERPGEQSQGTQSQGSALQDPECF AHLLRFYDGI  
 CKWEEGSPTPVLHVGWATFLVQSLGRFEGQVRQKVRIVSREAEAEAEPEPWGEEAREGRRRPRRESKPE  
 EPPPPKPALDKLGTGQAVSGPPRPPGTVAGTARGPEGGSTAQVPAPAASPPPEGPVLTQSEKMKM  
 MKELLVATKINSSAIKQLTAQSQVQMKKQKVSTPSDYTL SFLKRQRKGL

SGP**TRRRLEQKLI**SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

RefSeq:

[NP\\_570711](#)

RefSeq Size:

1830 bp

RefSeq ORF:

1833 bp

Locus ID:

4221

<b>Cytogenetics:</b>	11q13.1
<b>Domains:</b>	Menin
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>MW:</b>	67.1 kDa
<b>Gene Summary:</b>	This gene encodes menin, a tumor suppressor associated with a syndrome known as multiple endocrine neoplasia type 1. Menin is a scaffold protein that functions in histone modification and epigenetic gene regulation. It is thought to regulate several pathways and processes by altering chromatin structure through the modification of histones. [provided by RefSeq, May 2019]