

## Product datasheet for **RC403565**

### Menin (MEN1) (NM\_130799) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	Menin (MEN1) (NM_130799) Human Mutant ORF Clone
Mutation Description:	R171Q
Affected Codon#:	171
Affected NT#:	512
Nucleotide Mutation:	MEN1 Mutant (R171Q), Myc-DDK-tagged ORF clone of Homo sapiens multiple endocrine neoplasia I (MEN1), transcript variant 2 as transfection-ready DNA
Effect:	Multiple endocrine neoplasia 1 ?
Symbol:	Menin
Synonyms:	MEAI; SCG2
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_130799
ORF Size:	1830 bp
Restriction Sites:	Sgfi-MluI



[View online »](#)

**ORF Nucleotide Sequence:**

>RC403565 representing NM\_130799  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGGGCTGAAGGCCGCCAGAAGACGCTGTTCCCGCTGCGCTCCATCGACGACGTGGTGCGCCCTGTTT  
 CTGCCGAGCTGGGCCGAGAGGAGCCGGACCTGGTGCTCCTTTCCCTGGTCTGGCTTCGTGGAGCATTT  
 TCTGGCTGTCAACCGCTCATCCCTACCAACGTTCCCGAGCTCACCTTCCAGCCAGCCCCGCCCGAC  
 CCGCTGGCGGCCTCACCTACTTTCCCGTGCCGACCTGTCTATCATCGCCGCCCTCTATGCCCGTTCA  
 CCGCCAGATCCGAGGCGCGTGCACCTGTCCCTCTATCCTCGAGAAGGGGTGTCTCCAGCCGTGAGCT  
 GGTGAAGAAGTCTCCGATGTATGGAACAGCCTCAGCCGCTCCTACTTCAAGGATCGGGCCACATC  
 CAGTCCCTTTCAGTTCATCACAGGCACAAATTGGACAGCTCCGGTGTGCCCTTGTGTGGTTGGG  
 CCTGCCAGGCCCTGGGTCTCCAGGATGTCCACCTGCCTGTCTGAGGATCATGCCTGGGTAGTGTGG  
 GCCAATGGGGAGCAGACAGCTGAGGTACCTGGCACGGCAAGGCAACGAGGACCGAGGGCCAGACA  
 GTCAATGCCGGTGTGGCTGAGCGGAGCTGGCTGTACCTGAAAGGATCATACATGCCTGTGACCGCAAGA  
 TGGAGGTGGCGTTCATGGTGTGTGCCATCAACCCTCCATTGACCTGCACACCGACTCGCTGGAGCTTCT  
 GCAGCTGCAGCAGAAGCTGCTCTGGTCTCTATGACCTGGGACATCTGGAAAGGTACCCCATGGCCTTA  
 GGGAACTGGCAGATCTAGAGGAGCTGGAGCCACCCCTGGCCGGCCAGACCCACTCACCTCTACCACA  
 AGGGCATTGCCTCAGCCAAGACCTACTATCGGGATGAACATCTACCCCTACATGTACCTGGCTGGCTA  
 CCACTGTGCAACCGCAATGTGCGGGAAGCCCTGCAGGCTGGCGGACACGGCCACTGTATCCAGGAC  
 TACAACCTACTGCCGGGAAGACGAGGAGATCTACAAGGAGTTCTTTGAAGTAGCCAATGATGTATCCCA  
 ACCTGCTGAAGGAGGCAGCCAGCTTGTGGAGCGGGCAGGAGCGGCCGGGGAGCAAGCCAGGCAC  
 CCAGAGCCAAGGTTCCGCCCTCCAGGACCTGAGTGTTCGCCACCTGCTGCGATTCTACGACGGCATC  
 TGCAAATGGGAGGAGGGCAGTCCACGCTGTGCTGCAGTGGGCTGGGCCACCTTTCTGTGCAGTCCC  
 TAGGCCGTTTTGAGGGACAGGTGCGGCAGAAGGTGCGCATAGTGAAGCGAGAGGCCGAGGCGGCCGAGGC  
 CGAGGAGCCGTGGGGCAGGAAGCCCGGAAGGCCGGCGGGGCCACGGCGGGAGTCCAAGCCAGAG  
 GAGCCCCCGCCCAAGAAGCCAGCACTGGACAAGGGCTGGCACCGCCAGGGTGCAGTGTGAGGAC  
 CCCCCGAAGCCTCTGGGACTGTGCTGGCACAGCCCGAGGCCCTGAAGGTGGCAGCACGGCTCAGGT  
 GCCAGCACCCGACATCACACCGCCGAGGGTCCAGTGTCTACTTTCCAGAGTGAAGAATGAAGGGC  
 ATGAAGGAGCTGTGGTGGCCACCAAGATCAACTCGAGGCCATCAAGCTGCAACTCACGGCACAGTCCG  
 AAGTGCAGATGAAGAAGCAGAAAGTGTCCACCCTAGTACTACTCTGTCTTCTCAAGCGGCAGCC  
 CAAAGGCCTC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
 TGGATTACAAGGATGACGACGA TAAGGTTTAA

**Protein Sequence:**


>RC403565 representing NM\_130799  
 Red=Cloning site Green=Tags(s)

MGLKAAQKTLFPLRSIDVVRLF AAELGREPDLVLLSLVLFVGFVEHFLAVNRVIPTNVPETFQPSAPD  
 PPGGLTYFPVADLSIIAALYARFTAQIRGAVDLSLYPREGGVSSREL VKKVSDVIWNSLSRSYFKDRAHI  
 QSLFSFITGKLDSSGVAFVVGACQALGLQDVHLAL SEDHAWVVF GPNGEQTA EVTWHGKGNEDRRGQT  
 VNAGVAERSWL YLKGSYMRCDRKMVAFMVCAINPSIDLHTDSELLLQLQKLLWLL YDLGHLERYPMAL  
 GNLADLEEL EPTPGRPDPL TL YHKGIASAKTYRDEHI YPYMYLAGYHCRNRNVREALQAWADTATVIQD  
 YNYCREDEE IYKEFFE VANDVIPNLLKEAASLLEAGEERPGEQSQGTQSQGSALQDPECF AHLLRFYDGI  
 CKWEEGSPTPVLHVGWATFLVQSLGRFEGQVRQKVRIVSREAEAEAEPEPWGEEAREGRRRPRRESKPE  
 EPPPPKPALDKLGTGQAVSGPPRPPGTVAGTARGPEGGSTAQVPAPAASPPPEGPVLTQSEKMKG  
 MKELLVATKINSSAIKQLTAQSQVQMKKQKVSTPSDYTL SFLKRQRKGL

SGP**TRRRLEQKLI**SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Note:

Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq:

[NP\\_570711](#)

RefSeq Size:

1830 bp

**RefSeq ORF:** 1833 bp

**Locus ID:** 4221

**Cytogenetics:** 11q13.1

**Domains:** Menin

**Protein Families:** Druggable Genome, Transcription Factors

**MW:** 67.1 kDa

**Gene Summary:** This gene encodes menin, a tumor suppressor associated with a syndrome known as multiple endocrine neoplasia type 1. Menin is a scaffold protein that functions in histone modification and epigenetic gene regulation. It is thought to regulate several pathways and processes by altering chromatin structure through the modification of histones. [provided by RefSeq, May 2019]