

## Product datasheet for **RC403762**

### Telomerase reverse transcriptase (TERT) (NM\_198253) Human Mutant ORF Clone

#### Product data:

Product Type:	Mutant ORF Clones
Product Name:	Telomerase reverse transcriptase (TERT) (NM_198253) Human Mutant ORF Clone
Mutation Description:	R631Q
Affected Codon#:	631
Affected NT#:	1892
Nucleotide Mutation:	TERT Mutant (R631Q), Myc-DDK-tagged ORF clone of Homo sapiens telomerase reverse transcriptase (TERT), transcript variant 1 as transfection-ready DNA
Effect:	Dyskeratosis congenita
Symbol:	TERT
Synonyms:	CMM9; DKCA2; DKCB4; EST2; hEST2; hTRT; PFBMFT1; TCS1; TP2; TRT
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_198253
ORF Size:	3396 bp
Restriction Sites:	SgfI-RsrII
ORF Nucleotide Sequence:	>RC403762 representing NM_198253 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGCCGCGCTCCCCGCTGCCGAGCCGTGCGCTCCCTGCTGCGCAGCCACTACCGCGAGGTGCTGCCGC  
TGGCCACGTTCGTGCGGCGCCTGGGGCCCCAGGGCTGGCGGCTGGTGCAGCGCGGGGACCGCGCGCTTT  
CCGCGCGCTGGTGGCCAGTGCCTGGTGTGCGTGCCCTGGGACGCACGGCCGCCCGCCCGCCCTCC  
TTCCGCCAGGTGCTCCTGCCTGAAGGAGCTGGTGGCCCGAGTGTGCAGAGGCTGTGCGAGCGCGGCGCA  
AGAACGTGCTGGCCTTCGGCTTCGCGCTGCTGGACGGGGCCCGGGGGCCCCCGAGGCCTTCACCAC  
CAGCGTGGCAGCTACCTGCCAACACGGTGACCGACGCACTGCGGGGAGCGGGGCGTGGGGCTGCTG  
CTGCGCCGCGTGGCGACGACGTGCTGGTTCACCTGCTGGCACGCTGCGCGCTCTTTGTGCTGGTGGCTC



[View online »](#)

CCAGTGCGCCTACCAGGTGTGCGGGCCGCGCTGTACCAGCTCGGCGCTGCCACTCAGGCCCGGCCCC  
GCCACACGCTAGTGGACCCCAAGGCGTCTGGGATGCGAACGGGCCTGGAACCATAGCGTCAGGGAGGCC  
GGGGTCCCCCTGGGCCTGCCAGCCCCGGGTGCGAGGAGGCGGGGGCAGTGCCAGCCGAAGTCTGCCGT  
TGCCAAAGAGGCCAGGCGTGGCGCTGCCCTGAGCCGGAGCGGACGCCCGTTGGGCAGGGGTCTGGGC  
CCACCCGGGACAGGACGCGTGGACCGAGTGACCGTGGTTTCTGTGTGGTGTACCTGCCAGACCCCGCAA  
GAAGCCACCTCTTTGGAGGGTGCCTCTCTGGCACGCGCCACTCCCACCCATCCGTGGGCCCGCAGCACC  
ACGCGGGCCCCCATCCACATCGCGGCCACCACGTCCTGGGACACGCCTTGCCCCCGGTGACCGCGA  
GACCAAGCACTTCTCTACTCCTCAGGGGACAAGGAGCAGCTGCGGCCCTCCTTCTACTCAGCTCTCTG  
AGGCCAGCCTGACTGCGCTCGGAGGCTCGTGGAGACCATCTTCTGGGTTCCAGGCCCTGGATGCCAG  
GGACTCCCCGAGGTTGCCCGCCTGCCACAGCCTACTGGCAAATGCGGCCCTGTTTCTGGAGCTGCT  
TGGGAACCACGCGCAGTGCCCTACGGGTGCTCCTCAAGACGCACTGCCGCTGCGAGCTGCGGTACC  
CCAGCAGCCGGTGTCTGTGCCGGGAGAAGCCCCAGGGCTCTGTGGCGGCCCGAGGAGGACACAG  
ACCCCGTCGCTGGTGCAGTCTCCGCCAGCACAGCAGCCCTGGCAGGTGTACGGCTTCGTGCGGGC  
CTGCTGCGCCGGTGGTCCCCAGGCCCTGGGGCTCCAGGCACAACGAACGCCGCTTCTCAGGAAC  
ACCAAGAAGTTTCTCCTGGGAAGCATGCCAAGCTCTCGTGCAGGAGCTGACGTGGAAGATGAGCG  
TGCGGGACTGCGCTTGGCTGCGCAGGAGCCAGGGTTGGCTGTGTTCCGGCCGAGAGCACCGTCTGCG  
TGAGGAGATCCTGGCCAAGTTCCTGCACTGGCTGATGAGTGTGTACGTCGTCGAGCTGCTCAGGTCTTC  
TTTTATGTACGGAGACCACGTTTCAAAGAACAGGCTCTTTTCTACCGGAAGAGTGTCTGGAGCAAGT  
TGCAAAGCATTGGAATCAGACAGCACTTGAAGAGGGTGCAGCTGCGGGAGCTGTGCGAAGCAGAGGTGAG  
GCAGCATCGGGAAGCCAGGCCCGCCCTGCTGACGTCCAGACTCCGCTTCAATCCCCAAGCCTGACGGGCTG  
CAGCCGATTGTGAACATGGACTACGTGCGGGAGCCAGAAGCTCCCGAGAGAAAAGAGGGCCGAGCGCT  
TCACCTCGAGGGTGAAGGCACTGTTACGCTGCTAACTACGAGCGGGCGCGGCCCGCCCGCTCCTGGG  
CGCCTCTGTGCTGGGCTGGAGATATCCACAGGGCCTGGCGCACCTTCTGCTGCGTGTGGGGCCAG  
GACCCGCGCCTGAGCTGTACTTTGTCAAGGTGGATGTGACGGGCGCTACGACACCATCCCCAGGACA  
GGCTCACGGAGGTCATCGCCAGCATCATCAAACCCAGAACACGTAAGTGTGCTGCGTATGCCGTGGT  
CCAGAAGGCCGCCATGGGCACGTCCGCAAGGCCTTCAAGAGCCACGCTCTACCTTGACAGACCTCCAG  
CCGTACATGCGACAGTTCGTGGCTCACCTGCAGGAGACCAGCCCGCTGAGGGATGCCGTGCTATCGAGC  
AGAGCTCTCCCTGAATGAGGCCAGCAGTGGCCTTTCGACGCTTCTCCTACGCTTCTATGTCCACCACGC  
CGTGCGCATCAGGGCAAGTCTACGTCCAGTCCAGGGGATCCCGCAGGGCTCCATCCTCTCCACGCTG  
CTCTGCAGCCTGTGCTACGGCGACATGGAGAACAAGCTGTTTGGGGGATTCGGCGGGACGGGCTGCTCC  
TGGCTTGGTGGATGATTTCTTGTGGTACACCTCACCTCACCCACGCGAAAACCTTCTCAGGACCT  
GGTCCGAGGTGTCCCTGAGTATGGCTGCGTGGTGAAGTTCGCGAAGACAGTGGTGAAGTCCCTGTAGAA  
GACGAGGCCCTGGGTGGCACGGCTTTTGTTCAGATGCCGGCCACGGCCTATTCCCTGGTGGCGCTGC  
TGCTGGATACCCGGACCTGGAGGTGCAGAGCGACTACTCCAGCTATGCCCGGACCTCCATCAGAGCCAG  
TCTCACCTTCAACCGCGCTTCAAGGCTGGGAGGAACATGCGTCGCAAACCTTTGGGGTCTTGGCGGTG  
AAGTGTACAGCCTGTTTCTGGATTTGCAGGTGAACAGCCTCCAGACGGTGTGCACCAACATCTACAAGA  
TCCTCTGCTGCAGGCGTACAGGTTTACGCAATGTGTGCTGCAGCTCCCATTTTATCAGCAAGTTTGAA  
GAACCCACATTTTTCTGCGCGTATCTCTGACACGGCCTCCCTCTGCTACTCCATCCTGAAAGCCAAG  
AACGCAGGGATGTGCTGGGGGCAAGGGCGCCCGCCCTCTGCCCTCCGAGGCCCTGCAGTGGCTGT  
GCCACCAAGCATTCTGCTCAAGCTGACTCGACACCGTGTACCTACGTGCCACTCCTGGGGTCACTCAG  
GACAGCCAGACGCACTGAGTCGGAAGCTCCCGGGGACGACGCTGACTGCCCTGGAGGCCGAGCCAAC  
CCGGCACTGCCCTCAGACTTCAAGACCATCCTGGAC


AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC  
TGGATTACAAGGATGACGACGA TAAGGTTTAA

Protein Sequence: >RC403762 representing NM\_198253  
 Red=Cloning site Green=Tags(s)

MPRAPRCRAVRSLLRSHYREVLPLATFVRRLLGPQGWRLVQRGDPAAFRALVAQCLVCPWDARPPPAAPS  
 FRQVSKLKVVARVLRQLCERGAKNLAFGFALLDGARGPPEAF TTSVRSYLPNTVTDALRSGAWGLL  
 LRRVGGDDVLVHLLARCALFVLVAPSCAYQVCGPPLYQLGAATQARPPPHASGPRRRLGCERAWNHSVREA  
 GVPLGLPAPGARRRGGASRSRLPLPKRPRRGAAPERP T PVGQGSWAHPGRTRGPSDRGFCVVSARP AE  
 EATSLEGALSGTRHSHPSVGRQHHAGPPSTSRPPRPWDTPCPPVYAETKHFLYSSGDKEQLRPSFLLSSL  
 RPSLTGARRLVETIFLGRPWMPGTPRRLPRLPQRYWQMRPLFLELLGNHAQCPYGVLLKTHCPLRAAVT  
 PAAGVCAREKPGQSVAAP EEDTDPRLVQLLRQHSSPWQVYGFVRACLRRLVPPGLWGSRHNNRRFLRN  
 TKKFISLGKHAKLSLQELTWKMSVRDCAWLRSPGVGCVPA AEHRLREEILAKFLHWLMSVYVV ELLRSF  
 FYVTETTFQKNRLFYRKS VWSKLSQSIGIRQHLKRVQLRELSEAEVRQHREARP ALLTSRLRFIPKPDGL  
 QPIVNDYVVGARTFRREKRAERLTSRVKALFVLNYERARRPGLLGASVLGLDDIHRARWTFVLRVRAQ  
 DPPPELVFVKVDVTGAYDTIPQDRLTEVIASIIKPQNTYCVRRYAVVQKAAHGHVRKAFKSHVSTLTDLQ  
 PYMRQFVAHLQETSPLRDAVVIEQSSSLNEASSGLFDVFLRFMCHHAVRIRGKSYVQCQGIPQGSILSTL  
 LCSLCYGD MENKLFAGIRRDGLLLRLVDDFLLVTPHLTHAKTFLRTLVRGVPEYGCVVNLRKTVVNFVPE  
 DEALGGTAFVQMPAHGLFPWCGLLLDTRTLEVQSDYSSYARTSIRASLTFNRGFKAGRMRRKLFVGLRL  
 KCHSLFDLQVNSLQTVCTNIYKILLQAYRFHACVQLLPHFQQVWKNPTFFLRVISDTASLCYSILKAK  
 NAGMSLGAKGAAGPLPSEAVQWLCHQAFLLKLTRHRVTVYVPLLGLSRTAQTQLSRKLPGTTLTALEAAAN  
 PALPSDFKTILD

SGPTRRRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII  
 Cloning Scheme:



<b>OTI Disclaimer:</b>	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:custsupport@origene.com">custsupport@origene.com</a> or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a></p>
<b>OTI Annotation:</b>	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
<b>Components:</b>	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
<b>RefSeq:</b>	<p><a href="#">NP_937983</a></p>
<b>RefSeq Size:</b>	<p>3396 bp</p>
<b>RefSeq ORF:</b>	<p>3399 bp</p>
<b>Locus ID:</b>	<p>7015</p>
<b>Cytogenetics:</b>	<p>5p15.33</p>
<b>Protein Families:</b>	<p>Druggable Genome</p>
<b>MW:</b>	<p>124.5 kDa</p>
<b>Gene Summary:</b>	<p>Telomerase is a ribonucleoprotein polymerase that maintains telomere ends by addition of the telomere repeat TTAGGG. The enzyme consists of a protein component with reverse transcriptase activity, encoded by this gene, and an RNA component which serves as a template for the telomere repeat. Telomerase expression plays a role in cellular senescence, as it is normally repressed in postnatal somatic cells resulting in progressive shortening of telomeres. Deregulation of telomerase expression in somatic cells may be involved in oncogenesis. Studies in mouse suggest that telomerase also participates in chromosomal repair, since de novo synthesis of telomere repeats may occur at double-stranded breaks. Alternatively spliced variants encoding different isoforms of telomerase reverse transcriptase have been identified; the full-length sequence of some variants has not been determined. Alternative splicing at this locus is thought to be one mechanism of regulation of telomerase activity. [provided by RefSeq, Jul 2008]</p>