

Product datasheet for RC403766

Telomerase reverse transcriptase (TERT) (NM_198253) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Telomerase reverse transcriptase (TERT) (NM_198253) Human Mutant ORF Clone
Mutation Description:	P704S
Affected Codon#:	704
Affected NT#:	2110
Nucleotide Mutation:	TERT Mutant (P704S), Myc-DDK-tagged ORF clone of Homo sapiens telomerase reverse transcriptase (TERT), transcript variant 1 as transfection-ready DNA
Effect:	Dyskeratosis congenita
Symbol:	Telomerase reverse transcriptase
Synonyms:	CMM9; DKCA2; DKCB4; EST2; hEST2; hTRT; PFBMFT1; TCS1; TP2; TRT
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_198253
ORF Size:	3396 bp
Restriction Sites:	SgfI-RsrII
ORF Nucleotide Sequence:	>RC403766 representing NM_198253 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGCCGCGCTCCCCGCTGCCGAGCCGTGCGCTCCCTGCTGCGCAGCCACTACCGGAGGTGCTGCCGC
TGGCCACGTTCGTGCGGCGCCTGGGGCCCCAGGGCTGGCGGCTGGTGCAGCGCGGGGACCGGGCGCTTT
CCGCGCGCTGGTGGCCAGTGCCTGGTGTGCGTGCCCTGGGACGACGGCCGCCCCCGCCGCCCTCC
TTCCGCCAGGTGTCTGCCTGAAGGAGCTGGTGGCCCCGAGTGTGCAGAGGCTGTGCGAGCGGGCGCA
AGAACGTGCTGGCCTTCGGCTTCGCGCTGCTGGACGGGGCCCCGGGGGCCCCCGAGGCCCTCACCAC
CAGCGTGGCAGCTACCTGCCAACACGGTGACCGACGACTGCGGGGAGCGGGGCGTGGGGCTGCTG
CTGCGCCGCTGGGCGACGACGTGCTGGTTCACCTGCTGGCAGCTGCGCGCTCTTTGTGCTGGTGGCTC



[View online »](#)

CCAGTGCGCCTACCAGGTGTGCGGGCCGCGCTGTACCAGCTCGGCGCTGCCACTCAGGCCCGGCCCC
GCCACACGCTAGTGGACCCCAAGGCGTCTGGGATGCGAACGGGCTGGAACCATAGCGTCAGGGAGGCC
GGGGTCCCCCTGGGCCTGCCAGCCCCGGGTGCGAGGAGGCGGGGGCAGTGCCAGCCGAAGTCTGCCGT
TGCCAAAGAGGCCAGGCGTGGCGCTGCCCTGAGCCGGAGCGGACGCCCGTTGGGCAGGGGTCTGGGC
CCACCCGGGACAGGACGCGTGGACCGAGTGACCGTGGTTTCTGTGTGGTGTACCTGCCAGACCCGGAA
GAAGCCACCTCTTTGGAGGGTGCCTCTCTGGCAGCGCCACTCCCACCATCCGTGGGCCCGCAGCACC
ACGCGGGCCCCCATCCACATCGCGGCCACACGTCCTGGGACACGCCTTGCCCCCGGTGACCGCGA
GACCAAGCACTTCTCTACTCCTCAGGGGACAAGGAGCAGCTGCGGCCCTCCTTCTACTCAGCTCTCTG
AGGCCAGCCTGACTGGCGCTCGGAGGCTCGTGGAGACCATCTTTCTGGGTTCCAGGCCCTGGATGCCAG
GGACTCCCCGAGGTTGCCCGCCTGCCAGCGCTACTGGCAAATGCGGCCCTGTTTCTGGAGCTGCT
TGGGAACCACGCGCAGTGCCCTACGGGTGCTCCTCAAGACGCACTGCCGCTGCGAGCTGCGGTACCC
CCAGCAGCCGGTGTCTGTGCCGGGAGAAGCCCCAGGGCTCTGTGGCGGCCCGAGGAGGACACAG
ACCCCGTGCCTGGTGCAGTGTCTCCGCCAGCACAGCAGCCCTGGCAGGTGTACGGCTTCGTGCGGGC
CTGCTGCGCCGGTGGTCCCCAGGCTCTGGGGCTCCAGGCACAACGAACGCCGCTTCTCAGGAAC
ACCAAGAAGTTTCTCCTGGGAAGCATGCCAAGCTCTCGTGCAGGAGCTGACGTGGAAGATGAGCG
TGCGGGACTGCGCTTGGCTGCGCAGGAGCCAGGGTTGGCTGTGTTCCGGCCGAGAGCACCGTCTGCG
TGAGGAGATCCTGGCCAAGTTCCTGCACTGGCTGATGAGTGTGTACGTCTGAGCTGCTCAGGTCTTTC
TTTTATGTACGGAGACCACGTTTCAAAGAACAGGCTCTTTTCTACCGGAAGAGTGTCTGGAGCAAGT
TGCAAAGCATTGGAATCAGACAGCACTTGAAGAGGGTGCAGCTGCGGGAGCTGTCCGAAGCAGAGGTCAG
GCAGCATCGGGAAGCCAGGCCCGCCCTGCTGACGTCCAGACTCCGCTTCAATCCCCAAGCTGACGGGCTG
CGGCCGATTGTGAACATGGACTACGTGCGTGGGAGCCAGAAGCTCCCGAGAGAAAAGAGGGCCGAGCGTC
TCACCTCGAGGGTGAAGGCACTGTTACGCTGCTCAACTACGAGCGGGCGCGGCCCGCCCGCTCCTGGG
CGCCTCTGTGCTGGGCTGGAGATATCCAGGGCCTGGCGCACCTTCTGTGCTGCGTGGGGCCGAG
GACCCGCGCTGAGCTGTACTTTGTCAAGGTGGATGTGACGGGCGCTACGACACCATCCCCAGGACA
GGCTCACGGAGGTCATCGCCAGCATCATCAAACCCAGAACACGTAAGTGTGCTGCGTATGCCGTGGT
CCAGAAGGCCGCCATGGGCACGTCCGCAAGGCCTTCAAGAGCCACGCTCTACCTTGACAGACCTCCAG
CCGTACATGCGACAGTTCGTGGCTCACCTGCAGGAGACCAGCCCGCTGAGGGATGCCGTGCTATCGAGC
AGAGCTCTCCCTGAATGAGGCCAGCAGTGGCCTTTCGACGCTTCTCCTACGCTTCTATGTCCACCACGC
CGTGCGCATCAGGGGCAAGTCTACGTCCAGTCCAGGGGATCCCGCAGGGCTCCATCCTCTCCACGCTG
CTCTGCAGCCTGTGCTACGGCGACATGGAGAACAAGCTGTTTGGGGGATTCGGCGGGACGGGCTGCTCC
TGGGTTTGGTGGATGATTTCTTGTGGTGGTACACCTCACCTCACCCACGCGAAAACCTTCTCAGGACCT
GGTCCGAGGTGTCCCTGAGTATGGCTGCGTGGTGAAGTTCGCGAAGACAGTGGTGAAGTCCCTGTAGAA
GACGAGGCCCTGGGTGGCACGGCTTTTGTTCAGATGCCGGCCACGGCCTATTCCCTGGTGGCGCTGC
TGCTGGATACCCGGACCTGGAGGTGCAGAGCGACTACTCCAGCTATGCCCGGACCTCCATCAGAGCCAG
TCTCACCTTCAACCGCGCTTCAAGGCTGGGAGGAACATGCGTGCAGAACTCTTTGGGGTCTTGGCGCTG
AAGTGTACAGCCTGTTTCTGGATTTGCAGGTGAACAGCCTCCAGACGGTGTGCACCAACATCTACAAGA
TCCTCTGCTGCAGGCGTACAGGTTTACGCAATGTGTGCTGCAGCTCCCATTTTATCAGCAAGTTTGAA
GAACCCACATTTTTCTGCGCGTATCTCTGACACGGCCTCCCTCTGCTACTCCATCTGAAAGCCAAG
AACGCAGGGATGTGCTGGGGGCAAGGGCGCCCGCCCTCTGCCCTCCGAGGCCCTGCAGTGGCTGT
GCCACCAAGCATTCTGCTCAAGCTGACTCGACACCGTGTACCTACGTGCCACTCCTGGGGTCACTCAG
GACAGCCAGACGCACTGAGTCGGAAGCTCCCGGGGACGACGCTGACTGCCCTGGAGGCCGAGCCAAC
CCGGCACTGCCCTCAGACTTCAAGACCATCCTGGAC

AGCGGACCGACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGA TAAGGTTTAA



Protein Sequence: >RC403766 representing NM_198253
 Red=Cloning site Green=Tags(s)

MPRAPRCRAVRSLLRSHYREVLPLATFVRRLLGPQGWRLVQRGDPAAFRALVAQCLVCPWDARPPPAAPS
 FRQVSKLKVVARVLRQLCERGAKNLAFGFALLDARGGPPPEAF TTSVRSYLPNTVTDALRSGAWGLL
 LRRVGGDDVLVHLLARCALFVLVAPSCAYQVCGPPLYQLGAATQARPPPHASGPRRRLGCERAWNHSVREA
 GVPLGLPAPGARRRRGGASRSRLPLPKRPRRGAAPERP T PVGQGSWAHPGRTRGPSDRGFCVVSARP AE
 EATSLEGALSGTRHSHPSVGRQHHAGPPSTRP RPWDTPCPPVYAETKHFLYSSGDKEQLRPSFLLSSL
 RPSLTGARRLVETIFLGRPWMPGTPRRLPRLPQRYWQMRPLFLELLGNHAQCPYGVLLKTHCPLRAAVT
 PAAGVCAREKPGQSVAAP EEDTDPRLVQLLRQHSSPWQVYGFVRACLRRLVPPGLWGSRHNNRRFLRN
 TKKFISLGKHAKLSLQELTWKMSVRDCAWLRSPGVGCVPAAEHRLREEILAKFLHWLMSVYVVELLRSF
 FYVTETTFQKNRLFYRKSWSKLQSIGIRQHLKRVQLRELSEAEVRQHREARPALLTSRLRFIPKPDGL
 RPIVNDYVVGARTFRREKRAERLTSRVKALFVLNYERARRPGLLGASVLGLDDIHRARWTFVLRVRAQ
 DPPSELVYVKVDVTGAYDTIPQDRLTEVIASIIKPQNTYCVRRYAVVQKAAHGHVRKAFKSHVSTLTDLQ
 PYMRQFVAHLQETSPLRDAVVIEQSSSLNEASSGLFDVFLRFMCHHAVRIRGKSYVQCQGIPQGSILSTL
 LCSLCYGD MENKLFAGIRRDGLLLRLVDDFLLVTPHLTHAKTFLRTLVRGVPEYGCVVNLRKTVVNFVPE
 DEALGGTAVFVQMPAHGLFPWCGLLLDTRTLEVQSDYSSYARTSIRASLTFNRGFKAGRMRRKLFVGLRL
 KCHSLFDLQVNSLQTVCTNIYKILLQAYRFHACVQLLPHFQQVWKNPTFFLRVISDTASLCYSILKAK
 NAGMSLGAKGAAGPLPSEAVQWLCHQAFLLKLTRHRVTVYVPLLGLSRTAQTQLSRKLP GTTLTALEAAAN
 PALPSDFKTILD

SGPTRRRLRLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII
 Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in <i>E. coli</i> are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
Note:	<p>Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.</p>
RefSeq:	<p>NP_937983</p>
RefSeq Size:	<p>3396 bp</p>
RefSeq ORF:	<p>3399 bp</p>
Locus ID:	<p>7015</p>
Cytogenetics:	<p>5p15.33</p>
Protein Families:	<p>Druggable Genome</p>
MW:	<p>124.5 kDa</p>
Gene Summary:	<p>Telomerase is a ribonucleoprotein polymerase that maintains telomere ends by addition of the telomere repeat TTAGGG. The enzyme consists of a protein component with reverse transcriptase activity, encoded by this gene, and an RNA component which serves as a template for the telomere repeat. Telomerase expression plays a role in cellular senescence, as it is normally repressed in postnatal somatic cells resulting in progressive shortening of telomeres. Deregulation of telomerase expression in somatic cells may be involved in oncogenesis. Studies in mouse suggest that telomerase also participates in chromosomal repair, since de novo synthesis of telomere repeats may occur at double-stranded breaks. Alternatively spliced variants encoding different isoforms of telomerase reverse transcriptase have been identified; the full-length sequence of some variants has not been determined. Alternative splicing at this locus is thought to be one mechanism of regulation of telomerase activity. [provided by RefSeq, Jul 2008]</p>