

Product datasheet for RC403782

Telomerase reverse transcriptase (TERT) (NM_198253) Human Mutant ORF Clone

Product data:

Product Type:	Mutant ORF Clones
Product Name:	Telomerase reverse transcriptase (TERT) (NM_198253) Human Mutant ORF Clone
Mutation Description:	v1090M
Affected Codon#:	1090
Affected NT#:	3268
Nucleotide Mutation:	TERT Mutant (v1090M), Myc-DDK-tagged ORF clone of Homo sapiens telomerase reverse transcriptase (TERT), transcript variant 1 as transfection-ready DNA
Effect:	Aplastic anaemia
Symbol:	TERT
Synonyms:	CMM9; DKCA2; DKCB4; EST2; hEST2; hTRT; PFBMFT1; TCS1; TP2; TRT
E. coli Selection:	Kanamycin (25 ug/mL)
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
Tag:	Myc-DDK
ACCN:	NM_198253
ORF Size:	3396 bp
Restriction Sites:	SgfI-RsrII
ORF Nucleotide Sequence:	>RC403782 representing NM_198253 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGCCGCGCGCTCCCGCTGCCGAGCCGTGCGCTCCCTGCTGCGCAGCCACTACCGCGAGGTGCTGCCGC
TGGCCACGTTCGTGCGGCGCCTGGGGCCCCAGGGCTGGCGGCTGGTGCAGCGCGGGGACCGGCGGCTTT
CCGCGCGCTGGTGGCCAGTGCCTGGTGTGCGTGCCCTGGGACGCACGGCCGCCCGCCCGCCCTCC
TTCCGCCAGGTGTCTGCCTGAAGGAGCTGGTGGCCCGAGTGTGCAGAGGCTGTGCGAGCGGGCGCGA
AGAACGTGCTGGCCTTCGGCTTCGCGCTGCTGGACGGGGCCCCGGGGGCCCCCGAGGCCTTCACCAC
CAGCGTGCGCAGCTACCTGCCAACACGGTGACCGACGCACTGCGGGGGAGCGGGGCGTGGGGGCTGCTG
CTGCGCCGCGTGGGCGACGACGTGCTGGTTCACCTGCTGGCACGCTGCGCGCTCTTTGTGCTGGTGGCTC



[View online »](#)

CCAGTGCGCCTACCAGGTGTGCGGGCCGCGCTGTACCAGCTCGGCGCTGCCACTCAGGCCCGGCCCC
GCCACACGCTAGTGGACCCCAAGGCGTCTGGGATGCGAACGGGCTGGAACCATAGCGTCAGGGAGGCC
GGGGTCCCCCTGGGCCTGCCAGCCCCGGGTGCGAGGAGGCGGGGGCAGTGCCAGCCGAAGTCTGCCGT
TGCCAAAGAGGCCAGGCGTGGCGCTGCCCTGAGCCGGAGCGGACGCCCGTTGGGCAGGGGTCTGGGC
CCACCCGGGACAGGACGCGTGGACCGAGTGACCGTGGTTTCTGTGTGGTGTACCTGCCAGACCCCGCAA
GAAGCCACCTCTTTGGAGGGTGCCTCTCTGGCACGCGCCACTCCCACCCATCCGTGGGCCCGCAGCACC
ACGCGGGCCCCCATCCACATCGCGGCCACCACTCCCTGGGACACGCCTTGCCCCCGGTGACCGCGA
GACCAAGCACTTCTCTACTCCTCAGGGGACAAGGAGCAGCTGCGGCCCTCCTTCTACTCAGCTCTCTG
AGGCCAGCCTGACTGCGCTCGGAGGCTCGTGGAGACCATCTTCTGGGTTCCAGGCCCTGGATGCCAG
GGACTCCCCGAGGTTGCCCGCCTGCCACAGCCTACTGGCAAATGCGGCCCTGTTTCTGGAGCTGCT
TGGGAACCACGCGCAGTGCCCTACGGGTGCTCCTCAAGACGCACTGCCGCTGCGAGCTGCGGTCAAC
CCAGCAGCCGGTGTCTGTGCCGGGAGAAGCCCCAGGGCTCTGTGGCGGCCCGAGGAGGAGACACAG
ACCCCGTGCCTGGTGCAGTGTCTCCGCCAGCACAGCAGCCCTGGCAGGTGTACGGCTTCGTGCGGGC
CTGCTGCGCCGGCTGGTCCCCAGGCTCTGGGGCTCCAGGCACAACGAACGCCGCTTCTCAGGAAC
ACCAAGAAGTTTCTCCTGGGAAGCATGCCAAGCTCTCGTGCAGGAGCTGACGTGGAAGATGAGCG
TGCGGGACTGCGCTTGGCTGCGCAGGAGCCAGGGTTGGCTGTGTTCCGGCCGAGAGCACCGTCTGCG
TGAGGAGATCCTGGCCAAGTTCCTGCACTGGCTGATGAGTGTGTACGTCTGAGCTGCTCAGGTCTTTC
TTTTATGTACGGAGACCACGTTTCAAAGAACAGGCTCTTTTCTACCGGAAGAGTGTCTGGAGCAAGT
TGCAAAGCATTGGAATCAGACAGCACTTGAAGAGGGTGCAGCTGCGGGAGCTGTCCGAAGCAGAGGTGAG
GCAGCATCGGGAAGCCAGGCCCGCCCTGCTGACGTCCAGACTCCGCTTCAATCCCCAAGCCTGACGGGCTG
CGGCCGATTGTGAACATGGACTACGTGCGTGGGAGCCAGAAGCTCCCGAGAGAAAAGAGGGCCGAGCGTC
TCACCTCGAGGGTGAAGGCACTGTTACGCTGCTCAACTACGAGCGGGCGCGGCCCGCCCGCTCCTGGG
CGCCTCTGTGCTGGGCTGGAGATATCCACAGGGCTGGCGCACCTTCTGCTGCTGCGTGGGGCCAG
GACCCGCGCCTGAGCTGTACTTTGTCAAGGTGGATGTGACGGGCGCTACGACACCATCCCCAGGACA
GGCTCACGGAGGTCATCGCCAGCATCATCAAACCCAGAACACGTAAGTGTGCTGCGTATGCCGTGGT
CCAGAAGGCCGCCATGGGCACGTCCGCAAGGCCTTCAAGAGCCACGCTCTACCTTGACAGACCTCCAG
CCGTACATGCGACAGTTCGTGGCTCACCTGCAGGAGACCAGCCCGCTGAGGGATGCCGTGCTATCGAGC
AGAGCTCTCCCTGAATGAGGCCAGCAGTGGCCTTTCGACGCTTCTCCTACGCTTCTATGTCCACCACGC
CGTGCATCAGGGCAAGTCTACGTCCAGTCCAGGGGATCCCGCAGGGCTCCATCCTCTCCACGCTG
CTCTGCAGCCTGTGCTACGGCGACATGGAGAACAAGCTGTTTGGGGGATTCGGCGGACGGGCTGCTCC
TGGGTTTGGTGGATGATTTCTTGTGGTACACCTCACCTCACCCACGCGAAAACCTTCTCAGGACCT
GGTCCGAGGTGTCCCTGAGTATGGCTGCGTGGTGAAGTTCGCGAAGACAGTGGTGAAGTCCCTGTAGAA
GACGAGGCCCTGGGTGGCACGGCTTTTGTTCAGATGCCGGCCACGGCCTATTCCCTGGTGGCGCTGC
TGCTGGATACCCGGACCTGGAGGTGCAGAGCGACTACTCCAGCTATGCCCGGACCTCCATCAGAGCCAG
TCTCACCTTCAACCGCGCTTCAAGGCTGGGAGGAACATGCGTGCAGAACTCTTGGGGTCTTGGCGCTG
AAGTGTACAGCCTGTTTCTGGATTTGCAGGTGAACAGCCTCCAGACGGTGTGCACCAACATCTACAAGA
TCCTCTGCTGCAGGCGTACAGGTTTACGCAATGTGTGCTGCAGCTCCCATTTTATCAGCAAGTTTGAA
GAACCCACATTTTTCTGCGCGTATCTCTGACACGGCCTCCCTCTGCTACTCCATCTGAAAGCCAAG
AACGCAGGGATGTGCTGGGGGCAAGGGCGCCCGCCCTCTGCCCTCCGAGGCCCTGCAGTGGCTGT
GCCACCAAGCATTCTGCTCAAGCTGACTCGACACCGTGTACCTACATGCCACTCCTGGGGTCACTCAG
GACAGCCAGACGCACTGAGTCGGAAGCTCCCGGGGACGACGCTGACTGCCCTGGAGGCCGAGCCAAC
CCGGCACTGCCCTCAGACTTCAAGACCATCCTGGAC

AGCGGACCGACGCTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGA TAAGGTTTAA



Protein Sequence: >RC403782 representing NM_198253
 Red=Cloning site Green=Tags(s)

MPRAPRCRAVRSLLRSHYREVLPLATFVRRLLGPQGWRLVQRGDPAAFRLVAQCLVCPWDARPPPAAPS
 FRQVSKLKVVARVLRQLCERGAKNLAFGFALLDGARGPPEAF TTSVRSYLPNTVTDALRSGAWGLL
 LRRVGGDDVLVHLLARCALFVLVAPSCAYQVCGPPLYQLGAATQARPPPHASGPRRRLGCERAWNHSVREA
 GVPLGLPAPGARRRGGASRSRLPLPKRPRRGAAPERTPVGQGSWAHPGRTRGPSDRGFCVVSARPAAE
 EATSLEGALSGTRHSHPSVGRQHHAGPPSTRPWPWDTPCPPVYAETKHFLYSSGDKEQLRPSFLLSSL
 RPSLTGARRLVETIFLGRPWMPGTPRRLPRLPQRYWQMRPLFLELLGNHAQCPYGVLLKTHCPLRAAVT
 PAAGVCAREKPGQSVAAPPEEEDTPRRLVQLLRQHSSPWQVYGFVRACLRRLVPPGLWGSRHNNRRFLRN
 TKKFISLGKHAKLSLQELTWKMSVRDCAWLRSPGVGCVPAAEHRLREEILAKFLHWLMSVYVVELLRSF
 FYVTETTFQKNRLFYRKSWSKLQSIGIRQHLKRVQLRELSEAEVRQHREARPALLTSRLRFIPKPDGL
 RPIVNDYVVGARTFRREKRAERLTSRVKALFVLNYERARRPGLLGASVLGLDDIHRARWTFVLRVRAQ
 DPPPELVFVKVDVTGAYDTIPQDRLTEVIASIIKPQNTYCVRRYAVVQKAAHGHVRKAFKSHVSTLTDLQ
 PYMRQFVAHLQETSPLRDAVVIEQSSSLNEASSGLFDVFLRFMCHHAVRIRGKSYVQCQGIPQGSILSTL
 LCSLCYGD MENKLFAGIRRDGLLLRLVDDFLLVTPHLTHAKTFLRTLVRGVPEYGCVVNLRKTVVNFVPE
 DEALGGTAVFVQMPAHGLFPWCGLLLDTRTLEVQSDYSSYARTSIRASLTFNRGFKAGRNMRRKLFVGLRL
 KCHSLFDLQVNSLQTVCTNIYKILLQAYRFHACVLQLPFHQVWKNPTFFLRVISDTASLCYSILKAK
 NAGMSLGAKGAAGPLPSEAVQWLCHQAFLLKLTRHRVTYMPLLGSLRTAQTQLSRKLPGTTLTALEAAAN
 PALPSDFKTILD

SGPTRRRL**EQKLISEEDLAANDILDYKDDDDK**V

Restriction Sites: SgfI-RsrII
 Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

OTI Disclaimer:	<p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p>
OTI Annotation:	<p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p>
Components:	<p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p>
RefSeq:	<p>NP_937983</p>
RefSeq Size:	<p>3396 bp</p>
RefSeq ORF:	<p>3399 bp</p>
Locus ID:	<p>7015</p>
Cytogenetics:	<p>5p15.33</p>
Protein Families:	<p>Druggable Genome</p>
MW:	<p>124.5 kDa</p>
Gene Summary:	<p>Telomerase is a ribonucleoprotein polymerase that maintains telomere ends by addition of the telomere repeat TTAGGG. The enzyme consists of a protein component with reverse transcriptase activity, encoded by this gene, and an RNA component which serves as a template for the telomere repeat. Telomerase expression plays a role in cellular senescence, as it is normally repressed in postnatal somatic cells resulting in progressive shortening of telomeres. Deregulation of telomerase expression in somatic cells may be involved in oncogenesis. Studies in mouse suggest that telomerase also participates in chromosomal repair, since de novo synthesis of telomere repeats may occur at double-stranded breaks. Alternatively spliced variants encoding different isoforms of telomerase reverse transcriptase have been identified; the full-length sequence of some variants has not been determined. Alternative splicing at this locus is thought to be one mechanism of regulation of telomerase activity. [provided by RefSeq, Jul 2008]</p>