

Product datasheet for **RC600004**

EGFR (NM_201284) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	EGFR (NM_201284) Human Tagged ORF Clone
Tag:	DDK-His
Symbol:	EGFR
Synonyms:	ERBB; ERBB1; ERRP; HER1; mENA; NISBD2; PIG61
Mammalian Cell Selection:	None
Vector:	pCMV6-XL5-DDK-His (PS100068)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RC600004 representing leader sequence plus the extracellular domain region of
NM_201284

Red=Cloning site Blue=ORF Green=Tags(s)

GTAATACGACTCACTATAGGGCGGCCGGAATTCGTGCGACTGGATCTGGTACCGAGGAGATCCGCCGCCG
CGATCGCC

ATGCGACCCTCCGGGACGGCCGGGGCAGCGCTCCTGGCGCTGCTGGCTGCGCTCTGCCCGCGAGTCGGG
CTCTGGAGGAAAAGAAAGTTTGCCAAGGCACGAGTAACAAGCTCACGCAGTTGGGCACTTTTGAAGATCA
TTTTCTCAGCCTCCAGAGGATGTTCAATAACTGTGAGGTGGTCTTGGGAATTTGGAAATTACCTATGTG
CAGAGGAATTATGATCTTCTTCTTAAAGACCATCCAGGAGGTGGTGTATGTCTCATTGCCCTCA
ACACAGTGGAGCGAATTCCTTTGGAAAACCTGCAGATCATCAGAGGAAATATGTACTACGAAAATTCCTA
TGCCTTAGCAGTCTTATCTAACTATGATGCAAAATAAACCCGACTGAAGGAGCTGCCCATGAGAAATTTA
CAGGAAATCCTGCATGGCGCCGTGCGGTTACAGCAACAACCCTGCCCTGTGCAACGTGGAGAGCATCCAGT
GGCGGGACATAGTCAGCAGTGACTTTCTCAGCAACATGTGATGGACTTCCAGAACCACCTGGGCAGCTG
CCAAAAGTGTGATCCAAGCTGTCCAATGGGAGCTGTGGGGTGCAGGAGAGGAGAACTGCCAGAAACTG
ACCAAAATCATCTGTGCCAGCAGTGTCCGGGCGCTGCCGTGGCAAGTCCCCCAGTGACTGCTGCCACA
ACCAGTGTGCTGCAGGCTGCACAGGCCCCCGGGAGAGCGACTGCCTGGTCTGCCGCAAAATCCGAGACGA
AGCCACGTGCAAGGACACCTGCCCCCACTCATGCTCTACAACCCACCAGTACCAGATGGATGTGAAC
CCCAGGGCAAAATACAGCTTTGGTGCCACTGCGTGAAGAAGTGTCCCGTAATTATGTGGTGACAGATC
ACGGCTCGTGGTCCGAGCCTGTGGGGCCGACAGCTATGAGATGGAGGAAGACGGCGTCCGCAAGTGTA
GAAGTGCAGGGCCCTTCCGCAAGTGTGTACGGAATAGGTATTGGTGAATTTAAAGACTCACTCTCC
ATAAATGCTACGAATATTAACACTTCAAAAACCTGCACCTCCATCAGTGGCGATCTCCACATCCTGCCGG
TGGCATTTAGGGGTGACTCCTTACACATACTCCTCCTCTGGATCCACAGGAAGTGGATATTCTGAAAAC
CGTAAAGGAAATCACAGGTTTTTGTGATTACAGGCTTGGCTGAAAACAGGACGGACCTCCATGCCTTT
GAGAACCTAGAAATCATACGCGCAGGACCAAGCAACATGGTCAGTTTTCTCTTGACAGTGTGAGCCTGA
ACATAACATCCTTGGGATTACGCTCCCTCAAGGAGATAAGTGTGGAGATGTGATAATTTAGGAAACAA
AAATTTGTGCTATGCAAAACAATAAACTGGAAAAACTGTTGGGACCTCCGGTCCAGAAAACAAAATT
ATAAGCAACAGAGGTGAAAACAGCTGCAAGGCCACAGGCCAGTCTGCCATGCCTTGTGCTCCCCGAGG
GCTGCTGGGGCCCGAGCCAGGACTGCGTCTTGGCCGAATGTGAGCCGAGGACGGGAATGCGTGGA
CAAGTGAACCTTCTGGAGGGTGAAGCAAGGGAGTTTGTGGAGAACTCTGAGTGCATACAGTGCCACCCA
GAGTGCCTGCCTCAGGCCATGAACATCACCTGCACAGGACGGGGACCAGCAACTGTATCCAGTGTGCC
ACTACATTGACGGCCCCCACTGCGTCAAGACCTGCCCGGCAGGAGTATGGGAGAAAACAACACCCTGGT
CTGGAAGTACGCAGACGGCCGATGTGTGCCACTGTGCCATCCAACCTGCACCTACGGGCCAGGAAAT
GAGAGTCTCAAAGCCATGTTATTCTGCCTTTTAAACTATCATCC

ACGCGTTCAGGCGACTACAAGGATGACGACGATAAGGGATCTCATCATCACCATCACCATTAATGAGATC
TGGTACCGATATCAAGCTTGTGCGACTCTAGA

Protein Sequence: >RC600004 representing signal peptide plus the extracellular domain region of NM_201284
 Red=Cloning sites Green= DDK and 6XHIS Tags

```
MRPSGTAGAALLALLAALCPASRALEEKKVCQGTSNKL TQLGTFEDHFLSLQRMFNCEVVLGNLEITYV
QRNYDLSFLKTIQEVAGYVLIALNTVERIPLNLQIIRGNMYYENSYALAVLSNYDANKTGLKELPMRNL
QEILHGAVRFSNNPALCNVESIQWRDIVSSDFLSNMSMDFQNHLGSCQKCDPSCPNGSCWGAGEENCQKL
TKIICAQQCSGRCRGKSPSDCCHNQCAAGCTGPRESDCLVCRKFRDEATCKDTCPLMLYNPTTYQMDVN
PEGKYSFGATCVKKCPRNYVVDHGCVVRACGADSYEMEEDGVRKCKKCEGPCRKVCNGIGIGEFKDSLS
INATNIKHFKNCTISGDLHILPVAFRGDSFHTPPPLDPQELDILKTVKEITGFLLIQAWPENRTDLHAF
ENLEIIRGRKQHGQFSLAVVSLNITSLGLRSLKEISDGDVVIISGNKNLCYANTINWKKLFGTSGQKTKI
ISNRGENSCKATGQVCHALCSPEGCWGPEPRDCVSCRNVSRGECVDKCNLLEGEPPREFVNSECIQCHP
ECLPQAMNITCTGRGPDNCIQCAHYIDGPHCVKTCPAGVMGENNTLVWKYADAGHVCHLCHPNCTYGPNG
ESLKAMLFCLFKLSS
```



TRSGTRSGDYKDDDDKGSHHHHHH

Chromatograms: https://cdn.origene.com/chromatograms/ja2113_b08.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF.

ACCN: NM_201284

ORF Size: 1935 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the extra cellular domain of the protein with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_201284.1 , NP_958441.1
RefSeq Size:	2865 bp
RefSeq ORF:	2118 bp
Locus ID:	1956
UniProt ID:	P00533
Cytogenetics:	7p11.2
Protein Families:	Adult stem cells, Cancer stem cells, Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase, Secreted Protein, Stem cell relevant signaling - JAK/STAT signaling pathway, Transmembrane
Protein Pathways:	Adherens junction, Bladder cancer, Calcium signaling pathway, Colorectal cancer, Cytokine-cytokine receptor interaction, Dorso-ventral axis formation, Endocytosis, Endometrial cancer, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Focal adhesion, Gap junction, Glioma, GnRH signaling pathway, MAPK signaling pathway, Melanoma, Non-small cell lung cancer, Pancreatic cancer, Pathways in cancer, Prostate cancer, Regulation of actin cytoskeleton
MW:	71.1 kDa
Gene Summary:	The protein encoded by this gene is a transmembrane glycoprotein that is a member of the protein kinase superfamily. This protein is a receptor for members of the epidermal growth factor family. EGFR is a cell surface protein that binds to epidermal growth factor, thus inducing receptor dimerization and tyrosine autophosphorylation leading to cell proliferation. Mutations in this gene are associated with lung cancer. EGFR is a component of the cytokine storm which contributes to a severe form of Coronavirus Disease 2019 (COVID-19) resulting from infection with severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2). [provided by RefSeq, Jul 2020]