

Product datasheet for **RC60022**

FGFR3 (NM_000142) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	FGFR3 (NM_000142) Human Tagged ORF Clone
Tag:	DDK-His
Symbol:	FGFR3
Synonyms:	ACH; CD333; CEK2; HSFGR3EX; JTK4
Mammalian Cell Selection:	None
Vector:	pCMV6-XL5-DDK-His (PS100068)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RC60022 representing leader sequence plus the extracellular domain region of NM_000142 Red=Cloning site Blue=ORF Green=Tags(s)

GTAATACGACTACTATAGGGCGCCGCGAATTCGTGACTGGATCTGGTACCGAGGAGATCCGCCGCCG
CGATCGCC

ATGGGCGCCCTGCCTGCGCCCTCGCGCTCTGCGTGGCCGTGGCCATCGTGGCCGGCGCCTCCTCGGAGT
CCTTGGGACGGAGCAGCGCGTCTGGGGCAGCGGCAGAAGTCCCGGGCCAGAGCCCGCCAGCAGGA
GCAGTTGGTCTTCGGCAGCGGGATGCTGTGGAGCTGAGCTGTCCCCCGCCGGGGTGGTCCCATGGG
CCCACTGTCTGGGTCAAGGATGGCACAGGGCTGGTGCCTCGGAGCGTGTCTGGTGGGCCCCAGCGGC
TGCAGGTGCTGAATGCCTCCACGAGGACTCCGGGCCTACAGCTGCCGGCAGCGGCTCACGCAGCGCT
ACTGTGCCACTTCAGTGTGCGGGTGACAGACGCTCCATCCTCGGAGATGACGAAGACGGGAGGACGAG
GCTGAGGACACAGGTGTGGACACAGGGGCCCTTACTGGACACGGCCGAGCGGATGGACAAGAAGCTGC
TGGCCGTGCCGGCCGCAACACCGTCCGCTTCCGCTGCCAGCCGCTGGCAACCCCACTCCCTCCATCTC
CTGGCTGAAGAACGCGCAGGGAGTTCCGCGGCGAGCACCATTGGAGGCATCAAGCTGCGGCATCAGCAG
TGGAGCCTGGTCAAGAAAGCGTGGTGCCTCGGACCGGCAACTACACCTGCGTGTGGAGAACAAGT
TTGGCAGCATCCGGCAGACGTACACGCTGGACGTGCTGGAGCGCTCCCCGACCGGCCATCCTGCAGGC
GGGGTGGCCCAACCAGACGGCGGTGCTGGCAGCGACGTGGAGTTCCACTGCAAGGTGTACAGTGAC
GCACAGCCACATCCAGTGGCTCAAGCACGTGGAGGTGAATGGCAGCAAGGTGGGCCCGGACGGCACAC
CCTACGTTACCGTGTCAAGACGCGGGCGCTAACACCACCGACAAGGAGCTAGAGGTTCTCCTTGCA
CAACGTCACTTTGAGGACGCCGGGAGTACACCTGCCTGGCGGCAATTCTATTGGTTTTCTCATCAC
TCTGCGTGGTGGTGGTGTGCCAGCCGAGGAGGAGCTGGTGGAGGCTGACGAGGCGGCAGTGTGTATG
CAGGC

ACGCGTTCAGGCGACTACAAGGATGACGACGATAAGGGATCTCATCATCACCATCACCATTAATGAGATC
TGGTACCGATATCAAGCTTGTGACTCTAGA



[View online >](#)

Protein Sequence: >RC600022 representing signal peptide plus the extracellular domain region of NM_000142
 Red=Cloning sites Green= DDK and 6XHIS Tags


MGAPACALALCVAVAIVAGASSESLGTEQRVVGRAAEVPGPEPGQEQQLVFGSGDAVELSCPPPGGGPMG
 PTVWVKDGTGLVPSERVLVGPQRLQVLNASHEDSGAYSCRQRLTQRVLFCHFSVRVTDAPSSGDDDEGEDE
 AEDTGVDTGAPYWTRPERMDKLLAVPAANTVRFRCPAAGNPTPSISWLKNGREFRGEHRIGGIKLRHQQ
 WSLVMESVVPDRGNYTCVVENKFGSIRQTYTLDLVLESPHRPILQAGLPANQTAVLGSDVEFHCKVYSD
 AQPFIQWLKHVEVNGSKVGPDPYVTVLKTAGANTTDKELEVLSLHNVTFEDAGEYTCLAGNSIGFSHH
 SAWLVVLPAAEELVEADEAGSVYAG

TRSGTRSGDYKDDDDKGSHHHHHH

Chromatograms: https://cdn.origene.com/chromatograms/mk8117_e03.zip

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_000142

ORF Size: 1125 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the extra cellular domain of the protein with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_000142.4 , NP_000133.1
RefSeq Size:	4304 bp
RefSeq ORF:	2421 bp
Locus ID:	2261
UniProt ID:	P22607
Cytogenetics:	4p16.3
Domains:	pkinase, TyrKc, S_TKc, ig, IGc2, IG
Protein Families:	Druggable Genome, Protein Kinase, Transmembrane
Protein Pathways:	Bladder cancer, Endocytosis, MAPK signaling pathway, Pathways in cancer, Regulation of actin cytoskeleton
MW:	40.1 kDa
Gene Summary:	<p>This gene encodes a member of the fibroblast growth factor receptor (FGFR) family, with its amino acid sequence being highly conserved between members and among divergent species. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein would consist of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member binds acidic and basic fibroblast growth hormone and plays a role in bone development and maintenance. Mutations in this gene lead to craniosynostosis and multiple types of skeletal dysplasia. [provided by RefSeq, Aug 2017]</p>