

Product datasheet for **RG200117**

Histone H2A.J (H2AFJ) (NM_177925) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: Histone H2A.J (H2AFJ) (NM_177925) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: Histone H2A.J
Synonyms: H2AFJ
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG200117 representing NM_177925
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTCCGGTCGCGGGAACAGGGCGCAAAGTGCAGCAAAGGCCAAATCCCGCTCCTCCGCGCGGGCC
TGCAGTTCCTCCGGTGGGCCGAGTGCACAGACTGCTGCGCAAAGGGAACACGCGGAGCGAGTGGCGCCGG
GGCGCCGGTGTACCTGGCGCGGTGTTGGAGTACCTTACGGCGGAGATCCTGGAGCTGGCTGGCAACGCC
GCGCGTGACAACAAGAAGACCAGGATAATCCCGCCACCTGCAGCTCGCCATCCGCAACGACGAGGAGT
TAAACAAGCTGCTGGCAAAGTACCATCGCTCAGGGCGGCGTCTGCCAACATCCAGGCCGTGCTGCT
GCCAAGAAGACGGAGAGTCAGAAGACGAAGAGCAA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG200117 representing NM_177925
Red=Cloning site Green=Tags(s)
MSGRGKQGGKVRAKAKSRSSRAGLQFPVGRVHRLLRKGNYAERVGAGAPVYLAAVLEYLTAEILELAGNA
ARDNKKTRIIPRHLQLAIRNDEELNKLKGVITIAQGGVLPNIQAVLLPKKTESQTKSK

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_177925

ORF Size: 387 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_177925.4](#)


RefSeq Size: 725 bp

RefSeq ORF: 390 bp

Locus ID: 55766
UniProt ID: [Q9BTM1](#)
Cytogenetics: 12p12.3
Protein Pathways: Systemic lupus erythematosus

Gene Summary: Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is located on chromosome 12 and encodes a replication-independent histone that is a variant H2A histone. The protein is divergent at the C-terminus compared to the consensus H2A histone family member. This gene also encodes an antimicrobial peptide with antibacterial and antifungal activity.[provided by RefSeq, Oct 2015]

Product images:



Circular map for RG200117