

Product datasheet for **RG200252**

COPS6 (NM_006833) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	COPS6 (NM_006833) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	COPS6
Synonyms:	CSN6; MOV34-34KD
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG200252 representing NM_006833 Red=Cloning site Blue=ORF Green=Tags(s)

TTTGTAAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGC**C

ATGGCGGCGGCGGCGGCGGCTGCAGCTACGAACGGGACGGAGGAAGCAGCGGGATGGAGGTGGATG
 CAGCAGTAGTCCCAGCGTGATGGCCTGCGGAGTGACTGGGAGTGTTCGTCGCTCTCCATCCCCTTGT
 CATTCTCAACATCTCAGACCACTGGATCCGCATGCGCTCCAGGAGGGGCGGCCTGTGCAGGTGATTGGG
 GCTCTGATTGGCAAGCAGGAGGGCCGAAATATCGAGGTGATGAACTCCTTTGAGCTGCTGTCCACACCG
 TGAAGAGAAGATTATCATTGACAAGGAATATTATTACACCAAGGAGGAGCAGTTTAAACAGGTGTTCAA
 GGAGCTGGAGTTTCTGGGTTGGTATACCACAGGGGGGCCACCTGACCCCTCGGACATCCACGTCCATAAG
 CAGGTGTGTGAGATCATCGAGAGCCCCCTCTTTCTGAAGTTGAACCTATGACCAAGCACACAGATCTTC
 CTGTGAGCGTTTTTGTGCTGTCATTGATATAATCAATGGAGAGGCCACAATGCTGTTTGTGCTGAGCTGAC
 CTACACTCTGGCCACAGAGGAAGCGGAACGCATTGGTGTAGACCACGTAGCCCGAATGACAGCAACAGGC
 AGTGGAGAGAAGTCCACTGTGGCTGAACACCTGATAGCACAGCACAGCGCCATCAAGATGCTGCACAGCC
 GCGTCAAGCTCATCTGGAGTACGTCAAGGCCTCTGAAGCGGGAGAGGTCCCCTTTAATCATGAGATCCT
 GCGGGAGGCCTATGCTCTGTGCTACTGTCTCCCGGTGCTCAGCACAGACAAGTTCAAGACAGATTTTAT
 GATCAATGCAACGACGTGGGGCTCATGGCCTACCTCGGCACCATCACAAAACGTGCAACACCATGAACC
 AGTTTGTGAACAAGTTCAATGTCTCTACGACCGACAAGGCATCGGCAGGAGAATGCGCGGGCTCTTTTT
 C

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


[View online »](#)

Protein Sequence: >RG200252 representing NM_006833
 Red=Cloning site Green=Tags(s)

MAAAAAAAAAATNGTGGSSGMEVDAAVVPSVMACGVTGSVSVALHPLVILNISDHWIRMSQEGRPVQVIG
 ALIGKQEGRNIEVMNSFELL SHTVEEKIIDKEYYYTKEEQFKQVFKELEFLGWYTTGGPPDPSDIHVHK
 QVCEIIESPLFLKLNPMTKHTDLPVSVFESVIDIINGEATMLFAELTYTLATEEAERIGVDHVARMTATG
 SGENSTVAEHLIAQHSIAIKMLHSRVKLILEYVKASEAGEVPFNHEILREAYALCHCLPVLSTDKFKTDFY
 DQCNDVGLMAYLGTITKTCNTMNQFVNKFNVLYDRQGIGRRMRGLFF

TRTRPLE – GFP Tag – V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_006833

ORF Size: 981 bp


OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:	<ol style="list-style-type: none"> 1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	<u>NM_006833.5</u>
RefSeq Size:	1441 bp
RefSeq ORF:	984 bp
Locus ID:	10980
UniProt ID:	<u>Q7L5N1</u>
Cytogenetics:	7q22.1
Domains:	JAB_MPN
Protein Families:	Druggable Genome, Stem cell - Pluripotency
Gene Summary:	<p>The protein encoded by this gene is one of the eight subunits of COP9 signalosome, a highly conserved protein complex that functions as an important regulator in multiple signaling pathways. The structure and function of COP9 signalosome is similar to that of the 19S regulatory particle of 26S proteasome. COP9 signalosome has been shown to interact with SCF-type E3 ubiquitin ligases and act as a positive regulator of E3 ubiquitin ligases. This protein belongs to translation initiation factor 3 (eIF3) superfamily. It is involved in the regulation of cell cycle and likely to be a cellular cofactor for HIV-1 accessory gene product Vpr. [provided by RefSeq, Jul 2008]</p>

Product images:



Circular map for RG200252