

# **Product datasheet for RG200281**

### CDIPT (NM\_006319) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** CDIPT (NM\_006319) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: CDIPT

Synonyms: PIS; PIS1

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG200281 representing NM\_006319

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCCAGACGAAAATATCTTCCTGTTCGTGCCCAACCTCATCGGTTATGCCCGGATTGTCTTCGCCATCA
TTTCTTTCTACTTCATGCCCTGCTGCCCCCTCACGGCCTCCTCCTTCTACCTGCTCAGCGGCCTGCTGGA
CGCTTTCGATGGACACGCTGCTCGCGCTCTTAATCAAGGAACCCGGTTTGGGGCCATGCTGGACATGCTG
ACGGACCGCTGCTCCACCATGTGCCTGTTGGTCAACCTGGCCCTGCTGTACCCTGGAGCCACGCTGTTCT
TCCAAATCAGCATGAGTTTGGATGTGGCCAGTCACTGGCTGCACCTCCACAGTTCTGTGGTCCGAGGCAG
TGAGAGTCACAAGATGATCGACTTGTCCGGGAATCCGGTGCTTCTACCTGTTCCATTTCTCTGAGGGAC
CTTTAGTTGGCTCTGTGGGACTGTTCCGGATGGCCTCTTGGTCACCTTGCCCCCCATCGCCTTGCTGAAGTC
GCTCATCAGCGTCATCCACCTGATCACGGCCCCCCCAACATGGCTGCCCCTGGACGAACACCGCCCC

AAGAAGAAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

#### CDIPT (NM\_006319) Human Tagged ORF Clone - RG200281

**Protein Sequence:** >RG200281 representing NM\_006319

Red=Cloning site Green=Tags(s)


MPDENIFLFVPNLIGYARIVFAIISFYFMPCCPLTASSFYLLSGLLDAFDGHAARALNQGTRFGAMLDML TDRCSTMCLLVNLALLYPGATLFFQISMSLDVASHWLHLHSSVVRGSESHKMIDLSGNPVLRIYYTSRPA LFTLCAGNELFYCLLYLFHFSEGPLVGSVGLFRMGLWVTAPIALLKSLISVIHLITAARNMAALDAADRA KKK


TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-Mlul

**Cloning Scheme:** 





**ACCN:** NM\_006319

ORF Size: 639 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

#### CDIPT (NM\_006319) Human Tagged ORF Clone - RG200281

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 006319.5</u>

 RefSeq Size:
 1874 bp

 RefSeq ORF:
 642 bp

 Locus ID:
 10423

 UniProt ID:
 014735

 Cytogenetics:
 16p11.2

Domains: CDP-OH\_P\_transf
Protein Families: Transmembrane

**Protein Pathways:** Glycerophospholipid metabolism, Inositol phosphate metabolism, Metabolic pathways,

Phosphatidylinositol signaling system


**Gene Summary:** Phosphatidylinositol breakdown products are ubiquitous second messengers that function

downstream of many G protein-coupled receptors and tyrosine kinases regulating cell growth, calcium metabolism, and protein kinase C activity. Two enzymes, CDP-diacylglycerol synthase and phosphatidylinositol synthase, are involved in the biosynthesis of phosphatidylinositol. Phosphatidylinositol synthase, a member of the CDP-alcohol phosphatidyl transferase class-I family, is an integral membrane protein found on the cytoplasmic side of the endoplasmic reticulum and the Golgi apparatus. Several transcript variants encoding different isoforms

have been found for this gene. [provided by RefSeq, Nov 2013]



# **Product images:**



Circular map for RG200281