

Product datasheet for **RG200442**

PLCG 2 (PLCG2) (NM_002661) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	PLCG 2 (PLCG2) (NM_002661) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	PLCG 2
Synonyms:	APLAID; FCAS3; PLC-gamma-2; PLC-IV
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG200442 representing NM_002661 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGC**C

ATGTCCACCACGGTCAATGTAGATTCCCTTGC GAATATGAGAAGAGCCAGATCAAGAGAGCCCTGGAGC
TGGGGACGGTGATGACTGTGTTCAAGTCCGCAAGTCCACCCCGAGCGGAGAACCGTCCAGGTGATCAT
GGAGACGCGGCAGGTGGCTGGAGCAAGACCGCCGACAAGATCGAGGGCTTCTGGATATCATGAAATA
AAAGAAATCCGCCAGGGAAGAACTCAAAGATTTGAGCGAGCAAAAGCAGTTCGCCAGAAAGAAGACT
GCTGCTTCAACATCCTATATGGCACTCAGTTTCCTCCTCAGCACGCTCAGCTTGGCAGCTGACTCTAAAGA
GGATGCAGTTAACTGGCTCTCTGGCTTGAATCTTACACCAGGAAGCGATGAATGCGTCCACGCCACC
ATTATCGAGAGTTGGCTGAGAAAGCAGATATATTCTGTGGATCAAACCAGAAAGAACAGCATCAGTCTCC
GAGAGTTGAAGACCATCTTGCCCTGATCAACTTTAAAGTGAGCAGTGCCAAAGTTCCTTAAAGATAAGTT
TGTGGAATAGGAGCACACAAAGATGAGCTCAGCTTTGAACAGTTCCATCTCTTCTATAAAAACTTATG
TTTGAACAGCAAAATCGATTCTCGATGAATCAAAAAGGATTCGTCCTGTTTCATCCTGGGGAACACTG
ACAGGCCGGATGCCTCTGCTGTTTACCTGCGTGACTTCCAGAGGTTTCTCATACATGAACAGCAGGAGCA
TTGGGCTCAGGATCTGAACAAAGTCCGTGAGCGGATGACAAAGTTCATTGATGACACCATGCGTGAACT
GCTGAGCCTTTCTGTTTGTGGATGAGTTCCTCACGTACCTGTTTTCACGAGAAACAGCATCTGGGATG
AGAAGTATGACGCGGTGGACATGCAGGACATGAACAACCCCTGTCTATTACTGGATCTCTCTCGTCACA
TAACACGTACCTTACAGGTGACCAGCTGCGGAGCGAGTGTCTCCAGAAAGCTTACATCCGCTGCCTGCGC
ATGGGCTGTGCTGCATTGAAGTGGAGTCTGGGACGGGCCGATGGGAAGCCGTCATCTACCATGGCT
GGACGCGGACTACCAAGATCAAGTTTGACGACGTCGTGACGGCCATCAAAGACCACGCCTTTGTTACGTC
GAGCTTCCAGTGATCCTGTCCATCGAGGAGCACTGCAGCGTGGAGCAACAGCGTCACATGGCCAAGGCC
TTCAAGGAAGTATTTGGCGACCTGCTGTTGACGAAGCCACGGAGGCCAGTGCTGACCAGTGCCTCGC
CCAGCCAGCTGCGGGAGAAGATCATCATCAAGCATAAGAAGCTGGGCCCCGAGGCGATGTGGATGTCAA
CATGGAGGACAAGAAGGACGAACACAAGCAACAGGGGAGCTGTACATGTGGATTCCATTGACCAGAAA



[View online »](#)

TGGACTCGGCACTACTGCGCCATTGCCGATGCCAAGCTGTCTTCAGTGATGACATTGAACAGACTATGG
 AGGAGGAAGTGCCCCAGGATATACCCCTACAGAACTACATTTTGGGGAGAAATGGTTCCACAAGAAGGT
 GGAGAAGAGGACGAGTGCCGAGAAGTTGCTGCAGGAATACTGCATGGAGACGGGGGGCAAGGATGGCACC
 TTCTGTGTTTCGGGAGAGCGAGACCTTCCCAATGACTACACCTGTCTTCTGGCGGTGAGGCCGGGTCC
 AGCACTGCCGGATCCGCTCCACCATGGAGGGCGGGACCCTGAAATACTACTTGACTGACAACCTCACCTT
 CAGCAGCATCTATGCCCTCATCCAGCACTACCGCGAGACGCACCTGCGCTGCGCCGAGTTCGAGCTGCGG
 CTCACGGACCCCTGTGCCAACCCTCAACCCACAGTCCAAGCCGTGGTACTATGACAGCCTGAGCCGCG
 GAGAGGCAGAGGACATGCTGATGAGGATTCCCGGGACGGGGCCTTCTGATCCGGAAGCGAGAGGGGAG
 CGACTCCTATGCCATCACCTTCAGGGCTAGGGGCAAGGTAAGCATTGTGCGATCAACCGGGACGGCCG
 CACTTTGTGCTGGGGACCTCCGCTATTTTGAGAGTCTGGTGGAGCTCGTCAGTTACTACGAGAAGCATT
 CACTCTACCGAAAGATGAGACTGCGCTACCCCGTGACCCCGAGCTCCTGGAGCGCTACAATATGGAAG
 AGATATAAACTCCCTCTACGACGTGAGCAGAATGTATGTGGATCCAGTGAAATCAATCCGTCCATGCCT
 CAGAGAACCGTGAAGCTCTGTATGACTACAAAGCCAAGCAAGCGATGAGCTGAGCTTCTGCCGTGGT
 CCCTCATCCACAATGTCTCAAGGAGCCCGGGGCTGGTGAAAGGAGACTATGGAACAGGATCCAGCA
 GTACTTCCATCCAATACGTGAGGACATCTCAACTGCAGACTTCGAGGAGCTAGAAAAGCAGATTATT
 GAAGACAATCCCTTAGGGTCTCTTTCAGAGGAATATTGACCTCAATACCTATAACGTCGTGAAAGCCC
 CTCAGGGAACCAAGAGTCCCTTGTCTTATCCTGGAGCCCAAGCAGAGGGCTATCCTCCGGTGGA
 GTTTGCCACAGACAGGTGGAGGAGCTCTTTGAGTGGTTTCAGAGCATCCGAGAGTACCTGGAAGATT
 GACACCAAGGAGAAACATGAAGTACTGGGAGAGAACCAGTCCATCGCCATCGAGCTCTCTGACCTGG
 TTGTCTACTGAAACCAACAGCAAAACCAAGGACAACCTAGAAAATCCTGACTTCCGAGAAATCCGCTC
 CTTTGTGGAGACGAAGGCTGACAGCATCATCAGACAGAAGCCCGTCGACCTCCTGAAGTACAATCAAAAG
 GGCCTGACCCGCGTCTACCCAAAGGGACAAGAGTTGACTCTTCAAACCTACGACCCCTTCCGCTCTGGC
 TGTGCGGTTCTCAGATGGTGGCACTCAATTTCCAGACGGCAGATAAGTACATGCAGATGAATCACGCATT
 GTTTTCTCTCAACGGGCGCACGGGCTACGTTCTGCAGCCTGAGAGCATGAGGACAGAGAAATATGACCCG
 ATGCCACCCGAGTCCAGAGGAAGATCCTGATGACGCTGACAGTCAAGGTTCTCGGTGCTCGCCATCTCC
 CAAACTTGAGCAAGTATTGCCTGTCCCTTTGTAGAAGTGGAGATCTGTGGAGCCGAGTATGACAACAA
 CAAGTTCAAGACGACGTTGTGAATGATAATGGCCTCAGCCCTATCTGGGCTCCAACACAGGAGAAGGTG
 ACATTTGAAATTTATGACCCAAACCTGGCATTCTGCGCTTTGTGGTTTATGAAGAAGATATGTTACGCG
 ATCCCAACTTTCTTGCTCATGCCACTTACCCATTAAAGCAGTCAAATCAGGATTCAGGTCCGTTCTCT
 GAAGAATGGGTACAGCGAGGACATAGAGCTGGCTTCCCTCCTGGTTTCTGTGAGATGCGGCCAGTCTG
 GAGAGCGAAGAGGAACCTTACTCCTCCTGTGCCAGCTGAGGAGCGGCAAGAAGAACTGAACAACCAGC
 TCTTTCTGTATGACACACACAGAACTTGCGCAATGCCAACCAGGATGCCCTGGTTAAAGAGTTCAGTGT
 TAATGAGAACCAGCTCCAGCTGTACCAGGAGAAATGCAACAAGAGGTTAAGAGAGAAGAGAGTCAGCAAC
 AGCAAGTTTTACTCA

ACGCGTACGCGGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG200442 representing NM_002661
 Red=Cloning site Green=Tags(s)

MSTTVNVDSLAEYEKSQIKRALELGTVMTVFSFRKSTPERRTVQVIMETRQVAWSKTADKIEGFLDIMEI
 KEIRPGKNSKDFERAKAVRQKEDCCFTILYGTQFVLSTLSLAADSKEDAVNWL SGLKILHQEAMNASTPT
 IIESWLRRKQIYSVDQTRRNSISLRELKILPLINFKVSSAKFLKDKFVEIGAHKDEL SFEQFHLFYKKLM
 FEQQKSILDEFKKDSSVILGNTDRPDASAVYLRDFQRFLIHEQQEHWAQDLNKVRERM TKFIDDTMRET
 AEPFLFVDEFLT YLFSRENSIWDEKYDAVDMQDMNNPLSHYWISSSHNTYLTGDQLRSESSPEAYIRCLR
 MGCRCIELDCWDGPDGKPVYIHGWTRTTKIKFDDVVQA IKDHAFVTSSFPVILSIEEHCSVEQQRHMAKA
 FKEVFGDLLLT KPTEASADQLPSPSQLREKII IKHKKLGPRGDVDVN MEDKKDEHKQQGEL YMWDSIDQK
 WTRHYCAIADAKLSF SDDIEQTMEEEVPQDIPPTELHFG EKWFHKKVEKRTSAEKLLQEYCMETGGKGT
 FLVRESETFPNDYTL SFWRSGRVQHCRIRSTMEGGTLKYLT DNLT FSSIYALIQHYRETHLRCAEFELR
 LTDPVPNPNPHESKPWYYDSL SRGEADMLMRI PRDGAFLIRKREGSDSYAITFRARGKVKHCRINRDGR
 HFVLGTSAYFESLVELVSYYEKHSLYRKMRLRYPVTELLERYNMERDINSLYDVSRMYVDPSEINPSMP
 QRTVKALYDYKAKRSDLSFCRGALIHNVSKPEGGWKGDYGTRIQQYFSPNYVEDISTADFE ELEKQII
 EDNPLGSLCRGILD LNTYNNVKA PQGKNQKSFVFILEPKQQGYPPVEFATDRVEELFEWFSIREITWKI
 DTKENNMKYWEKNQSI AIELSDLV VYCKPTSKTKDNLENPDFREIRSFVETKADSIIRQKPVDLLKYNQK
 GLTRVYPKGQRVDSSNYDPFRLWL CGSQMVALNFQTADKYM QMNHALFSLNGRTGYVLQPESMRTEKYDP
 MPPEQSRKILMTLTVKVLGARHLPKLGRSIACPFVEVEICGA EYDNNKFKTTVVNDNGLSPIWAPTQEKV
 TFEIYDPNLAFLRFVVEEDMFDPNFLAHATYPIKAVKSGFRSVPLKNGYSEDIELASLLVCEMRPVL
 ESEELYSSCRQLRRRQEELNNQLFLYDTHQNL RNANRDALVKEFSV NENQLQLYQEKCNKRLREKRVSN
 SKFYS

TRTRPLE – GFP Tag – V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_002661

ORF Size: 3795 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_002661.2 , NP_002652.2
RefSeq Size:	4263 bp
RefSeq ORF:	3798 bp
Locus ID:	5336
UniProt ID:	P16885
Cytogenetics:	16q23.3
Domains:	C2, PI-PLC-X, SH2, SH3, PI-PLC-Y, PH
Protein Families:	Druggable Genome
Protein Pathways:	B cell receptor signaling pathway, Calcium signaling pathway, Epithelial cell signaling in Helicobacter pylori infection, ErbB signaling pathway, Fc epsilon RI signaling pathway, Fc gamma R-mediated phagocytosis, Glioma, Inositol phosphate metabolism, Leukocyte transendothelial migration, Metabolic pathways, Natural killer cell mediated cytotoxicity, Neurotrophin signaling pathway, Non-small cell lung cancer, Pathways in cancer, Phosphatidylinositol signaling system, VEGF signaling pathway, Vibrio cholerae infection

Gene Summary:

The protein encoded by this gene is a transmembrane signaling enzyme that catalyzes the conversion of 1-phosphatidyl-1D-myo-inositol 4,5-bisphosphate to 1D-myo-inositol 1,4,5-trisphosphate (IP3) and diacylglycerol (DAG) using calcium as a cofactor. IP3 and DAG are second messenger molecules important for transmitting signals from growth factor receptors and immune system receptors across the cell membrane. Mutations in this gene have been found in autoinflammation, antibody deficiency, and immune dysregulation syndrome and familial cold autoinflammatory syndrome 3. [provided by RefSeq, Mar 2014]

Product images:


Circular map for RG200442