

Product datasheet for **RG200464**

Hexokinase 1 (HK1) (NM_000188) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Hexokinase 1 (HK1) (NM_000188) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	Hexokinase 1
Synonyms:	hexokinase; HK; HK1-ta; HK1-tb; HK1-tc; HKD; HKI; HMSNR; HXK1; NEDVIBA; RP79
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG200464 representing NM_000188
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGCC**

ATGATCGCCGCGCAGCTCCTGGCCTATTACTTCACGGAGCTGAAGGATGACCAGGTCAAAAAGATTGACA
 AGTATCTGTATGCCATGCGGCTCTCCGATGAAACTCTCATAGATATCATGACTCGCTTCAGGAAGGAGAT
 GAAGAATGGCCTCTCCCGGATTTTAATCCAACAGCCACAGTCAAGATGTTGCCAACATTCGTAAGGTCC
 ATTCCTGATGGCTCTGAAAAGGGAGATTTTCATTGCCCTGGATCTTGGTGGGTCTTCTTTTGAATTCTGC
 GGGTGCAAGTGAATCATGAGAAAAACCAGAATGTTACATGGAGTCCGAGGTTTATGACACCCAGAGAA
 CATCGTGCACGGCAGTGAAGCCAGCTTTTGGATCATGTTGCTGAGTGCCTGGGAGATTTTCATGGAGAAA
 AGGAAGATCAAGGACAAGAAGTTACCTGTGGGATTCACGTTTTCTTTCTTCCCAACAATCCAAAATAG
 ATGAGGCCATCCTGATCACCTGGACAAAGCGATTTAAAGCGAGCGGAGTGAAGGAGCAGATGTGGTCAA
 ACTGCTTAACAAAGCCATCAAAAAGCGAGGGGACTATGATGCCAACATCGTAGCTGTGGTGAATGACACA
 GTGGGCACCATGATGACCTGTGGCTATGACGACCAGCACTGTGAAGTCCGGCTGATCATCGGCACCTGGCA
 CCAATGCTTGCTACATGGAGGAAGTGGACACATTGATCTGGTGAAGGAGACGAGGGGAGGATGTGTAT
 CAATACAGAATGGGGAGCCTTTGGAGACGATGGATCATTAGAAGACATCCGGACAGAGTTTGACAGGGAG
 ATAGACCGGGGATCCCTCAACCTGGAAAAAGCTGTTTGAAGAAGATGGTCAAGTGGCAGTGTACTTGGGAG
 AGCTGGTTCGACTGATCCTAGTCAAGATGGCCAAGGAGGGCTCTTATTTGAAGGGCGGATCACCCCGGA
 GCTGCTCACCCGAGGGAAGTTAACACCAAGTGTGTGTGAGCCATCGAAAAGAATAAGGAAGGCCTCCAC
 AATGCCAAAGAAATCCTGACCCGCTGGGAGTGGAGCCGTCGATGATGACTGTGTCTCAGTCCAGCAGC
 TTTGACCATTGTCTCATTTCGCTCAGCCAATTGGTGGCTGCCACACTGGGCGCCATCTTGAACCGCCT
 CGGTGATAACAAGGGCACACCCAGGCTGCGGACCACGGTTGGTGTGACGAGATCTTTTACAAGACGCAC
 CCACAGTATTCGCGCTTTCCACAAGACTCTAAGGCGCTTGGTCCAGACTCCGATGTGCGCTTCTCC
 TCTCGGAGAGTGGCAGCGCAAGGGGGCTGCCATGGTACGCGGTGGCCTACCGCTTGGCCGAGCAGCA
 CCGGCAGATAGAGGAGACCCTGGCTCATTTCACCTCACAAAGACATGCTGCTGGAGGTGAAGAAGAGG
 ATGCGGGCCGAGATGGAGCTGGGGCTGAGGAAGCAGACGCACAACAATGCCGTGGTTAAGATGCTGCCCT
 CCTTCGTCGGGAACTCCGACGGGACCAGAAATGGTACTTCTTGGCCCTGGATCTTGGAGGAACCAA
 TTTCCGTGTGCTGCTGGTAAAAATCCGTAGTGGGAAAAAGAGAACGGTGGAAATGCACAACAAGATCTAC
 GCCATTCTATTGAAATCATGCAGGCACTGGGGAAGAGCTGTTTATGATCATTGTCTCCTGCATCTCTG
 ACTTCTTGACTACATGGGGATCAAGGCCAGGATGCCTCTGGGCTTACGTTCTCATTCCCTGCCA
 GCAGACGAGTCTGGACGCGGGAATCTTGATCACGTGGACAAGGGTTTTAAGGCAACAGACTGCGTGGGC
 CACGATGTAGTACCTTACTAAGGGATGCGATAAAAAGGAGAGAGGAATTTGACCTGGACGTGGTGGCTG
 TGGTCAACGACACAGTGGGCACCATGATGACCTGTGCTTATGAGGAGCCACCTGTGAGGTTGGACTCAT
 TGTTGGGACCGGAGCAATGCCTGCTACATGGAGGAGATGAAGAAGTGGAGATGGTGGAGGGGGACCAG
 GGGCAGATGTGCATCAACATGGAGTGGGGGGCTTTGGGACAACGGGTGTCTGGATGATATCAGGACAC
 ACTACGACAGACTGGTGGACGAATATCCCTAAATGCTGGGAAACAAAGGTATGAGAAGATGATCAGTGG
 TATGTACCTGGGTGAAATCGTCCGCAACATCTTAATCGACTTCACCAAGAAGGGATTCCTCTTCCGAGGG
 CAGATCTCTGAGACGCTGAAGACCCGGGCATCTTTGAGACCAAGTTTCTCTCAGATCGAGAGTGACC
 GATTAGCACTGCTCCAGTCCGGGCTATCCTCCAGCAGTAGGTCTGAATAGCACCTGCGATGACAGTAT
 CCTCGTCAAGACAGTGTGCGGGTGGTGTCCAGGAGGGCCGACAGCTGTGTGGCGCAGGCATGGCTGCG
 GTTGTGGATAAGATCCGCGAGAACAGAGGACTGGACCGTCTGAATGTGACTGTGGGAGTGGACGGGACAC
 TCTACAAGCTTCCACACTTCTCCAGAATCATGCACCAGCGTGAAGGAACTGTACCAAAAATGTAA
 CGTGTCTTCTCTGTCTGAGGATGGCAGCGCAAGGGGGCCGCTCATCACGGCCGTGGCGTGGCG
 TTACGCACAGAGGCAAGCAGC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG200464 representing NM_000188
 Red=Cloning site Green=Tags(s)

```

MIAAQLLAYFFTELKDDQVKKIDKLYAMRLSDETLIDIMTRFRKEMKNGLSRDFNPTATVKMLPTFVRS
IPDGSEKGFIALDLGGSSFRILRVQVNHEKNQNVHMESEVYDTPENIVHGSGSQLFDHVAECLGDFMEK
RKIKDKKLPVGF TFSFPCQQSKIDEAILITWTKRFKASGVEGADVVKLLNKAIKKRGDYDANIVAVVNDT
VGTMMTCGYDDQHCEVGLIIGTGNACYMEELRHIDLVEGDEGRMCINTEWGAFGDDGSLEDIRTEFDRE
IDRGSLNPGKQLFEKMVSGMYLGELVRLILVKMAKEGLLFEGRITPELLTRGKFNTSDVSAIEKNKEGLH
NAKEILTRLGVEPSDDDCVSVQHVCTIVSFRSANLVAATLGAILNRLRDNKGTPLRLRTTVGVDGSLYKTH
PQYSRRFHKTLRRLVPDSDVRFLLSESGSGKAAMVTAVAYRLAEQHRQIEETLAHFHLTKDMLLEVKKR
MRAEMELGLRKQTHNNAVVKMLPSFVRRTPDGTENGDFLALDLGGTNFRVLLVKIRSGKKRTVEMHNKIY
AIPIEIMQGTGEELFDHIVSCISDFLDYMGIKGPRMPLGFTFSFPCQQTSLDAGILITWTKGFKATDCVG
HDVVTLRLDAIKRREEDLDVAVVNDTVGTMMTCAYEPTCEVGLIVGTGSNACYMEEMKNVEMVEGDQ
GQMCINMEWGAFGDNGCLDDIRTHYDRLVDEYSLNAGKQRYEKMISGMYLGEIVRNILIDFTKKGFLFRG
QISETLKRIGIFETKFLSQIESDRLALLQVRAILQQLGLNSTCDDSSILVKTVCVVSRRAAQLCGAGMAA
VVDKIRENRGLDRLNVTVGVDGTYKLVHPHF SRIMHQTVKELSPKCNVSLLEDGSGKGAALITAVGVR
LRTEASS
  
```

TRTRPLE – GFP Tag – V

Restriction Sites:

SgfI-MluI


Cloning Scheme:



ACCN: NM_000188

ORF Size:	2751 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_000188.1 , NP_000179.1
RefSeq Size:	3580 bp
RefSeq ORF:	2754 bp
Locus ID:	3098
UniProt ID:	P19367
Cytogenetics:	10q22.1
Domains:	hexokinase
Protein Families:	Druggable Genome
Protein Pathways:	Amino sugar and nucleotide sugar metabolism, Fructose and mannose metabolism, Galactose metabolism, Glycolysis / Gluconeogenesis, Insulin signaling pathway, Metabolic pathways, Starch and sucrose metabolism, Type II diabetes mellitus
Gene Summary:	Hexokinases phosphorylate glucose to produce glucose-6-phosphate, the first step in most glucose metabolism pathways. This gene encodes a ubiquitous form of hexokinase which localizes to the outer membrane of mitochondria. Mutations in this gene have been associated with hemolytic anemia due to hexokinase deficiency. Alternative splicing of this gene results in several transcript variants which encode different isoforms, some of which are tissue-specific. [provided by RefSeq, Apr 2016]

Product images:



Circular map for RG200464