

## Product datasheet for **RG200522**

### OGG1 (NM\_002542) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** OGG1 (NM\_002542) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** OGG1  
**Synonyms:** HMMH; HOGG1; MUTM; OGH1  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG200522 representing NM\_002542  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGCTGCCCGCGCTTCTGCCAGGCGCATGGGGCATCGTACTCTAGCCTCCACTCCTGCCCTGTGGG  
 CCTCCATCCCGTGCCCTCGCTCTGAGCTGCGCCTGGACCTGGTTCTGCCTTCTGGACAATCTTCCGGTG  
 GAGGGAGCAAAGTCTGCACACTGGAGTGGTGTACTAGCGGATCAAGTATGGACACTGACTCAGACTGAG  
 GAGCAGCTCCACTGCACTGTGTACCGAGGAGACAAGAGCCAGGCTAGCAGGCCACACCAGACGAGCTGG  
 AGGCCGTGCGCAAGTACTTCCAGCTAGATGTTACCTGGCTCACTGTATCACCCTGGGTTCCGTGGA  
 CTCCCACTTCCAAGAGGTGGCTCAGAAATTCGAAGGTGTGCGACTGCTGCGACAAGACCCATCGAATGC  
 CTTTTCTTTTTATCTGTTCTCCAACAACAACATCGCCCGCATCACTGGCATGGTGGAGCGGCTGTGCC  
 AGGCTTTTGGACCTCGGCTCATCCAGCTTGATGATGTCACCTACCATGGCTTCCCAGCCTGCAGGCCCT  
 GGCTGGGCAGAGGTGGAGGCTCATCTCAGGAAGCTGGGCTGGGCTATCGTGCCGTTACGTGAGTGCC  
 AGTGCCCGAGCCATCCTGGAAGAACAGGGCGGGCTAGCCTGGCTGCAGCAGCTACGAGAGTCTCATATG  
 AGGAGGCCACAAGGCCCTCTGCATCCTGCCTGGAGTGGGCACCAAGGTGGTACTGCATCTGCCTGAT  
 GGCCCTAGACAAGCCCCAGGCTGTGCCGTGGATGTCCATATGTGGCACATTGCCAACGTGACTACAGC  
 TGGCACCTACCACGTCCAGGCGAAGGGACCGAGCCCCACCAAGGAAGTGGAAACTTTTTCC  
 GGAGCCTGTGGGACCTTATGCTGGCTGGGCCCAAGCGGTGCTGTTCAAGTCCGACTGCGCCAATGCC  
 CCATGCTCAGGAGCCACCAGCAAAGCGCAGAAAGGTTCCAAAGGCCGGAAGGC

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

**Protein Sequence:** >RG200522 representing NM\_002542  
 Red=Cloning site Green=Tags(s)

MPARALLPRRMGHRRLASTPALWASIPCRSELRLDLVLPSPGQSFWRREQSPAHWGVLADQVWTLTQTE  
 EQLHCTVYRGDKSQASRPTPDELEAVRKYFQLDVTLAQLYHHWGSVDSHFQEVAQKFGVRLLRQDPIEC  
 LFSFICSSNNNIARITGMVERLCQAFGPRLIQLDDVTYHGFPQLALAGPEVEAHLRKLGLGYRARIYVSA  
 SARAILEEQQGLAWLQQLRESSYEEAHKALCILPGVGTKVADICLMDLDPQAVPVDVHMWHIAQRDYS  
 WHPTTSQAKGSPQTNKELGNFRSLWGPYAGWAQAVLFSADLRQCRHAQEPPAKRRKGSKGPEG

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_002542

**ORF Size:** 1035 bp


**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u>NM_002542.4, NP_002533.1</u>
<b>RefSeq Size:</b>	2557 bp
<b>RefSeq ORF:</b>	1038 bp
<b>Locus ID:</b>	4968
<b>UniProt ID:</b>	<u>O15527</u>
<b>Cytogenetics:</b>	3p25.3
<b>Domains:</b>	HHH, ENDO3c
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Base excision repair
<b>Gene Summary:</b>	This gene encodes the enzyme responsible for the excision of 8-oxoguanine, a mutagenic base byproduct which occurs as a result of exposure to reactive oxygen. The action of this enzyme includes lyase activity for chain cleavage. Alternative splicing of the C-terminal region of this gene classifies splice variants into two major groups, type 1 and type 2, depending on the last exon of the sequence. Type 1 alternative splice variants end with exon 7 and type 2 end with exon 8. All variants share the N-terminal region in common, which contains a mitochondrial targeting signal that is essential for mitochondrial localization. Many alternative splice variants for this gene have been described, but the full-length nature for every variant has not been determined. [provided by RefSeq, Aug 2008]

Product images:



Circular map for RG200522