

Product datasheet for **RG200594**

NMT1 (NM_021079) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NMT1 (NM_021079) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	NMT1
Synonyms:	NMT
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG200594 representing NM_021079
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCGGACGAGAGTGAGACAGCAGTGAAGCCGCCGACCTCCGCTGCCGAGATGATGGAAGGGAACG
 GGAACGGCCATGAGCACTGCAGCGATTGCGAGAATGAGGAGGACAACAGCTACAACCGGGTGTTTGAG
 TCCAGCCAATGAGCACTGGAGCCAAAAAGAGAAAAAGAAAAAGAAAAAGAGAAAAAGGCAGTGAG
 ACAGATTCAGCCAGGATCAGCCTGTGAAGATGAAGTCTTTGCCAGCAGAGAGGATCCAGGAAATACAGA
 AGGCCATTGAGCTGTTCTCAGTGGGTGAGGACCTGCCAAACCATGGAGGAGGCTAGCAAGCGAAGCTA
 CCAGTTCTGGGATACGACGCCCGTCCCCAAGCTGGGCGAAGTGGTGAACACCCATGGCCCCGTGGAGCCT
 GACAAGGACAATATCCGCCAGGAGCCCTACACCCTGCCCCAGGGCTTACCTGGGATGCTTTGGACTTGG
 GCGATCGTGGTGTGCTAAAAGAACTGTACACCCTCCTGAATGAGAACTATGTGGAAGATGATGACAACAT
 GTTCCGATTTGATTATCCCCGGAGTTTCTTTTGTGGGCTCTCCGCCACCCGGCTGGCTCCCCAGTGG
 CACTGTGGGGTTCGAGTGGTCTCAAGTCGGAATTTGGTTGGGTTTCATTAGCGCCATCCAGCAAACATCC
 ATATCTATGACACAGAGAAGAAGATGGTAGAGATCAACTTCCTGTGTGTCCACAAGAAGCTGCGTTCCAA
 GAGGGTTGCTCCAGTTCTGATCCGAGAGATCACCAGGCGGGTTCACCTGGAGGGCATCTTCCAAGCAGTT
 TACACTGCCGGGGTGGTACTACCAAGCCCGTTGGCACCTGCAGGTATTGGCATCGGTCCCTAAACCCAC
 GGAAGCTGATTGAAGTGAAGTTCTCCACCTGAGCAGAAATATGACCATGCAGCGCACCATTGAAGCTCTA
 CCGACTGCCAGAGACTCCAAGACAGCTGGGCTGCGACCAATGGAACAAAGGACATTCCAGTAGTGCAC
 CAGCTCCTCACCAGGTAAGCAATTTACCTTACGCCCGTCATGAGCCAGGAGGAGGTGGAGCACT
 GGTTCCTACCCCGAGGAGAAATATCATCGACATTTCTGTGGTGGAGAACGCAACGAGAGGTGACAGATTT
 CCTGAGCTTTTATACGCTGCCCTCCACCATCATGAACCATCCAACCCACAAGAGTCTCAAAGCTGCTTAT
 TCTTTCTACAACGTTACACCCAGACCCCTCTTCTAGACCTCATGAGCGACGCCCTTGTCTCGCCAAAA
 TGAAAGGGTTTGTGTGTTCAATGCACTGGATCTCATGGAGAACAAAACCTTCTGGAGAAGCTCAAGTT
 TGGCATAGGGGACGGCAACCTGCAGTATTACCTTTACAATTGGAATGCCCCAGCATGGGGGAGAGAAAG
 GTTGGACTGGTGCTACAA

ACGCGTACGCGGCGGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG200594 representing NM_021079
 Red=Cloning site Green=Tags(s)

MADESETAVKPPAPPLPQMMEGNGNGHEHCSDCENEEDNSYNRGGLSPANDTGAKKKKKKQKKKKEKGSE
 TDSAQDQPVKMNSLPAERIQEIQKAIELFSVGQGPAKTMEEASKRSYQFWDTPVPKLGVEVNTHGVPVEP
 DKDNIRQEPYTLPGFTWDALDLGDRGVKELYTLLENYVEDDDNMFRFDYSPEFLLWALRPPGWLPQW
 HCGVRVVSRLVGFISAIPANIHIYDEKMKVEINFLCVHKLRSKRVAPVLIETRRVHLEGIFQAV
 YTAGVVLPKPVGTCRYWHRSLNPRKLEIVKFSHLSRNMTRMTKLYRLPETPKTAGLRPMETKDIPVVH
 QLLTRYLKQFHLTPVMSQEEVEHWFYPQENIIDTFVVENANGEVTDFLSFYTLPTIMNHPTHKSLKAAY
 SFYVHTQTPLLDLMSDALVLAKMKGDFVFNALDLMENKTFLEKLKFGIGDNLQYYLYNWKCPSMGAEK
 VGLVLQ

TRTRPLE – GFP Tag – V

Restriction Sites:


Sgfl-MluI

Cloning Scheme:


ACCN:	NM_021079
ORF Size:	1488 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_021079.3 , NP_066565.1
RefSeq Size:	4903 bp
RefSeq ORF:	1491 bp
Locus ID:	4836

UniProt ID:	P30419
Cytogenetics:	17q21.31
Domains:	NMT
Protein Families:	Druggable Genome
Gene Summary:	Myristate, a rare 14-carbon saturated fatty acid, is cotranslationally attached by an amide linkage to the N-terminal glycine residue of cellular and viral proteins with diverse functions. N-myristoyltransferase (NMT; EC 2.3.1.97) catalyzes the transfer of myristate from CoA to proteins. N-myristoylation appears to be irreversible and is required for full expression of the biologic activities of several N-myristoylated proteins, including the alpha subunit of the signal-transducing guanine nucleotide-binding protein (G protein) GO (GNAO1; MIM 139311) (Duronio et al., 1992 [PubMed 1570339]).[supplied by OMIM, Nov 2008]

Product images:



Circular map for RG200594