

Product datasheet for RG200679

IL10RB (NM_000628) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IL10RB (NM_000628) Human Tagged ORF Clone

Tag: TurboGFP Symbol: IL10RB

Synonyms: CDW210B; CRF2-4; CRFB4; D21S58; D21S66; IL-10R2

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

Protein Sequence: >RG200679 representing NM_000628

Red=Cloning site Green=Tags(s)

MAWSLGSWLGGCLLVSALGMVPPPENVRMNSVNFKNILQWESPAFAKGNLTFTAQYLSYRIFQDKCMNTT LTECDFSSLSKYGDHTLRVRAEFADEHSDWVNITFCPVDDTIIGPPGMQVEVLADSLHMRFLAPKIENEY ETWTMKNVYNSWTYNVQYWKNGTDEKFQITPQYDFEVLRNLEPWTTYCVQVRGFLPDRNKAGEWSEPVCE QTTHDETVPSWMVAVILMASVFMVCLALLGCFALLWCVYKKTKYAFSPRNSLPQHLKEFLGHPHHNTLLF

FSFPLSDENDVFDKLSVIAEDSESGKQNPGDSCSLGTPPGQGPQS

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul


OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





ACCN: NM_000628

ORF Size: 975 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: <u>NM 000628.5</u>

RefSeq Size: 1966 bp

RefSeq ORF: 978 bp

Locus ID: 3588

UniProt ID: Q08334

Cytogenetics: 21q22.11

Domains: Tissue fac

Protein Families: Druggable Genome, Transmembrane


Protein Pathways: Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway

Gene Summary: The protein encoded by this gene belongs to the cytokine receptor family. It is an accessory

chain essential for the active interleukin 10 receptor complex. Coexpression of this and IL10RA proteins has been shown to be required for IL10-induced signal transduction. This gene and three other interferon receptor genes, IFAR2, IFNAR1, and IFNGR2, form a class II cytokine receptor gene cluster located in a small region on chromosome 21. [provided by

RefSeq, Jul 2008]

Product images:



Circular map for RG200679