

## Product datasheet for **RG200742**

### **COG1 (NM\_018714) Human Tagged ORF Clone**

#### **Product data:**

|                                  |                         |
|----------------------------------|-------------------------|
| <b>Product Type:</b>             | Expression Plasmids     |
| <b>Tag:</b>                      | TurboGFP                |
| <b>Symbol:</b>                   | COG1                    |
| <b>Synonyms:</b>                 | CDG2G; LDLB             |
| <b>Mammalian Cell Selection:</b> | Neomycin                |
| <b>Vector:</b>                   | pCMV6-AC-GFP (PS100010) |
| <b>E. coli Selection:</b>        | Ampicillin (100 ug/mL)  |



[View online »](#)

ORF Nucleotide Sequence: >RG200742 representing NM\_018714  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCCGCGATCGCC

ATGGCCACCGCGCAACCTCACCCGCGCTGAAGCGGCTGGATCTGCGCGACCCTGCGGCTCTTTTCGAGA  
CGCATGGAGCGGAGGAGATCCGCGGGCTGGAGCGCCAGGTTTCGGGCCGAGATCGAGCACAAGAAGGAGGA  
GCTGCGGCAGATGGTGGCGAACGGTACC GCGACCTGATCGAGGCGGCCGACACCATCGGCCAGATGCGC  
CGCTGCGCCGTGGGGCTAGTGGACGCCGTGAAGGCCACCGACCACTGCTGCGCCCGCTCCGCCAGGCCG  
GCTCGGCCGCGCCCGGCCACCGCGGGCCAGCAGCCACAGCAGCCATCCCAGGAGAAGTTCTACAGCAT  
GGCTGCCCCAGATCAAGCTACTCTTAGAAATTCGGAGAAGATCTGGAGCTCGATGGAAGCCCTCTCAGTGT  
CTCCACGCCACACAGCTCTACCTGCTCTGCTGCCACCTCCACAGCCTGCTCCAGCTGGATTCTTCTAGTT  
CCCGATACAGTCCCGTCTCTCCCGTTTCTATACTCATCCGCGAGGTGGCAGCCGCCAGCCACTTCCG  
GTCAACTATTCTGCATGAAAGCAAGATGTTGCTCAAATGCCAAGGTGTGTCTGACCAAGCTGTGGCCGAG  
GCCCTGTGCTCTAATGCTCTTAGAAGAGAGTTCTCCTCGCCAAGCCCTCACAGACTTCTGCTGGCCA  
GAAAGGCAACTATTCAGAACTTCTCAACCAGCCACACCATGGTGTCTGGTATCAAGGCTCAGATTGCTC  
ATTAGTGGAGTTGCTGGCCACCACTCTGAAGCAAGCTCATGCCCTTTTCTACACTTTGCCAGAAGGACTG  
CTGCCAGATCCAGCCCTGCCATGTGGCTTGCTCTTCTACTCTGGAGACCATCACAGGCCAGCATCCTG  
CCGGAAAGGGCACTGGTGTCTGCAGGAAGAGATGAAACTCTGCAGCTGGTTTAAACACCTGCCAGCATC  
CATCGTCGAGTTCCAGCCAACACTCCGAACCTTGACATCCCATCAGTCAGGAATACCTGAAAGACACG  
CTGCAGAAATGGATCCACATGTGTAATGAAGACATTAAAAATGGGATCACCAACCTGCTCATGTACGTGA  
AGAGCATGAAGGGTCTCGCGGAATCCGGACGCCATGTGGGAGTTACTTACCAATGAGTCCACCAATCA  
CAGCTGGGATGTGCTATGTCGGCGGCTTCTGGAGAAGCCGCTCTTGTCTGGGAAGATATGATGCAGCAA  
CTGTTCTTGACCGATTACAGACTCTGACAAAAGAAGGCTTTGACTCCATCTCCAGTAGCTCCAAGGAGC  
TCTTGGTTTCAGCTTTGACGGAACCTGAAAGCAGCACCAGCAACTCCCCTTCAAATAAGCACATCCACTT  
TGAGTACAACATGTCGCTCTTCTCTGGTCTGAGAGTCCTAATGACCTGCCTTCCGATGCGGCCCTGGGTC  
AGCGTGGCAAACCGGGGTCAAGTTTGCCAGTAGCGGCCCTCTCCATGAAAGCACAAAGCCATCAGCCCTTGTG  
TACAGAACTTCTGTTCTGCCCTGGATTCTAAGCTGAAGGTTAAACTAGATGACCTCCTGGCTTACCTCCC  
CTCTGATGACTCATCACTGCCCAAGGACGTTTCTCCACACAGGCCAAGAGTTCTGCCTTTGACAGATAC  
GCAGATGCGGGGACCGTGCAGGAGATGCTGCGGACTCAGTCCGTGGCATGCATCAAGCACATCGTGGACT  
GCATCCGGGCAGAGCTACAGAGCATTGAAGAGGGTGTGCAAGGGCAACAGGATGCCCTCAACAGTGCCAA  
GCTGCACTCAGTCTTTTCATGGCCAGACTCTGCCAGTCCCTGGGAGAGCTGTGCCCCCATCTGAAGCAG  
TGCATCCTGGGAAAATCAGAGAGCTCAGAGAAACCAGCAAGGGAGTTTAGGGCTCTGAGAAAACAGGGAA  
AGGTGAAAACCTCAGGAAATCATTCTACACAGGCCAAGTGGCAAGAGGTTAAAGAAGTACTCCTCCAGCA  
GAGCGTGATGGGCTACCAGGTCTGGAGCAGTGCAAGTTGTGAAAGTTTGTATTGATGAGTTACCCAGTCA  
TTACTTCTAGATGATGCTGGCTCAGTTCTGGCCACAGCCACCAGCTGGGATGAGCTAGAAATTCAGGAGG  
AGGCAGAGTCTGGCAGCAGTGTACATCCAAGATCCGACTCCCTGCACAGCCGCTCCTGGTATGTACAGTC  
CTTCTGTGTTAGTTTATGCCAGGAAATTAATCGGGTTGGAGGCCATGCCTTGCCAAAGGTGACATTACAG  
GAGATGCTGAAAAGCTGTATGGTTCAAGTAGTAGCTGCCTATGAGAACTCTCCGAAGAAAAACAGATTA  
AGAAAGAAGGTGCATTTCCAGTCACCCAGAACCGGGCGCTGCAGCTGCTTATGATCTGCGTTACCTCAA  
CATTGTTCTGACAGCCAAGGGTGACGAGGTGAAGAGTGGCCGGAGCAAGCCAGACTCCAGAATTGAGAAA  
GTGACTGACCACCTGGAAGCCCTCATTGATCCATTTGACCTGGACGTTTTCACGCCACACCTCAACAGCA  
AGCTTCCAGCTGCTGGTGCAGCGAACTTCTGTTCTGTTTGGATTGGTGAAGTGGTACAGAGAATCAGCTCGC  
CCCCGGAGCAGTACGTTCAACTCCCAAGAACCCATAACATCCTGCCACTGGCATCCAGTCAGATCAGG  
TTTGGACTTCTCCACTGAGCATGACAAGCACTCGAAAGGCTAAATCAACCAGAAACATCGAAACAAAAG  
CTCAGGTTGTCCTCCCGGCACGCTCCACAGCTGGTGACCCGACAGTTCTGGCTCCTGTTTCAGACAGCT  
TGTGAGTGAAGAAGACAACACGTCTGCACCTTCATTATCAAACCTTGGCTGGCTCTAGTATGACTAAG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG200742 representing NM\_018714

Red=Cloning site Green=Tags(s)


MATAATSPALKRLDLRDPAAALFETHGAEIEIRLERQVRAEIEHKKEELRQMVGERYRDLIEAADTIGQMR  
RCAVGLVDAYKATDQYCARLRQAGSAAPRPPRAQQPQPSQEKFYSMAAIKLLLEIPEKIWSSMEASQC  
LHATQYLLCCHLHSLQLDSSSSRYSPVLSRFPILIRQVAAASHFRSTILHESKMLLKCCQGVSDQAVAE  
ALCSIMLLEESSRQALTDLLARKATIQKLLNQPHHGAGIKAQICSLVELLATTLKQAHALFYTLPEGL  
LPDPALPCGLLFSTLETITGQHPAGKGTGVLQEEMKLCSWFKHLPASIVEFQPTLRTLAHPISQEYLKDT  
LQKWIHMCNEDIKNGITNLLMYVKSMMKGLAGIRDAMWELLTNESTNHSWDVLCRRLLLEKPLLFWEDMMQ  
LFLDRLQTLTKEGFDSISSSSKELLVSALQELESSTSNSPSNKIHFEYNMSLFLWSESPNDLPDAAWV  
SVANRGQFASGLSMKAQAISPCVQNFCSALDSKLKVKLDDLLAYLPDDSSLPKDVSPQAKSSAFDRY  
ADAGTVQEMLRQTQSVACIKHIVDCIRAEQSIIEGVQGGQDQALNSAKLHSLVFMARLCQSLGELCPHLKQ  
CILGKSESSEKPAREFRALRKQKGVKTQEIIPTQAKWQEVKEVLLQQSVMGYQVWSSAVVKVLIHGFTQS  
LLDDAGSVLATATSWDELEIQEEAESGSSVTSKIRLPAQPSWYVQSFLSLCQEIINRVGGHALPKVTLQ  
EMLKSCMVQVVAAYEKLSEEKQIKKEGAFVPTQNRALQLLYDLRYLNIVLTAKGDEVKSGRSKPDRIEK  
VTDHLEALIDPFDLDVFTPHLNSNLHRLVQRTSVLFGLVTGTENQLAPRSSTFNSQEPHNILPLASSQIR  
FGLPLSMTSTRKAKSTRNIETKAQVPPARSTAGDPTVPGSLFRQLVSEEDNTSAPSLFKLGLWSSMTK

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN:

NM\_018714

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>ORF Size:</b>              | 2940 bp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>OTI Disclaimer:</b>        | The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>                                                                      |
| <b>OTI Annotation:</b>        | This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Components:</b>            | The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).                                                                                                                                                                                                                                                                                                                                    |
| <b>Reconstitution Method:</b> | <ol style="list-style-type: none"> <li>1. Centrifuge at 5,000xg for 5min.</li> <li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>3. Close the tube and incubate for 10 minutes at room temperature.</li> <li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol> |
| <b>Note:</b>                  | Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>RefSeq:</b>                | <a href="#">NM_018714.3</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>RefSeq Size:</b>           | 3035 bp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>RefSeq ORF:</b>            | 2943 bp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Locus ID:</b>              | 9382                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>UniProt ID:</b>            | <a href="#">Q8WTW3</a>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Cytogenetics:</b>          | 17q25.1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Protein Families:</b>      | Druggable Genome                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Gene Summary:</b>          | <p>The protein encoded by this gene is one of eight proteins (Cog1-8) which form a Golgi-localized complex (COG) required for normal Golgi morphology and function. It is thought that this protein is required for steps in the normal medial and trans Golgi-associated processing of glycoconjugates and plays a role in the organization of the Golgi-localized complex. [provided by RefSeq, Jul 2008]</p>                                                                                                         |

Product images:



Circular map for RG200742