

Product datasheet for RG200772

RPS9 (NM_001013) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Expression Plasmids
Product Name:	RPS9 (NM_001013) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	RPS9
Synonyms:	S9
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>>RG200772 representing NM_001013 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGCCAGTGGCCCGGAGCTGGGTTTGTCGCAAAACTTATGTGACCCCGCGGAGACCCTTCGAGAAATCTC GTCTCGACCAAGAGCTGAAGCTGATCGGCGAGTATGGGCTCCGGAACAAACGTGAGGTCTGGAGGGTCAA ATTTACCCTGGCCAAGATCCGCAAGGCCGCCCGGGAACTGCTGACGCTTGATGAGAAGGACCCACGGCGT CTGTTCGAAGGCAACGCCCTGCTGCGGCGGCTGGTCCGCATTGGGGTGCTGGATGAGGGCAAGATGAAGC TGGATTACATCCTGGGCCTGAAGATAGAGGATTTCTTAGAGAGACGCCTGCAGACCCAGGGTCTTCAAGCT GGGCTTGGCCAAGTCCATCCACCACGCTCGCGTGCTGATCCGCCAGCGCCATATCAGGGTCCCGCAAGCA GTGGTGAACATCCCGTCCTTCATTGTCCGCCTGGATTCCCAGAAGCACATCGACTTCTTCTCTCGCGCTCTC CCTACGGGGGTGGCCGCCGGGCGGCGGCGGCTGAAGAGAGAAGAATGCCAAGGACGCCAGGGTCGGCCACGGCCGCGCGCG
	ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA
Protein Sequence:	<pre>>RG200772 representing NM_001013 Red=Cloning site Green=Tags(s)</pre>
	MPVARSWVCRKTYVTPRRPFEKSRLDQELKLIGEYGLRNKREVWRVKFTLAKIRKAARELLTLDEKDPRR LFEGNALLRRLVRIGVLDEGKMKLDYILGLKIEDFLERRLQTQVFKLGLAKSIHHARVLIRQRHIRVRKQ VVNIPSFIVRLDSQKHIDFSLRSPYGGGRPGRVKRKNAKKGQGGAGAGDDEEED
	TRTRPLE - GFP Tag - V
Restriction Sites:	Sgfl-Mlul




This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Cloning Scheme:





Plasmid Map:



ACCN:	NM_001013
ORF Size:	582 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

CRIGENE RPS9 (NM_001013) Human Tagged ORF Clone – RG200772

Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001013.4</u>
RefSeq Size:	753 bp
RefSeq ORF:	585 bp
Locus ID:	6203
UniProt ID:	<u>P46781</u>
Cytogenetics:	19q13.42
Domains:	Ribosomal_S4, S4
Protein Pathways:	Ribosome
Gene Summary:	Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is a component of the 40S subunit. The protein belongs to the S4P family of ribosomal proteins. It is located in the cytoplasm. Variable expression of this gene in colorectal cancers compared to adjacent normal tissues has been observed, although no correlation between the level of

to adjacent normal tissues has been observed, although no correlation between the level of expression and the severity of the disease has been found. As is typical for genes encoding ribosomal proteins, multiple processed pseudogenes derived from this gene are dispersed through the genome. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US