

Product datasheet for RG200805

KLF13 (NM_015995) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: KLF13 (NM_015995) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: KLF13

Synonyms: BTEB3; FKLF2; NSLP1; RFLAT-1; RFLAT1

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG200805 representing NM_015995

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com **Protein Sequence:** >RG200805 representing NM_015995


Red=Cloning site Green=Tags(s)


MAAAAYVDHFAAECLVSMSSRAVVHGPREGPESRPEGAAVAATPTLPRVEERRDGKDSASLFVVARILAD LNQQAPAPAPAERREGAAARKARTPCRLPPPAPEPTSPGAEGAAAAPPSPAWSEPEPEAGLEPEREPGPA GSGEPGLRQRVRRGRSRADLESPQRKHKCHYAGCEKVYGKSSHLKAHLRTHTGERPFACSWQDCNKKFAR SDELARHYRTHTGEKKFSCPICEKRFMRSDHLTKHARRHANFHPGMLQRRGGGSRTGSLSDYSRSDASSP TISPASSP

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul

Cloning Scheme:





ACCN: NM_015995

ORF Size: 864 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 015995.4</u>

 RefSeq Size:
 6817 bp

 RefSeq ORF:
 867 bp

 Locus ID:
 51621

 UniProt ID:
 Q9Y2Y9

 Cytogenetics:
 15q13.3


 Domains:
 zf-C2H2

Protein Families: Druggable Genome, Transcription Factors

Gene Summary: KLF13 belongs to a family of transcription factors that contain 3 classical zinc finger DNA-

binding domains consisting of a zinc atom tetrahedrally coordinated by 2 cysteines and 2 histidines (C2H2 motif). These transcription factors bind to GC-rich sequences and related GT and CACCC boxes (Scohy et al., 2000 [PubMed 11087666]).[supplied by OMIM, Mar 2008]

Product images:



Circular map for RG200805