

Product datasheet for **RG200817**

FASTKD5 (NM_021826) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Tag:	TurboGFP
Symbol:	FASTKD5
Synonyms:	dJ1187M17.5
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



ORF Nucleotide Sequence: >RG200817 representing NM_021826
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGCGGCCGGAATTCGTGCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCCGCGATCGCC

ATGGCAGCTACTCTCAAGTCATTAACAACTTGTAAAGATACCGAGCATTTTGCAGTCCTTCTGCCTTTGGTG
 CAGTCCGAAGTGTGTCACTACTGGAATGTGAGCAGCACAGCATGGGGGACAGGACCTCCAGAACACAT
 TAGCCTCTGCCATTCTGCCAAAAAGTTAAGAACATATGTAGCACCTTCTCTTCTCGGAGAATCCTGACA
 ACCAGCAGTGCCCAACCCAGGTTTGAATTACAGCAAGACTTCTTCTCTAAGGCCAGTACATTGCAGCTGG
 GCTCACCCAGGGCCACAGGAGTTGATGAAGAGGACGTAGAAGTGTTTGATTCTTTGAAAAACATGCGAGT
 TTTCTTACAGCTAAGACCAGAATACCGTGTTTACAGCTATAATGCATCTGAGACTTCTCAGCTCCTGTCT
 GTTTCAGAAGGTGAATAATTTGCACAAAGTCAGAGTTAATCAAAATAATCTCCAGGCTCAAGTCATTG
 TTGATTATTTGTGAAGCTGAGCTCTTGCCTGCAGAGCAGCATCCTGTCTTGTGGGCAGTACCAGCTT
 TGCTCTGCTCTGCCAGCTGAGTGTGAAGAAGATACAGCTCTTGATACCCAAGATCTGATCAATGTTTTG
 AAAGCTTTTGTCAATTTAGGAATCCCTCACTCCCATTCATGCTAGATGTGTATGAGACCAAGTGTGGC
 ATCAGGTATGGGAGATGAATATGGATCAGCTCCTTTTGGTGGCTGATCTCTGGAGGTACTTAGGCCGCAA
 AGTACCTAGGTTTTTAAACATTTTTCTAGTTATCTTAATTTGCACTGGAAGGATCTATCCTTGTCTCAG
 CTAGTTCACTTAATTTATGTTATAGGTGAAATCGTCAGGTATCCAGGACCTAATGCAAAAATTGGAAT
 CATTGATCCTTAAATATATAGATTTGATCAATTTGGAGGAGTTGGTACCATCTGTTTGGGGTTCTTTAA
 ATCAAGTACTAATCTCTGAATTTGTGATGCGGAAAATTGGAGACTTGGCTTGTGCTAACATTCAGCAT
 CTGAGTAGTCGCTCCTTAGTGAATATTGTTAAATGTTCCGTTTCACTCACGTGGATCACATCAATTTCA
 TGAAGCAGATTGGAGAGATAGCTCCTCAGCGAATTCCTTCCCTGGGAGTTCAAGGTGTCATGCACCTGAC
 TCTTTACTGCTCGGCCTTACGCTTCTGAATGAAGGAGTAATGAATGCAGTGGCTGCGTCTTTGCCTCCT
 AGAGTGGCACACTGTGCAAGTAAAGATGTTGCCAAGATTCTGTGGTCATTTGGAACCTCTGAATTATAAGC
 CACCAATGCAGAAGAATTTTACTCCAGCCTGATAAGTGAGATTCACAGAAAGATGCCTGAATTCACCA
 GTACCCAGAACACCTGCCACCTGCCTGCTGGGCCTGGCATTTTGGAGTACTTCCAGTAGAGTTAATT
 GATTTTCGCTCTCAGTCCAGGTTTGTGAGTTAGCTCAGGAGAGAACTAAGTTTGACCTCCTTAAGGAAC
 TATATACCCTCGATGGTACAGTTGGCATTGAGTGTCCAGATTACAGAGGCAATCGTCTTAGTACTCACCT
 TCAGCAAGAGGGGTCTGAATTGCTGTGGTATTTAGCAGAGAAGGATATGAATTCAAAGCCTGAATTTCTA
 GAACTGTCTTTTACTGGAGACCATGCTGGGGGGCCCCAGTACGTCAAGCACCATATGATTTTGCCTC
 ATACCCGATCTTCTGACTTAGAGGTCCAGCTTGATGTTAACCTGAAGCCATTACCATTTAATAGAGAAGC
 CACGCCGGCTGAAAATGTAGCCAAATTAAGGCTTGAGCATGTGGGAGTCAAGCCTTACAGATGATTTGATG
 AATAAGTTACTAAAAGGGAAGCAAGAGGACATTTCCAGGGCAAACTGAGTCAGAGCCTGGGCAGCAGC
 CCATGGAGTTGGAGAATAAGGCAGCTGTACCTCTGGGGGGCTTCTTTGCAATGTAGCAGATAAATCAGG
 GGCCATGGAGATGGCTGGCCTGTGCCCGCAGCCTGCATGCAGACCCCAAGAAATGAAGCTGGCTGTTTCA
 TTCACAAACAGGAACCATGATTGCTATGGCTCCAGGATCTCCTTGGAGTGCACAATATGAAGAGGCGGC
 AGCTGGCTCGGCTTGGCTACCGTGTGGTAGAGTTATCCTACTGGGAATGGCTCCCACTACTGAAACGAAC
 TCGCTTAGAAAAGTTGGCGTTTCTTATGAGAAAGTATTCACCTCTGCTCTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG200817 representing NM_021826

Red=Cloning site Green=Tags(s)


MAATLKSLLVRYRAFCSPSAFGAVRSVSYWNVSSTQHGGQDPPEHISLCHSAKKVKNICSTFSSRRILT
TSSAHPGLEFSKTSSSKASTLQLGSPRATGVDEEDVEVDFSFNMRVFLQLRPEYRVHVSYNASETSQLLS
VSEGELILHKVRVNQNNLQAQVIVDYLCKLSSLPAEQHPVLLGSTSFALLCQLSVKKIQFLDTQDLINVL
KAFVILGIPHSHSMLDVYETKCCHQVWEMNMDQLLLVADLWRYLGRKVPRFLNIFSSYLNHLHWKDL SLSQ
LVHLIYVIGENRQVSQDLMQKLESILKYIDLINLEEVGTICLGFFKSSTNLSEFVMRKIGDLACANIQH
LSSRSLVNIVKMFRTTHVDHINFMKQIGETAPQRIPSLGVQVMHLTLCSALRFLNEGVMNAVAASLP
RVAHCRSKDVAKILWSFGTLNYPNAEEFYSSLISEIHRKMPEFNQYPEHLPTCLLGLAFLEYFPVELI
DFALSPGFVRLAQERTKFDLLKELYLDGTGVIECPDYRGNRLSTHLQQEGSELLWYLAEKDMNSKPEFL
ETVFLLETMLGGPQYVKHHMILPHTRSSDLEVLQDVNLKPLPFNREATPAENVAKLRLEHVGVSLLTDDL
NKLLKGKARGHFQKTESEPGQPMELNKAAPVPLGGFLCNVADKSGAMEMAGLCPAACMQTPRMKLAVQ
FTNRNQYCYGSRDLLGLHNMKRRQLARLGYRVVELSYWEWLPLLKRTRLEKLAFLHEKVFTSAL

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN:

NM_021826

ORF Size:

2292 bp

OTI Disclaimer:


The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_021826.5
RefSeq Size:	2875 bp
RefSeq ORF:	2295 bp
Locus ID:	60493
UniProt ID:	Q7L8L6
Cytogenetics:	20p13
Gene Summary:	Plays an important role in the processing of non-canonical mitochondrial mRNA precursors (PubMed:25683715).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG200817