

Product datasheet for **RG200934**

MOV10 (NM_020963) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	MOV10 (NM_020963) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	MOV10
Synonyms:	fSAP113; gb110
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG200934 representing NM_020963
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGCCAGTAAGTTCAGCTGCCGCAGCTCCGGGAGGCGGCCAGTGTTTCGAGAGTTCCTGGTCGTTT
 GGGGACTGGACATGGAGACAGATCGCGAGCGGCTGCGGACCATTTATAACCGCGACTTCAAGATCAGCTT
 TGGGACCCCCGCCCTGGCTTCTCCTCCATGCTGTATGGAATGAAGATTGCAAATCTGGCTACGTCACC
 AAGACTCGGGTCAGGTTCTTCAGACTCGACCGCTGGGCCGACGTGCGGTTCCAGAAAAGAGGAGAATGA
 AGCTGGGGTCAGATATCAGCAAACACCACAAGTCACTGCTAGCCAAGATCTTTTATGACAGGGCTGAGTA
 TCTTCATGGGAAACATGGTGTGGATGTGGAAGTCCAGGGGCCCATGAAGCCGAGATGGGCAGCTCCTT
 ATCCGCTGGATTTGAACCGCAAAGAGGTGCTGACCTGAGGCTTCGGAATGGCGGAACCCAGTCTGTTA
 CCCTCACTCACCTCTCCACTCTGCCGACACCCAGTTTGCTTCTACAATGAAGACCAGGAGTTGCC
 CTGTCCACTGGGCCCGTGAATGCTATGAACTCCATGTCCATTGTAAGACCAGCTTTTGTGGCTACTTC
 CCAGCCACAGTGTCTGGGAGCTGCTGGGACTGGGGAGTCGGGTTTCAGAAGGAGCCGGCACATTCTACA
 TTGCCCGCTTCTGGCTGCCGTCGCCACAGCCCCCTGGCTGCACAGCTGAAGCCATGACTCCCTTCAA
 GCGGACCCGGATCACCGAAACCTGTGGTGACCAATCGGATAGAGGAAGGAGAGACCTGACCGCGCT
 AAGGGCTATGACCTGGAGTTAAGTATGGCGCTGGGGACATACTACCCACCTCCCCGCTCAGGCAGCTGC
 TCCCCATGCTTCTCAGGGAACAAGTATCTTCACTGCCCTAAGGAGATCGCAGAGATCAAGGCCAGCT
 GGAGACAGCCCTGAAGTGGAGAACTATGAGGTGAAGTGCAGGCTGCTGCTGCACCTGGAGGAAGTGCAG
 ATGGAGCATGATATCCGGCACTATGACCTGGAGTCGGTCCCATGACCTGGGACCTGTGGACCAGAACC
 CCAGGCTGCTCAGCTGGAGGTTCTGGAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGTGAAGT
 GTTTGCCCTTTTGTCTCGGAGACACACCAGGAGGCCCATCACATATAAGGGCTTTGTGCACAAGGTG
 GAATTGGACCGTGTCAAGCTGAGCTTTTCCATGAGCCTCCTGAGCCGCTTTGTGGATGGGCTGACCTTCA
 AGGTGAACTTTACCTTCAACCGCAGCCGCTGCGAGTCCAGCACCGTGCCTGGAGCTGACAGGGCGCTG
 GCTGCTGTGGCCATGCTCTTCTGTGGCACCTCGGGACGTCCCGCTGCTGCCCTCAGATGTGAAACTC
 AAGCTGTACGACCGGAGTCTGGAGTCAAACCCAGAGCAGCTGCAGGCCATGAGGCACATTGTTACGGGCA
 CCACCCGTCACGCCCCACATCATCTTTGGGCTCCAGGCACCGCAAGACTGTCACGTTAGTGGAGGC
 AATTAAGCAGGTGGTGAAGCACTTGCCAAAGCCACATCTTGGCTGCGCTCCATCCAAGTCAAGGGCT
 GACCTACTCTGTCAAAGGCTCCGGTCCACCTTCTAGTCCATCTACCGCTCCTGGCCCCAGCAGGG
 ACATCCGATGGTACCTGAGGACATCAAGCCCTGCTGAACTGGGACGCAAGAAGGGGGAGTATGTATT
 TCCCGCAAGAAGAAGCTGCAGGAATACCGGGTCTTAATTACCACCTCATCACTGCCGGCAGGTTGGTC
 TCGGCCAGTTTCCCATTGATCACTTACACACATCTTCATCGATGAGGCTGGCCACTGCATGGAGCCTG
 AGAGTCTGGTAGCTATAGCAGGGCTGATGGAAGTAAAGGAAACAGGTGATCCAGGAGGGCAGCTGGTGT
 GGCAGGAGACCCTCGGCAGCTGGGGCTGTGCTGCGTTCCCACTGACCCAGAAGCATGGACTGGGATAC
 TCACTGCTGGAGCGGCTGCTCACCTACAACCTCCCTGTACAAGAAGGGCCCTGATGGCTATGACCCCCAGT
 TCATAACCAAGCTGCTCCGCAACTACAGGTCTCATCCCACCATCTGGACATTCTAACCAGCTCTATTA
 TGAAGGGGAGCTGCAGGCTGTGCTGATGTCGTGGATCGAGAAGCTTCTGCCGCTGGCGGGCCCTACCT
 CGACAGGGCTTTCCATCATCTTTCACGGCGTAATGGGCAAGATGAGCGTGAAGGCAACAGCCATCCT
 TCTTCAACCTGAAGAGGCTGCCACAGTGAAGTCTTCTACCTGAAGTGTCTCTGGCCCCCTCTCCAAGAA
 GGGCAAAGCTCGCCTGAGCCCTCGAAGTGTGGCGTCACTCCCCGTACCGGAAACAGGTGGAGAAAATC
 CGTTACTGCATCACCAAACCTTGACAGGGAGCTTCGAGGACTGGATGACATCAAGGACTTGAAGGTGGGT
 CAGTAGAAGAATTCCAAGGCAAGAAGCGTCACTCATCTCCACCGTGCAGAGCAGCCAGAGCTT
 TGTGCAGCTGGATCTGGACTTTAATCTGGGTTTCTTAAGAACCCTAAGAGGTTCAATGTAGCTGTGACC
 CGGGCAAAGGCCCTGCTCATCATCGTGGGAACCCCTTCTCTGGGCCATGACCCTGACTGGAAAGTAT
 TCCTGGAGTTCTGTAAGAAAACGGAGGTATACCGGGTGTCCCTCCCTGCCAAACTGGACCTGCAACA
 GGGACAGAATTTACTGCAAGGTCTGAGCAAGCTCAGCCCTCTACCTCAGGGCCCCACAGCCATGACTAC
 CTCGCCAGGAGCGGGAGGGTGAAGGGGCTGTCTCTGCAAGTGGAGCCAGAGTGGAGGAATGAGCTC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG200934 representing NM_020963
 Red=Cloning site Green=Tags(s)

```
MPSKFSCRQLREAGQCFESFLVVRGLDMETDRERLRTIYNRDFKISFGTPAPGFSSMLYGMKIANLAYVT
KTRVRFRLDRWADVRFPEKRRMKLGSDISKHHKSLAKIFYDRAEYLGKHGVDVEVQGPHEARDGQLL
IRLDLNRKEVLTLLRNRGGTQSVTLTHLFPLCRTPQFAFYNEQELPCPLGPGECYELHVHCKTSFVGYF
PATVWELLGPGESGSEGAGTFYIARFLAAVAHSPLAAQLKPMTPFKRTRITGNPVVVTNRIEEGERPDRA
KGYDLELSMALGTYPPRRLRQLLPMLLQGTSIF TAPKEIAEIKAQLETKWRNYEVKLRLLHLLEELQ
MEHDIRHYDLESVPMTWDPVDQNPRLLTLEVPGVTESRPSVLRGDHLLFALLSSETHQEDPITYKGFVHKV
ELDRVKLSFSMSLLSRFVDGLTFKVNFTFNRPQPLRVQHRALELTGRWLLWPMLFPVAPRDVPLLPSPDKL
KLYDRSLESNPEQLQAMRHIVTGTTRPAPYIIFGPPGTGKTVTLVEAIKQVVKHLPKAHILACAPSNSGA
DLLCQRLRVHLPSSYRLLAPSRDIRMVPEDIKPCCNWDAKKGEYVFPKAKKLQEYRVLITTLITAGRLV
SAQFPIDHFTHFIDEAGHCMEPESLVAIAGLMEVKETGDPGGQLVLAGDPRQLGPVLSPLTQKHGLGY
SLLERLLTYNSLYKKGPDGYDPOFITKLLRNYRSHPTILDIPNQLYYEGELQACADVDRERFCRWAGLP
RQGFPIIFHGMGKDEREGNSPFFNPEEAATVTSYLKLLAPSSKKGKARLSPRSVGVISPYRKQVEKI
RYCITKLDRELRLDDIKDLKVGSVVEEFQGERSVILISTVRSQSFVQLDLDFNLGFLKNPKRFNVAVT
RAKALLIIVGNPLLLGHDPDWKVFLEFCKENGGYTGCFFPAKLDLQGGQNLQLGLSKLSPSTSGPHSHDY
LPQEREGGLSLQVEPEWRNEL
```

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_020963

ORF Size: 3009 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_020963.4
RefSeq Size:	3328 bp
RefSeq ORF:	3012 bp
Locus ID:	4343
UniProt ID:	Q9HCE1
Cytogenetics:	1p13.2
Gene Summary:	5' to 3' RNA helicase contributing to UPF1 mRNA target degradation by translocation along 3' UTRs (PubMed:24726324). Required for microRNA (miRNA)-mediated gene silencing by the RNA-induced silencing complex (RISC). Required for both miRNA-mediated translational repression and miRNA-mediated cleavage of complementary mRNAs by RISC (PubMed:16289642, PubMed:17507929, PubMed:22791714). In cooperation with FMR1, regulates miRNA-mediated translational repression by AGO2 (PubMed:25464849). Restricts retrotransposition of long interspersed element-1 (LINE-1) in cooperation with TUT4 and TUT7 counteracting the RNA chaperone activity of L1RE1 (PubMed:30122351, PubMed:23093941). Facilitates LINE-1 uridylation by TUT4 and TUT7 (PubMed:30122351). Required for embryonic viability and for normal central nervous system development and function. Plays two critical roles in early brain development: suppresses retroelements in the nucleus by directly inhibiting cDNA synthesis, while regulates cytoskeletal mRNAs to influence neurite outgrowth in the cytosol (By similarity). May function as a messenger ribonucleoprotein (mRNP) clearance factor (PubMed:24726324).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG200934