OriGene Technologies, Inc.
9620 Medical Center Drive, Ste 200
Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Product datasheet for RG200960

Zyxin (ZYX) (NM_001010972) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Zyxin (ZYX) (NM_001010972) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	ZYX
Synonyms:	ESP-2; HED-2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)

ORF Nucleotide Sequence:

>RG200960 representing NM_001010972
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGCGGCCCCCCGCCCGTCTCCCGCGATCTCCGTTTCGGTCTCGGCTCCGGCTTTTTACGCCCCGCAGA
AGAAGTTCGGCCCTGTGGTGGCCCCAAAGCCCAAAGTGAATCCCTTCCGGCCCGGGGACAGCGAGCCTCC
CCCGGCACCCGGGGCCCAGCGCGCACAGATGGGCCGGGTGGGCGAGATTCCCCCGCCGCCCCCGGAAGAC
TTTCCCCTGCCTCCACCTCCCCTTGCTGGGGATGGCGACGATGCAGAGGGTGCTCTGGGAGGTGCCTTCC
CGCCGCCCCCTCCCCCGATCGAGGAATCATTTCCCCCTGCGCCTCTGGAGGAGGAGATCTTCCCTTCCCC
GCCGCCTCCTCCGGAGGAGGAGGGAGGGCCTGAGGCCCCCATACCGCCCCCACCACAGCCCAGGGAGAAG
GTGAGCAGTATTGATTTGGAGATCGACTCTCTGTCCTCACTGCTGGATGACATGACCAAGAATGATCCTT
TCAAAGCCCGGGTGTCATCTGGATATGTGCCCCCACCAGTGGCCACTCCATTCAGTTCCAAGTCCAGTAC
CAAGCCTGCAGCCGGGGGCACAGCACCCCTGCCTCCTTGGAAGTCCCCTTCCAGCTCCCAGCCTCTGCCC
CAGGTTCCGGCTCCGGCTCAGAGCCAGACACAGTTCCATGTTCAGCCCCAGCCCCAGCCCAAGCCTCAGG
TCCAACTCCATGTCCAGTCCCAGACCCAGCCTGTGTCTTTGGCTAACACCCAGCCCCGAGGGCCCCCAGC
CTCATCTCCGGCTCCAGCCCCTAAGTTTTCTCCAGTGACTCCTAAGTTTACTCCTGTGGCTTCCAAGTTC
AGTCCTGGAGCCCCAGGTGGATCTGGGTCACAACCAAATCAAAAATTGGGGCACCCCGAAGCTCTTTCTG
CTGGCACAGGCTCCCCTCAACCTCCCAGCTTCACCTATGCCCAGCAGAGGGAGAAGCCCCGAGTGCAGGA
GAAGCAGCACCCCGTGCCCCCACCGGCTCAGAACCAAAACCAGGTGCGCTCCCCTGGGGCCCCAGGGCCC
CTGACTCTGAAGGAGGTGGAGGAGCTGGAGCAGCTGACCCAGCAGCTAATGCAGGACATGGAGCATCCTC
AGAGGCAGAATGTGGCTGTCAACGAACTCTGCGGCCGATGCCATCAACCCCTGGCCCGGGCGCAGCCAGC
CGTCCGCGCTCTAGGGCAGCTGTTCCACATCGCCTGCTTCACCTGCCACCAGTGTGCGCAGCAGCTCCAG
GGCCAGCAGTTCTACAGTCTGGAGGGGGCGCCGTACTGCGAGGGCTGTTACACTGACACCCTGGAGAAGT
GTAACACCTGCGGGGAGCCCATCACTGACCGCATGCTGAGGGCCACGGGCAAGGCCTATCACCCGCACTG
CTTCACCTGTGTGGTCTGCGCCCGCCCCCTGGAGGGCACCTCCTTCATCGTGGACCAGGCCAACCGGCCC
CACTGTGTCCCCGACTACCACAAGCAGTACGCCCCGAGGTGCTCCGTCTGCTCTGAGCCCATCATGCCTG
AGCCTGGCCGAGATGAGACTGTGCGAGTGGTCGCCCTGGACAAGAACTTCCACATGAAGTGTTACAAGTG
TGAGGACTGCGGGAAGCCCCTGTCGATTGAGGCAGATGACAATGGCTGCTTCCCCCTGGACGGTCACGTG
CTCTGTCGGAAGTGCCACACTGCTAGAGCCCAGACC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG200960 representing NM_001010972
Red=Cloning site Green=Tags(s)

MAAPRPSPAISVSVSAPAFYAPQKKFGPVVAPKPKVNPFRPGDSEPPPAPGAQRAQMGRVGEIPPPPPED
FPLPPPPLAGDGDDAEGALGGAFPPPPPPIEESFPPAPLEEEIFPSPPPPPEEEGGPEAPIPPPPQPREK
VSSIDLEIDSLSSLLDDMTKNDPFKARVSSGYVPPPVATPFSSKSSTKPAAGGTAPLPPWKSPSSSQPLP
QVPAPAQSQTQFHVQPQPQPKPQVQLHVQSQTQPVSLANTQPRGPPASSPAPAPKFSPVTPKFTPVASKF
SPGAPGGSGSQPNQKLGHPEALSAGTGSPQPPSFTYAQQREKPRVQEKQHPVPPPAQNQNQVRSPGAPGP
LTLKEVEELEQLTQQLMQDMEHPQRQNVAVNELCGRCHQPLARAQPAVRALGQLFHIACFTCHQCAQQLQ
GQQFYSLEGAPYCEGCYTDTLEKCNTCGEPITDRMLRATGKAYHPHCFTCVVCARPLEGTSFIVDQANRP
HCVPDYHKQYAPRCSVCSEPIMPEPGRDETVRVVALDKNFHMKCYKCEDCGKPLSIEADDNGCFPLDGHV
LCRKCHTARAQT

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001010972

ORF Size: 1716 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001010972.2
RefSeq Size:	2322 bp
RefSeq ORF:	1719 bp
Locus ID:	7791
UniProt ID:	Q15942
Cytogenetics:	7q34
Protein Pathways:	Focal adhesion
Gene Summary:	Focal adhesions are actin-rich structures that enable cells to adhere to the extracellular matrix and at which protein complexes involved in signal transduction assemble. Zyxin is a zinc-binding phosphoprotein that concentrates at focal adhesions and along the actin cytoskeleton. Zyxin has an N-terminal proline-rich domain and three LIM domains in its C-terminal half. The proline-rich domain may interact with SH3 domains of proteins involved in signal transduction pathways while the LIM domains are likely involved in protein-protein binding. Zyxin may function as a messenger in the signal transduction pathway that mediates adhesion-stimulated changes in gene expression and may modulate the cytoskeletal organization of actin bundles. Alternative splicing results in multiple transcript variants that encode the same isoform. [provided by RefSeq, Jul 2008]