

# **Product datasheet for RG201007**

## COLEC11 (NM\_024027) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

**Product Name:** COLEC11 (NM\_024027) Human Tagged ORF Clone

Tag: TurboGFP Symbol: COLEC11

Synonyms: 3MC2; CL-11; CL-K1-II; CL-K1-IIa; CL-K1-IIb; CLK1

Mammalian Cell

Selection:

Neomycin

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG201007 representing NM\_024027

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAGGGGGAATCTGGCCCTGGTGGGCGTTCTAATCAGCCTGGCCTTCCTGTCACTGCCATCTGGAC
ATCCTCAGCCGGCTGGCGATGACGCCTGCTCTGTCAGACTCCTGCCCTCGCCATCTGGAC
ATCCTCAGCCGGCTGGCGATGACCGCCTCGCTCTGTCCAGACTCCCTGGCCTCAAAGGGGATGCGGG
AGAGAAGGGACAAAGGCCCCCCGGACGGCCTGGAAGAGTCGGCCCCACGGGAGAAAAAAGGAGACATG
GGGGACAAAGGACAGAAAGGCAGTGTGGGTCGTCATGGAAAAAATTGGTCCCATTGGCTCTAAAGGTGAGA
AAGGAGATTCCGGTGACATAGGACCCCCTGGTCCTAATGGAGAACCAGGCCTCCCATGTGAGTGCAGCCA
GCTGCGCAAGGCCATCGGGGAGATGGACAACCAGGTCTCTCAGCTGACCAGCGAGCTCAAGTTCATCAAG
AATGCTGTCGCCGGTGTGCCGCAGGACCGAGAGCAAGATCTACCTGCTGGTGAAGGAGGAGAAGCGCTACG
CGGACGCCCAGCTGTCCTGCCAGGGCCGGGGGGCACGCTGAGCATGCCCAAGGACGAGCCTGCCAATGG
CCTGATGGCCGCATACCTGGCGAAGCCGGCCTGGCCCGTGTCTTCATCGGCATCAACGACCTGGAGAAG
GAGGGCGCCTTCGTGTACTCTGACCACTCCCCCATGCGGACCTTCAACAAGTGGCGCAGCGGTGAGCCCA
ACAATGCCTACGACGAGGAGGACTGCCTGGAGATGGTGGCCTCGCCA

CACCACCATGTACTTCATGTGTGAGTTTGACAAGGAGAACATG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

### COLEC11 (NM\_024027) Human Tagged ORF Clone - RG201007

**Protein Sequence:** >RG201007 representing NM\_024027

Red=Cloning site Green=Tags(s)


MRGNLALVGVLISLAFLSLLPSGHPQPAGDDACSVQILVPGLKGDAGEKGDKGAPGRPGRVGPTGEKGDM GDKGQKGSVGRHGKIGPIGSKGEKGDSGDIGPPGPNGEPGLPCECSQLRKAIGEMDNQVSQLTSELKFIK NAVAGVRETESKIYLLVKEEKRYADAQLSCQGRGGTLSMPKDEAANGLMAAYLAQAGLARVFIGINDLEK EGAFVYSDHSPMRTFNKWRSGEPNNAYDEEDCVEMVASGGWNDVACHTTMYFMCEFDKENM


TRTRPLE - GFP Tag - V

**Restriction Sites:** 

Sgfl-Mlul

**Cloning Scheme:** 





**ACCN:** NM\_024027

ORF Size: 813 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



#### **Reconstitution Method:**

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.


**RefSeq:** <u>NM 024027.5</u>

RefSeq Size: 1320 bp
RefSeq ORF: 816 bp
Locus ID: 78989
UniProt ID: Q9BWP8
Cytogenetics: 2p25.3

Gene Summary:

This gene encodes a member of the collectin family of C-type lectins that possess collagen-like sequences and carbohydrate recognition domains. Collectins are secreted proteins that play important roles in the innate immune system by binding to carbohydrate antigens on microorganisms, facilitating their recognition and removal. The encoded protein binds to multiple sugars with a preference for fucose and mannose. Mutations in this gene are a cause of 3MC syndrome-2. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Dec 2011]

### **Product images:**



Circular map for RG201007