

Product datasheet for **RG201404**

DIS3L (NM_133375) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	DIS3L (NM_133375) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	DIS3L
Synonyms:	DIS3L1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG201404 representing NM_133375
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCAGACAGCTTGTCAAGCTGTGCAGCATCAAAGAGGCAGGAGACAGTATAACAACTGCGAAACCTGC
 TGAAGGATGCGCGTCATGATTGCATTCTTTGCTAATGAATCCAGCAATGCTGCTATCTGCCACGGGA
 AAGAGGAGAGTCCATGGAGAAGTGGCAGACCAGGAGCATATACAACGCAGCTGTTTGGTACTATCATCAC
 TGCCAGGACAGGATGCCAATTGTTATGGTGACAGAAGATGAAGAGGCAATTCAGCAGTATGGAAGTGAAA
 CAGAAGGAGTATTCGTGATTACTTTCAAGAATTACCTGGACAATTTCTGGCCTGATTTAAAGCTGCCCA
 CGAGCTTTGTGATTCTATCCTTCAGTCTCGACGGGAGAGAGAGAATGAGAGTCAGGAGAGCCATGGGAAG
 GAGTACCCAGAACATCTCCCTGGAAGTGTTAGAAGCTGGGATTAATCTGGACGCTATATCCAGGGAA
 TTCTGAATGTCAACAAACACAGAGCCCAAATAGAAGCTTTTGTTCGACTTCAAGGAGCCAGCAGTAAAGA
 TTCAGATTTAGTCAGTGACATCCTAATCCACGGGATGAAGGCTCGAAACCGCTCAATTCATGGAGATGTG
 GTAGTTGTGGAGCTGCTTCTAAAAATGAATGGAAGGAAGAACCCTAGCCCTGTGTGAGAATGACTGTG
 ACGACAAGGCTTCGGGCGAGTCCCAAGTGAGCCCATGCCTACAGGTCGAGTGGTGGGCATACTTCAGAA
 GAACTGGCGGGATTATGTGGTGACATTTCCGTCCAAAGAAGAGGTCCAATCTCAGGGCAAAAATGCTCAG
 AAAATCCTGGTTACACCTTGGGATTACAGAATTCCTCAAAATTCGAATTAGCACTCAGCAAGCAGAAACCC
 TCCAGGACTTCAGGGTGGTCGTGCGCATCGATTCTGGGAGTCAACATCTGTGTATCCAAACGGACATTT
 TGTGCGTGTTTTAGGAAGAATCGGAGATCTGGAAGGGGAAATTGCAACCCTCCTGGTGGAAAACAGTATT
 TCAGTTATTCCTTCTCAGAAGCTCAGATGTGTGAGATGCCAGTAAACACACCAGAAAGTCCCTGGAAGG
 TGAGTCTGAAGAGGAACAAAAACGTAAGACTTGAGGAAAAGCCATCTCGTATTCAGCATTGACCCCAA
 AGGTTGTGAAGATGTGGATGACACACTCTCAGTCAGAACCTTAAATAATGGCAACCTGGAACCTGGGGTC
 CACATCGCAGATGTAACACACTTTGTGGCACCAATTCTTACATTGATATTGAAGCTAGAACAAAGGGCCA
 CCATTATTATCTAGCAGATCGTCGCTATGACATGCTGCCTTCCGTCTCAGTGCAGATTTGTGTTCCCT
 TCTGGGAGGCGTTGATAGGTATGCTGTAAGCATCATGTGGGAAGTGGATAAAGCCTCTTATGAAATTAAG
 AAAGTGTGGTATGGCAGAACCATTATTCGATCAGCATACAACTGTTCTATGAAGCAGCCCAAGAAGTAC
 TGGATGGAACCTAAGCGTTGTTGATGATATCCAGAATTCAAAGACTTGGATGAGAAGAGCAGACAAGC
 CAAGCTGGAGGAGTTGGTGTGGCAATTGGAAGCTGACCGACATAGCTCGCCATGTCAGAGCTAAACGA
 GACGGATGTGGTCCCTGGAAGTGAAGGGGTAGAGGTTTGCCTACAGCTAGATGACAAAAAGAACATTC
 ACGACCTCATCCCAAGCAGCCCTGGAAGTCCACGAGACAGTGGCTGAATGCATGATCCTGGCCAAACCA
 CTGGGTGCGCAAAAAGATCTGGGAGAGCTTCCCTCATCAGGCCTTGTGCGCCAGCACCCCTCTCCACAC
 CAGGAGTTCTTTTCAGAACTCCGGGAATGTGCTAAAGCCAAAGGCTTCTTCATAGATACACGGTCCAATA
 AAACACTGGCTGATTCTCTGGTAATGCGAAGCAGCCCCACGATCCCATTTGTGAACAGGCTACTGCGCTC
 CATGGCCACGCAGGCCATGTGGAATGCTCTGTACTTCTCCACCGGATCCTGTGCGGAGGAGGAGTTCCAT
 CATTACGGTCTTGCAATTAGATAAATATACCCACTTTACTTCTCCAATAAGAAGATATTCAGATATTGTAG
 TACACCGCTTGTAATGGCAGCCATTTCAAAGATAAGAAAAATGGAATTAAGGGAAATCTGTTACAGCAA
 CAAAGATCTTGAGGAATTATGCAGACATATCAACAACAGAAACCAAGCAGCACAGCATTCTCAGAAGCAG
 TCTACTGAGCTCTTCCAGTGCATGTACTTCAAAGACAAAGACCCTGCCACCGAGGAGCGTTGCATATCTG
 ACGGAGTTATTTTCAATTAGAACAAATGGTGTGCTTCTATTTATACCAAGTTTGGGATTAAAGGTGC
 TGCTTATCTAAAAATAAAGATGGTTTAGTCATCTCATGTGGCCAGATAGCTGTTCTGAATGGAACCA
 GGATCCCTTCAACGATTTCAAACAAAATTACCTCTACTACAACAGATGGGGAATCTGTTACGTTCCATT
 TGTTTGACCATGTAACCGTAAGAATATCCATACAGGCCTCACGTTGCCATTCTGATACAATCAGACTTGA
 AATAATTAGTAACAAACCATAACAAGATACCAAATACAGAACTTATTCATCAGAGTTCCCCCTTGCTGAAG
 AGTGAGTTAGTGAAGAAGTAACATAAATCTGTGGAAGAAGCTCAGCTTGCCCAAGAAGTCAAAGTAAACA
 TCATTACGAGGAATATCAAGAATATCGCCAAACAAAGGAAGGAGCCTATACACTTCTAGAGGAGAT
 ACGGGACCTAGCTCTCCTGGATGTTTCAAACAATTATGGAATA

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence: >RG201404 representing NM_133375
 Red=Cloning site Green=Tags(s)


MQTACQAVQHQRGRQYNKLRNLLKDHDCILFANEFQCCYLPRERGESMEKWQTRSIYNAAVWYYHH
 CQDRMPIVMVTEDEEAIQQYGSSETGVFVITFKNYLDNFWPDLKAAHELCDLQSRRENERESQESHGK
 EYPEHLPLEVLEAGIKSGRYIQGILNVNKHRAQIEAFVRLQGASSKSDLVSDILIHGMKARNRSIHGDV
 VVVELLPKNEWKGRVALCENDCDDKASGESPEPMPMTGRVVGILQKNWRDYVVTFFPSKEEVQSQKNAQ
 KILVTPWDYRIPKIRISTQQAETLQDFRVVVRIDSWESTSVYPNGHFVRVLGRIGDLEGEIATILVENS
 SVIPFSEAQMCEMPVNTPESPWKVSPEEEQKRKDLRKSHLVFSIDPKGCEVDVDTLSVRTLNNGNLELGV
 HIADVTHFVAPNSYIDIEARTRATYYLADRRYDMLPSVLADLCSLLGGVDYAVSIMWELDKASYEIK
 KVWYGRTIIRSAYKLFYEAQELLGNLSVDDIPEFKDLDEKSRQAKLEELVWAIGKLTDIARHVRAR
 DGCGALELEGVEVCVQLDDKKNIHDLIPKQPLEVHETVAECMILANHWVAKKIWESFPHQALLRQHPPH
 QEFFSELRECAKAGFFIDTRSNTLADSLDNANDPHDPIVNRLLRSMATQAMSNALYFSTGSCAEFFH
 HYGLALDKYTHFTSPIRRYSDIVHRLMAAISKDKKMEIKGNLFSNKDEELCRHINNRRNQAQHSQKQ
 STELFQCMYFKDKDPATEERCISDGVIIYSIRTNGVLLFIPRFGIKGAAYLKNKDGLVISCGPDSCEWKP
 GSLQRFQNKITSTTTDGSVTFHLFDHVTVRISIQASRCHSDTIRLEIISNPKYIPNTELIHQSSPLLK
 SELVKEVTKSVEEAQLAQEVKNIIQEEYQYRQTKGRSLYTLLEEIRDLALDVSNNYGI

TRTRPLE – GFP Tag – V

Restriction Sites:

SgfI-MluI

Cloning Scheme:




ACCN: NM_133375

ORF Size: 2913 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_133375.2 , NP_588616.1
RefSeq Size:	3685 bp
RefSeq ORF:	2916 bp
Locus ID:	115752
UniProt ID:	Q8TF46
Cytogenetics:	15q22.31
Domains:	RNB
Gene Summary:	The cytoplasmic RNA exosome complex degrades unstable mRNAs and is involved in the regular turnover of other mRNAs. The protein encoded by this gene contains 3'-5' exoribonuclease activity and is a catalytic component of this complex. [provided by RefSeq, May 2016]

Product images:



Circular map for RG201404