

Product datasheet for **RG201461**

BRP44L (MPC1) (NM_016098) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: BRP44L (MPC1) (NM_016098) Human Tagged ORF Clone
Tag: TurboGFP
Symbol: BRP44L
Synonyms: BRP44L; CGI-129; MPYCD; SLC54A1
Mammalian Cell Selection: Neomycin
Vector: pCMV6-AC-GFP (PS100010)
E. coli Selection: Ampicillin (100 ug/mL)
ORF Nucleotide Sequence: >RG201461 representing NM_016098
Red=Cloning site **Blue**=ORF **Green**=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGGGCGGTTGGTGCAGAAAGCGGCGGACTATGTCCGAAGCAAGGATTTCCGGGACTACCTCATGA
GTACGCACTTCTGGGGCCAGTAGCCAAGTGGGGTCTTCCATTGCTGCCATCAATGATATGAAAAAGTC
TCCAGAGATTATCAGTGGGCGGATGACATTTGCCCTCTGTTGCTATTCTTTGACATTCATGAGATTTGCC
TACAAGGTACAGCCTCGAACTGGCTTCTGTTTGCATGCCACGCAAAATGAAGTAGCCAGCTCATCC
AGGGAGGGCGGCTTATCAAACACGAGATGACTAAAACGGCATCTGCA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG201461 representing NM_016098
Red=Cloning site **Green**=Tags(s)
MAGALVRKAADYVRSKDFRDYLMSTHFWGPVANWGLPIAAINDMKKSPEIISGRMTFALCCYSLTFMRFA
YKVQPRNWLLFACHATNEVAQLIQGGRLIKHEMTKTASA

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_016098

ORF Size: 327 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_016098.4](#)

RefSeq Size: 988 bp

RefSeq ORF: 330 bp

Locus ID: 51660


UniProt ID: [Q9Y5U8](#)

Cytogenetics: 6q27

Domains: UPF0041

Gene Summary: The protein encoded by this gene is part of an MPC1/MPC2 heterodimer that is responsible for transporting pyruvate into mitochondria. The encoded protein is found in the inner mitochondrial membrane. Defects in this gene are a cause of mitochondrial pyruvate carrier deficiency. Several transcript variants, some protein coding and one non-protein coding, have been found for this gene. [provided by RefSeq, Aug 2012]

Product images:



Circular map for RG201461