

Product datasheet for **RG201551**

SPOP (NM_001007229) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	SPOP (NM_001007229) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	SPOP
Synonyms:	BTBD32; NEDMACE; NEDMIDF; NSDVS1; NSDVS2; TEF2
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG201551 representing NM_001007229 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCCGCC**CGATCGCC**

ATGTCAAGGGTTCCAAGTCTCCACCTCCGGCAGAAATGTCGAGTGGCCCCGTAGCTGAGAGTTGGTGCTACACACAGATCAAGGTAGTCAAATTTCTCTACATGTGGACCATCAATAACTTTAGCTTTTCCGGGAGGAATGGGTGAAGTCATTAAGTTCTACATTTTCATCAGGAGCAAATGATAAACTGAAATGGTGTTCGAGTAAACCCCAAAGGGTTAGATGAAGAAAGCAAAGATTACCTGTCACCTTTACCTGTTACTGGTCAGCTGTCAAAGAGTGAAGTTCGGGCAAAATTCAAATTCCTCATCCTGAATGCCAAGGGAGAAGAAACCAAAGCTATGGAGAGTCAACGGGCATATAGGTTTGTGCAAGGCAAGACTGGGGATTCAAGAAATTCATCCGTAGAGATTTCTTTTGGATGAGGCCAACGGCTTCTCCCTGATGACAAGCTTACCCTCTTCTGCGAGGTGAGTGTTGTGCAAGATTCTGTCAACATTTCTGGCCAGAATACCATGAACATGGTAAAGGTTCCCTGAGTGCCGGCTGGCAGATGAGTTAGGAGGACTGTGGGAGAAATCCCGGTTCCACAGACTGCTGCTGTGTGTTGCCGGCCAGGAATCCAGGCTCACAAGGCTATCTTAGCAGCTCGTTCTCCGGTTTTAGTGCCATGTTTGAACATGAAATGGAGGAGCAAAAAGAATCGAGTTGAAATCAATGATGTGGAGCCTGAAGTTTTAAGGAAATGATGTGCTTCATTTACACGGGAAGGCTCAAACCTCGACAAAATGGCTGATGATTTGCTGGCAGCTGCTGACAAGTATGCCCTGGAGCGCTTAAAGGTCATGTGTGAGGATGCCCTCTGCAGTAACCTGTCCGTGGAGAACGCTGCAGAAATTCTCATCCTGGCCGACCTCCACAGTGCAGATCAGTTGAAAACCTCAGGCAGTGGATTTTCATCAACTATCATGTTCCGGATGTCTTGGAGACCTCTGGGTGGAAGTCAATGGTGGTGTACATCCCCACTTGGTGGCTGAGGCATACCGCTCTCTGGCTTCAGCACAGTGCCTTTTCTGGGACCCACGCAAACGCTGAAGCAATCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG201551 representing NM_001007229
 Red=Cloning site Green=Tags(s)

MSRVSPPPPAEMSSGPVAESWCYTQIKVVKFSYMWTINNFSCREEMGEVIKSSTFSSGANDKLKWL
 VNPVKGLDEESKDYLSL YLLL VSCPKSEVRKFKFSILNAKGEETKAMESQRAYRFVQKDWGFKKFI
 RRD FLLDEANGLLPDDKLT LFCESVSVQDSVNI SGQNTMNMVKVPECLADEL GGLWENS
 RFTDCCLCVAGQE FQAHKAILAARSPVFSAMFEHEMEESSKKNRVEINDVEPEVFKEMMCFI
 YTGKAPNLDKMADLLAADKY ALERLKMVEDALCSNLSVENAAEILILADLHSADQLKTA
 QAVDF INYHASDVLETSGWKSMMVVSHPHLVA EAYRSLASAQCPFLGPPRKRLKQS

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_001007229

ORF Size: 1122 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001007229.1](#), [NP_001007230.1](#)

RefSeq Size: 2982 bp

RefSeq ORF: 1125 bp


Locus ID: 8405

UniProt ID: [O43791](#)

Cytogenetics: 17q21.33

Gene Summary: This gene encodes a protein that may modulate the transcriptional repression activities of death-associated protein 6 (DAXX), which interacts with histone deacetylase, core histones, and other histone-associated proteins. In mouse, the encoded protein binds to the putative leucine zipper domain of macroH2A1.2, a variant H2A histone that is enriched on inactivated X chromosomes. The BTB/POZ domain of this protein has been shown in other proteins to mediate transcriptional repression and to interact with components of histone deacetylase co-repressor complexes. Alternative splicing of this gene results in multiple transcript variants encoding the same protein. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG201551