

Product datasheet for RG201750

TBPL1 (NM 004865) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: TBPL1 (NM_004865) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: TBPL1

Synonyms: MGC:8389; MGC:9620; STUD; TLF; TLP; TRF2

Mammalian Cell

Selection:

Neomycin

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG201750 representing NM_004865

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG201750 representing NM_004865

Red=Cloning site Green=Tags(s)

MDADSDVALDILITNVVCVFRTRCHLNLRKIALEGANVIYKRDAGKVLMKLRKPRITATIWSSGKIICTG ATSEEEAKFGARRLARSLQKLGFQVIFTDFKVVNVLAVCNMPFEIRLPEFTKNNRPHASYEPELHPAVCY

RIKSLRATLQIFSTGSITVTGPNVKAVATAVEQIYPFVFESRKEIL

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





ACCN: NM_004865

ORF Size: 558 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 004865.2</u>, <u>NP 004856.1</u>

RefSeq Size: 1340 bp
RefSeq ORF: 561 bp
Locus ID: 9519
UniProt ID: P62380



Cytogenetics: 6q23.2 Domains: TBP

Protein Families: Transcription Factors

Protein Pathways: Basal transcription factors, Huntington's disease


Gene Summary: This gene encodes a member of the TATA box-binding protein family. TATA box-binding

proteins play a critical role in transcription by RNA polymerase II as components of the transcription factor IID (TFIID) complex. The encoded protein does not bind to the TATA box and initiates transcription from TATA-less promoters. This gene plays a critical role in sparmatogenesis, and single purcleatide polymerabisms in this gene may be associated with

spermatogenesis, and single nucleotide polymorphisms in this gene may be associated with male infertility. Alternatively spliced transcript variants have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 3. [provided by RefSeq,

Nov 2011]

Product images:



Circular map for RG201750