

Product datasheet for **RG201784**

QARS1 (NM_005051) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	QARS1 (NM_005051) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	QARS1
Synonyms:	GLNRS; MSCCA; PRO2195; QARS
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG201784 representing NM_005051
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCGGCTCTAGACTCCCTGTCTGCTTCTCACTAGCCTCGGCCTGAGCGAGCAGAAGGCCCGCAGACGC
 TCAAGAACTCGGCTCTGAGCGCGCAGCTGCGCGAGGCCGCTACTCAGGCTCAGCAGACCCTGGGTTCCAC
 CATTGACAAAGCTACCGGATCCTGTTATATGGCTTGGCCTCCCGACTCAGGGATACCCGCGCTCTCTCC
 TTCCTTGAAGCTACATAGCCAGTAAGAAGATCCACACTGAGCCCCAGCTAAGCGCTGCCCTTGAGTATG
 TGGCGAGTCAACCCTGGACCCATCGACACTGTGGACTTCGAGCGGGAATGTGGCGTGGGTGTCATTGT
 GACCCAGAGCAGATTGAGGAGGCTGTGGAGGCTGCTATTAACAGGCACCGGCCAGCTCCTGGTGAA
 CGTTACCATTTCAACATGGGGCTGCTGATGGGAGAGGCTCGGGCTGTGCTGAAGTGGCAGATGGCAAAA
 TGATCAAGAAATGAAGTGGACATGCAGGCTCCACCTTCTGGGCCCAAGTTGGAGGCTGATCTGGAGAA
 GAAGTTCAAGGTGGCAAAAGCTCGGCTAGAAGAAACAGACCGGAGGACGCAAGGATGTGGTGGAGAAT
 GCGGAGACTGCTGACCAGACCCTGTCTGATGGAGCAGCTCCGGGGGGAGGCCCTTAAGTTCCACAAGC
 CTGGTGAGAACTACAAGACCCAGGCTATGTGGTCACTCCACACACCATGAATCTACTAAAGCAGACCT
 GGAGATTACTGGTGGCAGGTACGTACCCGGTCCCGCCAGAACCAATGGAATCCTGCATATTGGACAT
 GCCAAAGCCATCAATTTCAACTTTGGCTATGCCAAGGCCAACAATGGCATCTGTTTTCTGCGTTTTGATG
 ACACCAACCCTGAGAAGGAGGAAGCAAAGTTCTCACGGCCATCTGTGACATGGTAGCCTGGCTAGGCTA
 CACACCTTACAAAGTCACATATGCGTCTGACTATTTTGACCAGCTATATGCGTGGGCTGTGGAGCTCATC
 CGCAGGGGTCTGGCTTATGTGTGCCACCAGCGAGGAGAGGAGCTCAAAGGCCATAATACTCTGCCTTCAC
 CTTGGAGAGACCCGCTCCCATGGAGGAGTCACTGCTGCTCTTTGAGGCAATGCGCAAGGGCAAGTTTTCAGA
 GGGCGAGGCCACACTACGGATGAAGCTGGTGTGGAGGATGGCAAGATGGACCCTGTAGCCTATCGAGTC
 AAGTATACACCACACCACCGCACAGGGGACAAATGGTGCATCTATCCACCTACGACTACACACACTGCC
 TCTGTGACTCCATCGAGCACATCACTCACTCACTCTGCACCAAGGAATTCAGGCCGACGCTCTTCCTA
 CTTCTGGCTTTGCAATGCACTGGACGTCTATTGCCCTGTGCAAGTGGGAGTATGGCCGCTCAACCTGCAC
 TATGCTGTTGTCTCTAAGAGGAAGATCCTCCAGCTTGTAGCAACTGGTGTGTCGGGACTGGGATGACC
 CACGGCTCTTTACTCACGGCCCTGCGACGGCGGGCTTCCACCTGAGGCCATCAACAACCTTCTGTGC
 CCGGGTGGGAGTGACTGTGGCACAACCAATGGAGCCACATCTCTAGAAGCCTGTGTGCGTGTATGTG
 CTGAATGACACAGCCCCACGAGCATGGCTGTGCTGGAGTCACTACGGGTATCATCACCAACTTTCCTG
 CTGCCAAGTCTTTGGACATCCAGGTGCCAACTTCCAGCTGATGAGACCAAGGCTTCCATCAGGTTCC
 CTTTGACCCATTGTCTTATTGAGAGGACTGACTTCAAGGAGGAGCCAGAGCCAGGATTTAAGCGCCTG
 GCTTGGGGCCAGCCTGTGGGCTGAGGCATACAGGCTACGTCAATTGAGCTGCAGCATGTTGTCAAGGGCC
 CCAGTGGTGTGTAGAGAGTCTGGAGGTGACCTGCAGACGGGAGATGCTGGAGAGAAGCCAAAGGCCTT
 TATCACTGGGTGTACAGCCTTTGATGTGTGAGGTTTCGCTCTATGAGCGACTATTCCAGCACAAGAAC
 CCTGAAGATCCTACTGAGGTGCCTGGTGGATTTTAAGTGACCTGAACCTGGCATCACTACACGTGGTGG
 ATGCAGCATTAGTGGACTGCTCTGTGGCCCTGGCAAAACCCTTCGACAAGTTCCAGTTTGGAGCGTCTGG
 ATATTTCTCCGTGGATCCAGACGCCATCAGGGAAAGCTTGTCTTTAACCGAACTGTCACACTGAAGGAA
 GACCCAGGAAAGGTG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG201784 representing NM_005051
 Red=Cloning site Green=Tags(s)


```

MAALDSLFLFTSLGLSEKARETLKNSALSAQLREAAATQAQQTGSLIDKATGILLYGLASRLRDRRLS
FLVSYIASKKIHTPEQLSAALEYVRSHPLDIDTVDFERECGVGVIPTPEQIEEAVEAAINRHRPQLLVE
RYHFNMGLLMGEARAVLKWADGMIKNEVDMQVLHLLGPKLEADLEKFKVAKARLEETDRRTAKDVVEN
GETADQTLSLMEQLRGEALKFHKPGENYKTPGYVVTPHTMNLKQHLEITGGQVTRFPPEPNGILHIGH
AKAINFNFGYAKANNIGICFLRFDDTNPEKEEAKFFTAICDMVAWLGYTPYKVTYASDYFDQLYAWAVELI
RRGLAYVCHQERGEELKGHNTLPSWRDRPMEESLLLFEAMRKGKFSEGEATLRMKLVMDGKMDPVAYRV
KYTPHHRGDKWCIYPTYDYTHCLCDSIEHITHSLCTKEFQARRSSYFWLCNALDVYCPVQWEYGRNLH
YAVVSKRKILQLVATGAVRDWDDPRLFTLTALRRRGFPPEAINNFCARVGVTVAQTTMEPHLLEACVRDV
LNDTAPRAMAVLESRLVITNFPAAKSLDIQVNFPADETKGFHQVFPAPIVFIERTDFKEEPEPGFKRL
AWGQPVGLRHTGYVIELQHVVKGPSGCVESLEVTCCRADAGEKPKAFIHWVSQPLMCEVRLYERLFQHKR
PEDPTEVPGGFLSDLNLASLHVDAALVDCSVALAKPFDKQFERLGYFSVDPDSHQGKLVFNRTVTLKE
DPGKV
  
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_005051


ORF Size: 2325 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_005051.3
RefSeq Size:	2437 bp
RefSeq ORF:	2328 bp
Locus ID:	5859
UniProt ID:	P47897
Cytogenetics:	3p21.31
Domains:	tRNA-synt_1c, tRNA_synt_1c_R2, tRNA_synt_1c_R1
Protein Families:	Druggable Genome
Protein Pathways:	Aminoacyl-tRNA biosynthesis, Metabolic pathways
Gene Summary:	Aminoacyl-tRNA synthetases catalyze the aminoacylation of tRNA by their cognate amino acid. Because of their central role in linking amino acids with nucleotide triplets contained in tRNAs, aminoacyl-tRNA synthetases are thought to be among the first proteins that appeared in evolution. In metazoans, 9 aminoacyl-tRNA synthetases specific for glutamine (gln), glutamic acid (glu), and 7 other amino acids are associated within a multienzyme complex. Although present in eukaryotes, glutaminyl-tRNA synthetase (QARS) is absent from many prokaryotes, mitochondria, and chloroplasts, in which Gln-tRNA(Gln) is formed by transamidation of the misacylated Glu-tRNA(Gln). Glutaminyl-tRNA synthetase belongs to the class-I aminoacyl-tRNA synthetase family. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jan 2013]

Product images:



Circular map for RG201784