

Product datasheet for **RG201797**

Casein Kinase 1 alpha (CSNK1A1) (NM_001892) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Casein Kinase 1 alpha (CSNK1A1) (NM_001892) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	CSNK1A1
Synonyms:	CK1; CK1a; CK1a; HEL-S-77p; HLCDGP1; PRO2975
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG201797 representing NM_001892 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGAGTAGCAGCGGCTCCAAGGCTGAATTCATTGTCGGAGGGAAATATAAACTGGTACGGAAGATCG
GGTCTGGCTCCTTCGGGACATCTATTTGGCGATCAACATCACCAACGGCGAGGAAGTGGCAGTGAAGCT
AGAATCTCAGAAGGCCAGGCATCCCAGTTGCTGTACGAGAGCAAGCTCTATAAGATTCTCAAGGTGGG
GTTGGCATCCCCACATACGGTGGTATGGTCAGGAAAAAGACTACAATGTACTAGTCATGGATCTTCTGG
GACCTAGCCTCGAAGACCTTTCAATTTCTGTTCAAGAAGTTTACAATGAAAAGTACTTATGTTAGC
TGACCAGATGATCAGTAGAATTGAATATGTGCATACAAAGAATTTTATACACAGAGACATTAACCAGAT
AACTTCCTAATGGGTATTGGGCGTCACTGTAATAAGTTATTCCTTATTGATTTTGGTTTGGCCAAAAAGT
ACAGAGACAACAGGACAAGGCAACACATACCATACAGAGAAGATAAAAACCTCACTGGCACTGCCGATA
TGCTAGCATCAATGCACATCTTGGTATTGAGCAGAGTCGCCGAGATGACATGGAATCATTAGGATATGTT
TTGATGATTTTAAATAGAACCAGCCTGCCATGGCAAGGGCTAAAGGCTGCAACAAAGAAAAAATATG
AAAAGATTAGTAAAAGAAGATGTCACGCCTGTTGAAGTTTTATGTAAGGGTTTCTGCAGAATTTGC
GATGTACTTAACTATTGTCGTGGGCTACGCTTTGAGGAAGCCCCAGATTACATGTATCTGAGGCAGCTA
TTCCGATTCTTTTCAGGACCTGAACCATCAATATGACTACACATTTGATTGGACAATGTTAAAGCAGA
AAGCAGCACAGCAGGCAGCCTCTTCCAGTGGGCAGGGTCAGCAGGCCAAACCCACAGGCAAGCAAAAC
TGACAAAACCAAGAGTAACATGAAAGTTTC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG201797 representing NM_001892
 Red=Cloning site Green=Tags(s)

MASSSGSKAEFIVGGKYKLVKRIKIGSGSFGDIYLAINITNGEEVAVKLESQKARHPQLLYESKLYKILQGG
 VGIPHIRWYGQEKDYNVLMDDLGPSTEDLNFNCSRRTMKTVLMADQMISRIEYVHTKNFIHRDIKPD
 NFLMGIGRHCNKLFLIDFGLAKKYRDNRTQHIPYREDKNLTGTARYASINAHLGIEQSRDDMESLGYV
 LMYFNRTSLPWQGLKAAATKKKKYEKISEKKMSTPVEVLCKGFPAEFAMYLNYCRGLRFEEAPDYMYLRQL
 FRILFRTLNHQYDYTFDWTMLKQKAAQQAASSSGQGQQAQTPTGKQTDKTKSNMKGF

TRTRPLE - GFP Tag - V


Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



Plasmid Map:



ACCN: NM_001892

ORF Size: 1011 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001892.3
RefSeq Size:	3065 bp
RefSeq ORF:	1014 bp
Locus ID:	1452
UniProt ID:	P48729
Cytogenetics:	5q32
Domains:	pkinase, TyrKc, S_TKc
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Protein Kinase
Protein Pathways:	Hedgehog signaling pathway, Wnt signaling pathway
Gene Summary:	Casein kinases are operationally defined by their preferential utilization of acidic proteins such as caseins as substrates. It can phosphorylate a large number of proteins. Participates in Wnt signaling. Phosphorylates CTNNB1 at 'Ser-45'. May phosphorylate PER1 and PER2. May play a role in segregating chromosomes during mitosis (PubMed:11955436, PubMed:1409656, PubMed:18305108). May play a role in keratin cytoskeleton disassembly and thereby, it may regulate epithelial cell migration (PubMed:23902688).[UniProtKB/Swiss-Prot Function]