

Product datasheet for RG202071

Noxa (PMAIP1) (NM 021127) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Noxa (PMAIP1) (NM_021127) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: Noxa

Synonyms: APR; NOXA

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG202071 representing NM_021127

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGCCTGGGAAGAAGGCGCGCAAGAACGCTCAACCGAGCCCCGCGCGGGCTCCAGCAGAGCTGGAAGTCGAGTGTGCTACTCAACTCAGGAGATTTGGAGACAAACTGAACTTCCGGCAGAAACTTCTGAATCTGATATC

CAAACTCTTCTGCTCAGGAACC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG202071 representing NM_021127

Red=Cloning site Green=Tags(s)

MPGKKARKNAQPSPARAPAELEVECATQLRRFGDKLNFRQKLLNLISKLFCSGT

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





ACCN: NM_021127

ORF Size: 162 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 021127.3</u>



 RefSeq Size:
 1885 bp

 RefSeq ORF:
 165 bp

 Locus ID:
 5366

 UniProt ID:
 Q13794

 Cytogenetics:
 18q21.32

Protein Families: Druggable Genome, Stem cell - Pluripotency


Protein Pathways: p53 signaling pathway

Gene Summary: This gene belongs to a pro-apoptotic subfamily within the BCL-2 protein family, referred to as

the BCL-2 homology domain 3 (BH3)-only subfamily, which determine whether a cell commits to apoptosis. In response to death-inducing stimuli, BH3-only members inhibit the antiapoptotic BCL-2 family members, which under steady-state conditions keep the multi-BH

domain proteins BAX and BAK, in an inactive state. [provided by RefSeq, Aug 2020]

Product images:



Circular map for RG202071