

Product datasheet for **RG203013**

CLPB (NM_030813) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CLPB (NM_030813) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	CLPB
Synonyms:	ANKCLB; HSP78; MEGCANN; MGCA7; SKD3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide
Sequence:

>RG203013 representing NM_030813
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGATCGCC**

ATGCTGGGGTCCCTGGTGTGAGGAGAAAAGCACTGGCGCCACGGCTACTCTCCGGCTGCTCAGGTCCC
 CAACGCTCCGGGGCCATGGAGGTGCTTCCGGCCGGAATGTGACTACTGGGAGTCTCGGGGAGCCGAGTG
 GCTGAGGGTAGCCACCGGGGGCGCCCTGGAACATCGCCGGCCTTGTCTCCGGACGTGGGGCAGCCACC
 GGGGGGCGCCAGGGAGGACGCTTCGATACCAAATGCCTCGCGGCTGCCACTTGGGACGCGCTTCTGGTC
 CCGAAGAAACTCCCAGGACAGGACAGCTGGAACGGGGTCCCCAGCAGGGCCGGACTGGGCATGTGCGC
 CCTGGCCGCGAGCGCTGGTGGTTCATTGCTACAGCAAGAGTCCGTCCAACAAGGATGCAGCCCTGTTGAA
 GCTGCCGTGCCAACATATGCAAGAAGTCAGCAGGCTGTTGTCAGAAGGTGCAGATGTCAATGCAAAGC
 ACAGACTTGGCTGGACAGCACTCATGGTGGCAGCCATCAACCGAAACAACAGTGTGGTACAGGTCTGCT
 TGCTGCTGGGGCTGATCCAAACCTTGGAGATGATTTTCAGCAGTGTTCACAAGACTGCCAAGGAACAGGGA
 ATCCATTTCTTTGGAAGATGGGGGACAGGACGGTGAAGCCGGCAGATCACAAACCAGTGGACAAGTGCC
 TGGAGTTCAGGAGATGGCTAGGACTCCCCGCTGGCGTCTGATCACCCGAGAGGATGACTTCAACAACAG
 GCTGAACAACCGCGCCAGTTTCAAGGGCTGCACGGCCTTGCATATGCTGTTCTTGTGATGACTACCGC
 ACTGTCAAGGAGCTGCTTATGAGGAGGCAACCCCTGCAGAGGAATGAAATGGGACACACACCCTTGG
 ATTATGCCCGAGAAGGGGAAGTATGAAGCTTCTGAGGACTTCTGAAGCCAAGTACCAAGAGAAGCAGCG
 GAAGCGTGAGGCTGAGGAGCGCGCCGCTTCCCCTGGAGCAGCGACTAAAGGAGCACATCATTGGCCAG
 GAGAGCGCCATCGCCACAGTGGGTGCTGCGATCCGGAGGAAGGAGAATGGCTGGTACGATGAAGAACC
 CTCTGGTCTTCTTCTTGGATCATCTGGAATAGGAAAAACAGAGCTGGCCAAGCAGACAGCCAAATA
 TATGCACAAAGATGCTAAAAAGGGCTTCATCAGGCTGGACATGTCCGAGTTCAGGAGCGACACGAGGTG
 GCCAAGTTTATTGGGTCTCCACCAGGCTACGTTGGCCATGAGGAGGGTGGCCAGCTGACCAAGAAGTTGA
 AGCAGTGCCCAATGCTGTGGTCTCTTATGAGTAGACAAGGCCATCCAGATGTGCTCACCATCAT
 GCTGCAGCTGTTGATGAGGGCCGGCTGACAGATGGAAAAGGGAAGACCATTGATTGCAAGGACGCCATC
 TTCATCATGACCTCCAATGTGGCCAGCGAGATCGCACAGCACGCGCTGCAGCTGAGGCAGGAAGCTT
 TGGAGATGAGCCGTAACCGTATTGCCGAAAACCTGGGGGATGTCCAGATAAGTGACAAGATCACCATCTC
 AAAGAACTTCAAGGAGAATGTGATTCGCCCTATCCTGAAAGCTCACTTCCGGAGGGATGAGTTTCTGGGA
 CGGATCAATGAGATCGTCTACTTCTCCCTTCTGCCACTCGGAGCTCATCCAACCTGTCACAAGGAAC
 TAAACTTCTGGGCAAGAGAGCCAAGCAAAGGCACAACATCACGCTGCTCTGGGACCGCAGGTGGCAGA
 TGTGCTGGTGCAGCGCTACAATGTGCACTATGGCGCCCGCTCCATCAAACATGAGGTAGAACGCCGTGTG
 GTGAACCAGCTGGCAGCAGCCTATGAGCAGGACCTGCTGCCAGGGGGCTGTACTTTGCGCATCACGGTGG
 AGGACTCAGACAAGCAGCTACTCAAAGCCAGAACTGCCCTCACCCAGGCTGAGAAGCGCCTCCCCAA
 GCTGCGTCTGGAGATCATCGACAAGGACAGCAAGACTCGCAGACTGGACATCCGGGCACCACTGCACCT
 GAGAAGGTGTGCAACACCATC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG203013 representing NM_030813
 Red=Cloning site Green=Tags(s)


```

MLGSLVLRKALAPRLLLRLLRSPTLRGHGGASGRNVTTGSLGEPQWLRVATGGRPPTSPALFSGRGAAT
GGRQGGRFDTKCLAAATWGRLPGPEETLPGQDSWNGVPSRAGLGMCAAALVHCYSKSPSNKDAALLE
AARANNMQEVSRLLESEGADVNAKHRLGWTALMVAAINRNSVQVLLAAGADPNLGDDFSSVYKTAKEQG
IHSLEDGGQDGASRHITNQWTSALEFRRLWGLPAGVLTITREDDFNRLNRRASFKGCTALHYAVLADDYR
TVKELLDGGANPLQRNEMGHTPLDYAREGEVMKLLRTSEAKYQEKQRKREAEERRRFPLEQRLKEHIIGQ
ESAIATVGAAIRKENGWYDEEHPLVFLFLGSSGIGKTELAQTAKYMHKDAKKGFIKRLDMSEFQERHEV
AKFIGSPPGYVGHHEGGQLTKKLGKQCPNAVVLDFEVDKAHPDVLTIMLQLFDEGRITDGGKGTIDCKDAI
FIMTSNVASDEIAQHALQLRQEALEMSRNRI AENLGDVQISDKITISKNFKENVIRPILKAHFRRDEFLG
RINEIVYFLPFCHSELIQLVNKELNFWAKRAKQRHNITLLWDREVADVLVDGYNVHYGARSIKHEVERRV
VNQLAAAYEQDLLPGGCTLRITVEDSDKQLLKSPELPSQAERKLPKLRLEIIDKDSKTRRLDIRAPLHP
EKVCNTI
  
```

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:



ACCN: NM_030813

ORF Size: 2121 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_030813.6](#)

RefSeq Size: 3131 bp

RefSeq ORF: 2124 bp


Locus ID: 81570

UniProt ID: [Q9H078](#)

Cytogenetics: 11q13.4

Gene Summary: This gene belongs to the ATP-ases associated with diverse cellular activities (AAA+) superfamily. Members of this superfamily form ring-shaped homo-hexamers and have highly conserved ATPase domains that are involved in various processes including DNA replication, protein degradation and reactivation of misfolded proteins. All members of this family hydrolyze ATP through their AAA+ domains and use the energy generated through ATP hydrolysis to exert mechanical force on their substrates. In addition to an AAA+ domain, the protein encoded by this gene contains a C-terminal D2 domain, which is characteristic of the AAA+ subfamily of Caseinolytic peptidases to which this protein belongs. It cooperates with Hsp70 in the disaggregation of protein aggregates. Allelic variants of this gene are associated with 3-methylglutaconic aciduria, which causes cataracts and neutropenia. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr 2015]

Product images:



Circular map for RG203013