

Product datasheet for **RG203786**

OLFM2 (NM_058164) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	OLFM2 (NM_058164) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	OLFM2
Synonyms:	NOE2; NOELIN2; NOELIN2_V1; OlfC
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RG203786 representing NM_058164
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGCATCGC**

ATGTGGCCGCTCACGGTCCCGCCCGCTGCTGCTGCTGCTGCTCAGGCCTGGCCGGACAGACTCTCT
 TCCAGAACCAGAGAGGGCTGGCAGCTGTACACCTCAGCCAGGCCCTGACGGGAAATGCATCTGCAC
 GGCCGTGATCCCAGCGCAGAGTACCTGCTCTCGAGATGGCAGGAGTCGGGAGCTGCGGCAACTGATGGAG
 AAGGTCCAGAACGTCTCCAGTCCATGGAGTCTTGAGTTGCGGACGTATCGCGACCTCCAGTATGTAC
 GCGGCATGGAGACCTCATGCGGAGCTGGATGCGCGGCTCCGGGACGCTGATGGGTCCCTCTCGGCCAA
 GAGCTTCCAGGAGCTGAAGGACAGGATGACGGAAGTGTGCCCTGAGCTCGGTCTGGAGCAGTACAAG
 GCAGACACGCGGACCATTGTACGCTTGGGGAGGAGTGAGGAATCTCTCCGGCAGTCTGGCGGCCATT
 AGGAGGAGATGGGTGCCTACGGGTATGAGGACCTGCAGCAACGGGTGATGGCCCTGGAGGCCCGGTCCA
 CGCCTGCGCCAGAGCTGGGCTGTGGGAAGCTGACCGGGGTGAGTAACCCCATACCGTTCGGGCCATG
 GGGTCCCGCTTCGGCTCTGGATGACTGACACGATGGCCCCAGTGGGATAGCCGGGTCTGGTACATGG
 ATGGCTATTACAAAGGCCCGCGGGTCTGGAGTTCCTGACCTGGGAGACTTCATCAAAGGCCAGAACTT
 TATCCAGCACCTGCTGCCCCAGCCGTGGGCGGGCACGGGCCACGTGGTGTACAACGGCTCCCTGTTCTAT
 AACAGTACCAGAGCAACGTGGTGGTCAATACCACTTCGGCTCGCGCTCTGTGCTGGTGCAGAGGAGCC
 TCCCGGGCGCGGTTACAACAACACCTTCCCCTACTCTGGGGCGGGTCTTCCGACATGGACTTCATGGT
 GGACGAGAGCGGGCTCTGGGCTGTGTACACCACCAACCAGAACGCGGGCAACATCGTGGTCAGCCGGCTG
 GACCCGCACACCTCGAGGTATGCGGTCTGGGACACCGGTACCCCAAGCGCAGCGCTGGCGAGGCT
 TCATGATCTGCGGTGTGCTCTACGTGACCACTCCACCTGGCTGGGGCCAAGGTCTACTTCGCCTATTT
 TACCAACACGTCCAGTTACGAGTACACGACGTGCCCTTCCACAACCAAGTATTCCACATCTCGATGCTG
 GATTACAACCCCGGGAGCGCGCCTCTATACCTGGAACAACGGCCACCAGGTGCTCTACATGTACCC
 TGTTTCACGTATCAGCACCTCTGGGGACCCC

ACGCGTACGCGGCCGCTCGAG – GFP Tag – GTTTAA

Protein Sequence:

>RG203786 representing NM_058164
 Red=Cloning site Green=Tags(s)

MWPLTVPPPLLLLLCSGLAGQTLFQNPEEGWQLYTSAPDQKICITAVIPAQSTCSRDRSRELRLQME
 KVQNVQSMEVLELRITYRDLQYVRGMETLMRSLDARLRAADGSLSAKSFQELKDRMTELLPLSSVLEQYK
 ADTRTIVRLREEVRNLSGSLAAIQEEMGAYGYEDLQQRVMALEARLHACAQKLGGKLTGVSNPITVRAM
 GSRFGSWMTDTMAPSADSRVWYMDGYKGRVLEFRTLGDFIKGQNF IQHLLPQPWAGTGHVVYNGSLFY
 NKYQSNVVVKYHFRSRVLVQRSLPGAGYNNTFPYSWGGFSDMDFMVDESGLWAVYTTNQNAGNIVVSRL
 DPHTLEVMSWDTGYPKRSAGEAFMICGLVYVNTNSHLAGAKVYFAYFTNTSSYEYTDVPFHNQYSHISML
 DYNPRERALYTWNNGHQVLYNVTLFHVISTSGDP

TRTRPLE – GFP Tag – V

Restriction Sites:

Sgfl-MluI

Cloning Scheme:


ACCN: NM_058164

ORF Size: 1362 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_058164.4](#)


RefSeq Size: 1902 bp

RefSeq ORF: 1365 bp

Locus ID: 93145

UniProt ID:	<u>O95897</u>
Cytogenetics:	19p13.2
Domains:	OLF
Protein Families:	Druggable Genome, Secreted Protein
Gene Summary:	Involved in transforming growth factor beta (TGF-beta)-induced smooth muscle differentiation. TGF-beta induces expression and translocation of OLFM2 to the nucleus where it binds to SRF, causing its dissociation from the transcriptional repressor HEY2/HERP1 and facilitating binding of SRF to target genes (PubMed:25298399). Plays a role in AMPAR complex organization (By similarity). Is a regulator of vascular smooth-muscle cell (SMC) phenotypic switching, that acts by promoting RUNX2 and inhibiting MYOCD binding to SRF. SMC phenotypic switching is the process through which vascular SMCs undergo transition between a quiescent contractile phenotype and a proliferative synthetic phenotype in response to pathological stimuli. SMC phenotypic plasticity is essential for vascular development and remodeling (By similarity).[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG203786