

Product datasheet for RG203944

MAX (NM_145114) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: MAX (NM_145114) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: MAX

Synonyms: bHLHd4

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG203944 representing NM_145114

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGAGCGATAACGATGACATCGAGGTGGAGAGCGACGAAGAGCCACCGAGGTTTCAATCTGCGGCTGACA AACGGGCTCATCATAATGCACTGGAACGAAAACGTAGGGACCACATCAAAGACAGCTTTCACAGTTTGCG GGACTCAGTCCCATCACTCCAAGGAGAGAAAGCTCTATTTCCTCTTTTGGAAATTGTGTACTCCTGTCCTT CATCGTCAAAGTTTGATGCAGAAAATGCCACACCTTCATTTCAAGCTACCAAGGTGCACAAGAAAAAAGAAT

GCAAGATT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG203944 representing NM_145114

Red=Cloning site Green=Tags(s)

MSDNDDIEVESDEEQPRFQSAADKRAHHNALERKRRDHIKDSFHSLRDSVPSLQGEKLYFLFWKLCTPVL

HRQSLMQKCHTFISSYQVHKKKECKI

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





ACCN: NM_145114

ORF Size: 288 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 145114.2</u>

RefSeq Size: 942 bp
RefSeq ORF: 291 bp



Locus ID: 4149

UniProt ID: P61244

Cytogenetics: 14q23.3

Protein Families: Druggable Genome, Transcription Factors


Protein Pathways: MAPK signaling pathway, Pathways in cancer, Small cell lung cancer

Gene Summary: The protein encoded by this gene is a member of the basic helix-loop-helix leucine zipper

(bHLHZ) family of transcription factors. It is able to form homodimers and heterodimers with other family members, which include Mad, Mxi1 and Myc. Myc is an oncoprotein implicated in cell proliferation, differentiation and apoptosis. The homodimers and heterodimers compete for a common DNA target site (the E box) and rearrangement among these dimer forms provides a complex system of transcriptional regulation. Mutations of this gene have been reported to be associated with hereditary pheochromocytoma. A pseudogene of this gene is located on the long arm of chromosome 7. Alternative splicing results in multiple transcript

variants. [provided by RefSeq, Aug 2012]

Product images:



Circular map for RG203944