

Product datasheet for **RG204402**

NUP93 (NM_014669) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NUP93 (NM_014669) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	NUP93
Synonyms:	NIC96
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide
Sequence:**

>RG204402 representing NM_014669
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGATACTGAGGGGTTTGGTGAGCTCCTTCAGCAAGCTGAACAGCTTGCTGCTGAGACTGAGGGCATCT
 CAGAGCTTCCCATGTGGAACGGAACCTACAGGAGATCCAGCAGGCGGGAGAGCGCTGCGTTCCCGTAC
 CCTAACACGCACGTCCCAGGAGACGGCAGATGTCAAGGCGTCAGTTCTCCTCGGGTCTCGGGGACTTGAC
 ATATCCCACATCTCCAGCGATTGGAGAGTCTGAGTGCAGCCACCACCTTTGAGCCTCTTGAGCCTGTGA
 AGGACACTGACATTCAGGGCTTCTGAAGAATGAGAAGGACAATGCCCTGCTGTCTGCCATCGAAGAGTC
 CCGGAAGAGGACCTTCGGCATGGCTGAGGAGTACCATCGGGAGTCAATGTTGGTTGAGTGGGAGCAAGTG
 AAACAGCGAATTCTGCACACACTGCTGGCATCAGGAGAAGACGCCCTTGACTTTACTCAAGAAAGCGAGC
 CAAGCTACATCAGTGATGTGGACCCCTGGTCAAGCTCTCTGGATAACATCGAGATGGCCTATGCGCG
 GCAAAATTTATATCTATAATGAGAAAATTGTAATGGACACCTGCAGCCTAACCTGGTGGACCTTTGTGCT
 TCCGTCGAGAGCTCGATGATAAGAGCATTTCCGACATGTGGACCATGGTAAACAAATGACAGACGTGT
 TGGTGACACCGCAACGGATGCCCTGAAGAACCGCAGCAGCGTGAAGTGCGCATGGAGTTTGTCAGGCA
 GGCTTGGCGTACCTTGAGCAGAGTTATAAGAATTACACCCTTGAGTGTCTTTGGAAATTTGCATCAG
 GCCCAGCTGGGCGGGGTGCCTGGGACTTACCAATTGGTTCAAGTTTCTGAACATTAACTGCCAGCTC
 CCTTGCTGGACTACAGGATGGAGAGTGAAGGCCATCCTGTGTGGGCGCTAATTTACTACTGCATGCG
 CTGTGGAGACCTGCTTGGCGCTTACAGGTAGTTAATCGAGCCAGCACCAGCTGGGAGAGTTTAAACCC
 TGGTTCAGGAGTACATGAACAGCAAGGACAGAAGATTGTCACCGCTACGGAACCAAGCTCCGGCTGC
 ATTACCGTAGGGCCCTCAGGAACAATACAGATCCCTACAAGCGGGCCGTACTGTATCATTGGCAGATG
 TGACGTACCGACAACCAGAGTGAAGTGGCGGACAAAACCTGAGGATTACCTGTGGCTGAAGTTGAACCAA
 GTGTGTTTTGACGACGATGGCACCAGCTCCCCACAAGACAGGCTCACTCTCTCAGTTCAGAAAGCAGT
 TGGTGAAGACTATGGCGAGTCCCACTTACGGTGAACCAGCAACCCTTCTCTACTTCCAAGTCTGTT
 CCTGACAGCGCAGTTTGAAGCAGCAGTTGCCTTTCTTTCCGCATGGAGCGGCTGCGCTGCCATGCTGTC
 CATGTAGCACTGGTGCTGTTTGAAGCTGAAGCTGCTTTTAAAGTCTCTGGACAGAGGGCTCAGCTCCTCA
 GCCACGAGCTGGTGACCCTCCTTGCTTGGCGCGCTGAACCTCGTGCGGCTCCTCATGCTGTACACCCG
 GAAGTTTGAGTCCACGGACCCAAGGAGGCCCTCCAGTACTTCTATTTCTCAGGGATGAGAAAGATAGT
 CAAGGAGAAAACATGTTTCTGCGCTGTGTGAGTGAGCTTGTGATTGAAAGCCGAGAGTTCGATATGATTC
 TTGGGAAACTAGAGAATGACGGAAGTAGAAAGCCTGGAGTCATAGATAAGTTTACTAGTGACACAAAGCC
 TATTATCAACAAAGTTGCTTCTGTGGCAGAAAATAAAGGACTGTTTGAAGAGGCAGCAAGCTGTATGAC
 CTTGCCAAGAATGCTGACAAGGTAAGTGGAGCTGATGAACAACTGCTGAGCCCTGTGCTCCCCCAGATCA
 GTGCCCCGCAATCCAACAAGGAGAGGCTGAAGAACATGGCACTCTCCATTGCCGAACGGTATAGGGCTCA
 AGGAATAAGCGCAATAAATTTGTGGACTCCACGTTCTATCTTTTGGACTTGATCACCTTTTTTGAC
 GAGTATCATAGTGGTCATATTGATAGAGCTTTTGATATCATTGAGCGCTTGAAGCTGGTGGCCCTGAATC
 AGGAAAGTGTGAAGAGAGAGTGGCTGCCTTCAGAAATTCAGTGATGAAATCAGGCACAACCTCTCAGA
 AGTGCTTCTTGCCACCATGAACATCTTGTTCACACAGTTTAAGAGGCTCAAGGGGACAAGTCCATCCTCG
 TCATCCAGGCCCCAGCGAGTCATCGAGGACCGCACTCTCAACTCCGAAGTCAAGCCCGCACTCTGATTA
 CCTTTGCTGGAATGATACCATAACCAACGTCTGGGGACCAATGCGAGGCTGGTGCAGATGGAGGTCT
 CATGAAT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence:

>RG204402 representing NM_014669
 Red=Cloning site Green=Tags(s)


MDTEGFGELLQQAELAAETEGISELPHVERNLQEIQQAGERLRSRTLTRTSQETADVKASVLLGSRGLD
 ISHISQRLESLSAATTFEPLPVKDTDIQGFLKNEKDNALLSAIEESRKRTFGMAEEYHRESMLVEWEQV
 KQRILHTLLASGEDALDFTQESEPSYISDVGPPGRSSLDNIEMAYARQIYIYNEKIVNGHLQPNLVDLCA
 SVAELDDKSIDMWTMVKQMTDVLLTPATDALKNRSSVEVRMEFVRQALAYLEQSYKNYTLVTVFGNLHQ
 AQLGGVPGTYQLVRSFLNIKLPAPLPGLQDGEVEGHPVWALIYYCMRCGDLLAASQVYNRAQHQLGEFKT
 WFQEYMNSKDRRLSPATENKLRLHYRRALRNNTDPYKRAVYCIIGRCDVTDNQSEVADKTEDYLWLKLNQ
 VCFDDDGTSPPQDRLTSLQFQKQLLEDYGESHFTVNQQPFLYFQVLFLTAQFEAAVAFLFRMERLRCHAV
 HVALVLFELKLLKSSGQRAQLLSHEPGDPPCLRRLNFVRLMLYTRKFESTDPREALQYFYFLRDEKDS
 QGENMFLRCVSELVIESREFDMILGKLENDGSRKPGVIDKFTSDTKPIINKVASVAENKGLFEEAAKLYD
 LAKNADKVLELMNKLLSPVVPQISAPQSNKERLKNMALSIAERYAQGISANKFVDSTFYLLLDLITFFD
 EYHSGHIDRAFDIIERLKLVLNQESVEERVAEFRNFSDEIRHNLSEVLLATMNILFTQFKRLKGTSPSS
 SSRPQRVIEDRDSQLRSQARTLITFAGMIPYRTSGDTNARLVQMEVLMN

TRTRPLE - GFP Tag - V

Restriction Sites:

SgfI-MluI

Cloning Scheme:



ACCN:	NM_014669
ORF Size:	2457 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: [NM_014669.2](#), [NP_055484.2](#)

RefSeq Size: 2674 bp

RefSeq ORF: 2460 bp

Locus ID: 9688


UniProt ID: [Q8N1F7](#)

Cytogenetics: 16q13

Domains: NIC

Gene Summary: The nuclear pore complex is a massive structure that extends across the nuclear envelope, forming a gateway that regulates the flow of macromolecules between the nucleus and the cytoplasm. Nucleoporins are the main components of the nuclear pore complex in eukaryotic cells. This gene encodes a nucleoporin protein that localizes both to the basket of the pore and to the nuclear entry of the central gated channel of the pore. The encoded protein is a target of caspase cysteine proteases that play a central role in programmed cell death by apoptosis. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Dec 2016]

Product images:



Circular map for RG204402