

Product datasheet for **RG204410**

NUP133 (NM_018230) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NUP133 (NM_018230) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	NUP133
Synonyms:	GAMOS8; hNUP133; NPHS18
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	>RG204410 representing NM_018230 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTTCCAGCCGCCCTTCTCCGCGGACCCGGGTACCGGGTCCCGAAGGGGCCCGCTGGCCGGACTCG
GGCCCGGCTCCACGCCCGGACGGCTAGCAGGAAGGGTCTGCCCTGGGGTCTGCAGTCAGCTCCCCAGT
GCTTTCTCGCCGGTCGGCCGGGTAGCTCGCTAAGCTCGCGGGAAACCAACACGAATGTTCCACAC
CACTCCATAACTGAGTCTGTGAACATGATGTGAAAACGTTTGGATCTTCTTCTCTTAAAGTCATGG
AAGCCCTAACATTGGCTGAAGTCGATGACCAGCTGACCATTAACATAGATGAAGTGGATGGCTTGCT
GGTGTGCAAAGAGAAGCTCATTATTTGGAAGATTGCTCTGTACCTATTACTAAGTTATCCGTTTGCAA
GAACCTCAGCTGCCACCTAGTGATTTCCACTGGAGTGCCGACTTGTGGCTCTTTCTTACTCTTCTCCCT
CAGGTGAAGCACATTCTACTCAGGCTGTTGCTGTGCATGGTTGCCACCAGAGAAGGATCTATCCGCTATTG
GCCAAGCCTTGCTGGTGAAGATACCTACACAGAGGCTTTTGTAGATTCGGGAGGTGATAAGACTTACAGT
TTCCTAACAGCAGTGCAGGGAGGAAGTTTTATTTGTCTTCATCAGGAAGCCAATAATTCGTTGATAC
CTGAGAGCTCAGGAAAGATTCATCAGCATATCCTGCCTCAGGGCAAGGCATGCTTTCAGGAATGGTGC
AAAAGTTTCTTCTTTTTGGAATTTATCTCCTAGTAGTGATCTCACACTTTCAAGTGTCTCTGGGAT
AGAGAGATCAAGCTTTTATAGCCTGACGAGTCAAACATCAGTAAATGGGAATTAGATGATTCCTCAG
AAAAGCATGCATACAGTTGGGATATAAATAGAGCCCTGAAGGAAAACATTACCGATGCTATTTGGGGATC
TGAAAGTAACTATGAAGCTATTAAGAAGGAGTCAACATTCGATATTTGGACTTTAAGCAAACTGTGAT
GGGCTGGTGATTTGGCAGCAGCATGGCACTCAGCAGACAATCCATGTCTCATCTATTACTCTGTGATA
CAATAGAAGATAATGGTTGCCAAATGTCAGATGCAGTTACTGTAGAAGTCACTCAATATAATCCACCTTT
TCAGTCTGAAGACCTGATTTGTGTCAGTTGACGGTCCCAAACCTTTCAAACCAGACTGCCTATCTGTAT
AACGAAAGTGTCTATGTGTGCTCCACAGGAAGTGGGAAATTTCTCTCCCCAGGAGAAAATTTGCT
TTAATGCACAAGGAGATAGTGTAGGTGCTGGTGCCTGTGGTGGTGTCTATCATTTTTCTAGAAA
CAGTGGACTGGTGTCTATTACTCAAGGAAAAATGTGTCTATATTGGCAGAAGACTTGAAGGGTCTTTA



[View online »](#)

GCATCTTCAGTTGCTGGACCAAACAGTGAGAGTATGATTTTTGAGACCACTACAAAGAATGAAACTATAG
CCCAGGAAGATAAAATCAAGTTGCTGAAAGCTGCCTTTCTGCAATACTGCAGAAAAGATTTAGGTCATGC
TCAAATGGTGGTTGATGAGCTCTTTTCTCTCACTCTGATTTGGATTCTGATTCTGAACTAGACAGGGCA
GTTACCCAAATCAGTGTAGACCTGATGGATGACTACCCAGCATCTGACCCACGGTGGGCTGAGTCTGTCC
CTGAGGAAGCACCTGGGTTGAGCAATACGTCAGTATTATCCTTACCAGCTAGAAGACAAGATGAAAGC
TCACTCTTTTCTATGGACTTTATTCATCAAGTTGGCTTATTTGGACGCTAGGCAGTTTTCCAGTTAGA
GGGACACCGATGGCCACTCGACTGTTGCTCTGTGAGCATGCCGAAAAGCTGTCAGCCGCCATTGTTCTCA
AGAACCACCACTCCCGGCTTTCTGACCTTGTCAACACAGCCATATTGATTGCTTTGAACAAGAGGGAGTA
TGAAATCCCATCCAACCTGACTCCTGCAGATGTCTTTTTCAGGGAGGTATCCCAAGTAGATACCATCTGT
GAGTGCTTACTGGAGCATGAGGAGCAAGTCTTGAGGGATGCACCTATGGATTCCATTGAATGGGCTGAAG
TGGTGATCAATGTGAACAATATTCTCAAGGATATGCTGCAGGCTGCTAGTCATTATCGCCAAAATAGAAA
CTCTTTGTATAGAAGAGAAGAATCACTAGAAAAAGAACCTGAATATGTTCCATGGACGGCAACAAGTGGT
CCTGGTGGCATCCGAACGGTAATAATACGCCAGCATGAGATTGCCTGAAGGTGGCTTATCCACAGGCAG
ACAGCAACCTCCGAAACATCGTGACCGAGCAGCTGGTAGCCCTGATCGATTGCTTCTGGATGGTTATGT
TTCTCAGCTTAAGTCTGTGGATAAATCCAGTAATCGGGAAGATATGACAATCTGGAGATGGAATACCTA
CAGAAAAGATCAGATCTCTTATCTCTCTTCTTTCACTAGGCCAGTACCTGTGGGCTGCTTCTCTAGCAG
AGAAATACTGTGACTTTGATATATTGGTACAAATGTGTGAGCAGACTGACAACCAGAGCCGACTCCAGCG
CTACATGACCCAGTTTGCTGATCAGAAATTTTTCAGACTTTCTCTTCCGTTGGTATCTGGAGAAAAGGAAA
CGAGGCAAATTATTATCTCAGCCATTTCTCAGCATGGACAGTTGGCAAATTTTTTGCAAGCTCATGAAC
ATCTCAGCTGGTTACATGAAATTAATAGCCAAGAATTAGAAAAGGCTCATGCAACACTTCTGGGTTTGGC
AAATATGGAAACTCGTTACTTTGCAAAGAAGAAAACCTTCTTGGCTTGAGTAAATTGGCTGCATTAGCT
TCAGACTTTTTCAGAGGATATGCTACAAGAAAAAATTGAAGAAATGGCTGAGCAGGAGCGCTTTCTACTGC
ATCAGGAGACCCTACCTGAACAGCTGCTGGCGGAGAAACAGCTAAATCTCAGTGCATGCCAGATTGAC
TGCACCACAACCTATTGGTCTATATATCTGTGAAGAAAAATAGAAGAGCTAATGAATATGATTTCAAGAAA
GCTTTGGACTTGTGGAATATATTGATGAGGAAGAAGATATAAATAAATGATCTAAAACCTGGAAATCC
TTTGCAAAGCTCTTCAGAGAGATAACTGGTCCAGTTCTGATGGCAAAGATGATCCAATTGAAGTATCTAA
AGACAGTATATTTGTGAAGATCTTACAGAACTTTTAAAAGATGGCATTCCAGCTCAGTGAGTACTTACCG
GAGGTGAAAGACCTGCTACAAGCGGATCAGCTTGGAAAGCTTAAAGTCCAATCCTTACTTCGAGTTTGT
TGAAAGCAAATTATGAATATTATGTTTCAGGGACAATA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA


Protein Sequence: >RG204410 representing NM_018230
 Red=Cloning site Green=Tags(s)

MFPAAPSPRTPGTGSRRLAGLPGSTPRTASRKLPLGSAVSSPVLFPVGRSSLSRRGTPTRMFPH
 HSITESVNYDVKTFGSSLPVKMEALTLAEVDDQLTINIDEGGWACLVCKEKLIWKIALSPITKLSVCK
 ELQLPPSDFHWSADLVALSYSSPSGEAHSTQAVAVMVATREGSIRYWPFLAGEDTYTEAFVDSGGDKTYS
 FLTAVQGGSFILSSSGSQLIRLIPESGKIHQHILPQQGMLSGIGRKYSSFLGILSPSSDLTSSVLWD
 RERSFYSLTSSNISKWELDDSSSEKHAYSWDINRALKENITDAIWGSESNEYEAIKEGVNIRYLDKQNC
 GLVILAAWHSADNPCLIIYSLITIEDNGCQMSDAVTVEVTQYNPPFQSEDLILCQLTVPNFSNQYAYLY
 NESAVYVCSTGTGKFLPQEKIVFNAQGDVSLGAGACGGVPIIFSRNSGLVSITSRENVSILAEDLEGLS
 ASSVAGPNSESMIFETTTKNETIAQEDKIKLLKAAFLQYCRKDLGHAQMVDDELFSHSDLDSDSELDR
 VTQISVDLMDYPASDPRAESVPEEAPGFSNTSLIILHQLQEDKMKAHSLMDFIHQVGLFGRLSGFPVR
 GTPMATRLLLCEHAEKLSAAIVLKNHHSRLSDLVNTAILIALNKREYEIPSNLTPADVFFREVSQVDTIC
 ECLLEHEEQVLRDAPMDSIEWAEVVINNNILKMDLQAASHYRQNRNSLYRREESLEKEPEYVWPWTATSG
 PGGIRTVIIRQHEIVLKVAYPQADSNLRNIVTEQLVALIDCFLDGYVSQKSVDKSSNRERYDNLEMEYL
 QKRSDLLSPLLSLGQYLWAAASLAEKYCDFDILVQMCQTDNQSRLQRYMTQFADQNFSDFLFRWYLEKGG
 RGKLLSQPISQHGQLANFLQAHEHLSWLHEINSQELEKHAHATLLGLANMETRYFAKKKTLGLSKLAALA
 SDFSEDMLQEKIEEMAEQERFLLHQETLPEQLLAEKQLNLSAMPVLTAPQLIGLYICEENRRANEYDFKK
 ALDLLEYIDEEEDININDLKLEILCKALQRDNWSSSDGKDDPIEVSKDSIFVKILQKLLKDGILQSEYLP
 EVKDLLQADQLGSLKSNPYFEFVLKANYEYVQGGI

TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:




ACCN: NM_018230

ORF Size: 3468 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_018230.2 , NP_060700.2
RefSeq Size:	4170 bp
RefSeq ORF:	3471 bp
Locus ID:	55746
UniProt ID:	Q8WUM0
Cytogenetics:	1q42.13
Domains:	Nup133
Gene Summary:	The nuclear envelope creates distinct nuclear and cytoplasmic compartments in eukaryotic cells. It consists of two concentric membranes perforated by nuclear pores, large protein complexes that form aqueous channels to regulate the flow of macromolecules between the nucleus and the cytoplasm. These complexes are composed of at least 100 different polypeptide subunits, many of which belong to the nucleoporin family. The nucleoporin protein encoded by this gene displays evolutionarily conserved interactions with other nucleoporins. This protein, which localizes to both sides of the nuclear pore complex at interphase, remains associated with the complex during mitosis and is targeted at early stages to the reforming nuclear envelope. This protein also localizes to kinetochores of mitotic cells. [provided by RefSeq, Jul 2008]

Product images:



Circular map for RG204410