

## Product datasheet for **RG204429**

### MID2 (NM\_052817) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	MID2 (NM_052817) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	MID2
Synonyms:	FXY2; MRX101; RNF60; TRIM1
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)



[View online »](#)

**ORF Nucleotide Sequence:**

>RG204429 representing NM\_052817  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGGATCGCC**

ATGGAACACTGGAGTCTGAATTGACCTGTCCAATCTGCCTAGAGTTGTTTGAAGACCCCTTCTGCTCC  
 CTTGTGCTCACAGCCTCTGCTTCAGCTGTGCCATCGCATTGGTATCAAGCTGCAGCTCTGGTGAATC  
 CATTGAACCCATTACTGCTTCCAGTGTCTACCTGCAGGTATGTTATCTCGCTGAACCACCGGGCCTG  
 GATGGCCTCAAGAGGAATGTGACTCTGCAGAACATTATTGATCGCTTCCAGAAGGCTTCAGTCAGTGGC  
 CCAATCCCTAGTGAGAGCCGCCGGAAAGGACTTACAGGCCACCCTGCCATGTCTAGCGAGCGAAT  
 TGCTTGCCAAATTCTGTGAGCAGGACCCGCCAAGGGATGCAGTAAAAACATGCATCACCTGTGAGGTCTCC  
 TACTGTGACCGTTGCCTGCGGGCCACGCCCAACAAGAAACCTTTACCAGCCACCGCTGGTGAAC  
 CAGTGCCAGACACACATCTCGAGGGATCACCTGCCTGGACCATGAGAATGAGAAAGTGAACATGTACTG  
 TGTATCTGATGACCAATTGATCTGTGCCTTATGCAAACCTGGTGGTTCGTCACCGAGACCATCAGGTGCA  
 TCCTGTAATGATCGATTTGAGAACTCAAGCAAACCTCTGGAGATGAACCTACCAACCTGGTTAAGCGCA  
 ACAGCGAACTAGAAAATCAAATGGCCAAACTAATACAGATCTGCCAGCAGGTTGAGGTGAATACTGCTAT  
 GCATGAGGCAAACTTATGGAAGAATGTGACGAGTTGGTAGAGATCATCCAGCAGAGGAAGCAAATGATC  
 GCTGTCAAATCAAAGAGACAAAGGTTATGAACTGAGAAAGTTGGCACAGCAGGTTGCTAATTGCCGCC  
 AGTGTCTTGAACGGTCAACAGTCTCATCAACCAAGCTGAGCATATCCTGAAAGAAAATGACCAGGCACG  
 GTTCTACAGTCTGCAAAAATATTGCTGAGAGGGTCGCTATGGCAACTGCATCTTCTCAAGTTCTGATT  
 CCAGACATCAATTTTAAATGATGCCTTTGAAAACCTTGTCTTAGATTTTCCAGAGAAAAGAACTGCTAG  
 AGGGTTAGATTATTTAACAGCCCCAAACCCACCCTATCCGAGAAGAACTCTGTACTGCCTCCCATGA  
 CACCATTACAGTCCACTGGATCTCGGATGATGAGTTCAGCATCAGCTCCTATGAGCTTCAGTACACCATA  
 TTCACTGGCCAGGCTAATTCATCAGCCTGTATAATTGATGACAGCTGGATGATTGTTCCCAACATTA  
 AACAGAACCATTACACAGTGCATGGACTCCAGAGCGGGACTCGCTACATCTTCATCGTTAAAGCCATAAA  
 CCAAGCCGGCAGCCGGAACAGTGAACCTACCCGACTAAAAACAAACAGCCAACCCTTTAAATTGGATCCC  
 AAAATGACTCACAAGAAGTTGAAGATCTCCAATGATGGATTGCAGATGGAGAAGGATGAAAGCTCTCTAA  
 AGAAGAGCCACACCCAGAGAGGTTTAGTGGCACAGGGTGTATGGGCGAGCAGGAAATATATTCATTGA  
 CAGTGGCTGCCACTATTGGGAGGTGGTCATGGGTTCTCAACATGGTATGCAATTGGCATTGCCTACAAA  
 TCAGCTCAAAGAATGAATGGATTGGCAAGAATGCCTCCTCATGGGTCTTCTCTCGCTGCAATAGTAACT  
 TCGTGGTGGAGACACAACAAGGAAATGCTGGTGGATGTGCCCCACACCTGAAGCGTCTGGGTGTCTCT  
 CCTGGATTATGACAACAATATGCTGTCTTTCTATGACCCAGCTAACTCTCTCCATCTTCATACTTTTGTAT  
 GTGACCTTCATTCTCCAGTTTGTCCAACATTTACAATCTGGAACAAATCCCTAATGATCTGTCTGGCT  
 TGCTGCCCCAGATTTTATTGATTACCCTGAGCGGCAGGAATGCAACTGCAGGCCCAAGAAATCCCTTA  
 TGTTTCTGGGATGAAAACCTGTTCAT

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG204429 representing NM\_052817  
 Red=Cloning site Green=Tags(s)


METLESELTCPICLELFEDPLLLPCAHS LCFSCAHRILVSSCSSGESIEPITAFQCPTCRYVISLNHRGL  
 DGLKRNVTLQNIIDRFQKASVSGPNPSESRRERTYRPTTAMSSERIAQFCEQDPPRDVAVKTCITCEVS  
 YCDRCLRATHPNKKPFTSHRLVEPVPDTHLRGITCLDHENEKVNMYCVSDDQLICALCKLVGRHRDHQVA  
 SLNDRFEK LKQTLEMNL TNLVKRNSELENQMAKLIQICQQVEVNTAMHEAKLMEECDELVEIIQQRKQMI  
 AVKIKETKVMKLRKLAQQVANCRCLESTVLINQAHEILKENDQARFLQSAKNI AERVAMATASSQVLI  
 PDINFNDAFENFALDFSREKLLLEGLDYLTAPNPPSIREELCTASHDTITVHWISDDEFSSISSELYQYTI  
 FTGQANFISLYNSVDSWMI VPNIKQNHYTVHGLQSGTRYIFIVKAINQAGSRNSEPTRLKTN SQPFKLDP  
 KMTHKKLKI SNDGLQMEKDESSLKKSHTPERFSGTGCGYGAAGNIFIDSGCHYWEVVMGSSTWYAIGIAYK  
 SAPKNEWIGKNASSWVFSRCNSNFVVRHNNKEMLVDPVPHL KRLGVLLDYDNM LSFYDPANSLHLHTFD  
 VTFILVCPFTFTIWNKSLMILSGLPAPDFIDYPERQECNCRPQESPYVSGMKTCH


TRTRPLE - GFP Tag - V

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



**Plasmid Map:**


**ACCN:** NM\_052817

**ORF Size:** 2055 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_052817.1](#), [NP\\_438112.1](#)

**RefSeq Size:** 2433 bp

RefSeq ORF:	2118 bp
Locus ID:	11043
UniProt ID:	<a href="#">Q9UJV3</a>
Cytogenetics:	Xq22.3
Domains:	zf-B_box, RING, BBC, SPRY, FN3
Protein Families:	Druggable Genome
Gene Summary:	The protein encoded by this gene is a member of the tripartite motif (TRIM) family. The TRIM motif includes three zinc-binding domains, a RING, a B-box type 1 and a B-box type 2, and a coiled-coil region. The protein localizes to microtubular structures in the cytoplasm. Alternate splicing of this gene results in two transcript variants encoding different isoforms. [provided by RefSeq, Feb 2009]