

Product datasheet for RG204552

HEXIM2 (NM_144608) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: HEXIM2 (NM_144608) Human Tagged ORF Clone

Tag: TurboGFP Symbol: HEXIM2

Synonyms: L3

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG204552 representing NM_144608

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

HEXIM2 (NM_144608) Human Tagged ORF Clone - RG204552

Protein Sequence: >RG204552 representing NM_144608

Red=Cloning site Green=Tags(s)

MMATPNQTACNAESPVALEEAKTSGAPGSPQTPPERHDSGGSLPLTPRMESHSEDEDLAGAVGGLGWNSR SPRTQSPGGCSAEAVLARKKHRRRPSKRKRHWRPYLELSWAEKQQRDERQSQRASRVREEMFAKGQPVAP YNTTQFLMNDRDPEEPNLDVPHGISHPGSSGESEAGDSDGRGRAHGEFQRKDFSETYERFHTESLQGRSK QELVRDYLELEKRLSQAEEETRRLQQLQACTGQQSCRQVEELAAEVQRLRTENQRLRQENQMWNREGCRC

DEEPGT


TRTRPLE - GFP Tag - V

Restriction Sites:

Sgfl-Mlul

Cloning Scheme:





ACCN: NM_144608

ORF Size: 858 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

> reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube Components:

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).



Reconstitution Method:

- 1. Centrifuge at 5,000xg for 5min.
- 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
- 3. Close the tube and incubate for 10 minutes at room temperature.
- 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
- 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: NM 144608.2

 RefSeq Size:
 1330 bp

 RefSeq ORF:
 861 bp

 Locus ID:
 124790

 UniProt ID:
 Q96MH2

 Cytogenetics:
 17q21.31


Protein Families: Transcription Factors

Gene Summary: This gene encodes a member of the HEXIM family of proteins. This protein is a component of

the 7SK small nuclear ribonucleoprotein. This protein has been found to negatively regulate the kinase activity of the cyclin-dependent kinase P-TEFb, which phosphorylates multiple target proteins to promote transcriptional elongation. This gene is located approximately 7 kb downstream from related family member HEXIM1 on chromosome 17. Alternative splicing

results in multiple transcript variants. [provided by RefSeq, Jan 2015]

Product images:



Circular map for RG204552