

## Product datasheet for **RG204652**

### PKI alpha (PKIA) (NM\_181839) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** PKI alpha (PKIA) (NM\_181839) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** PKI alpha  
**Synonyms:** PRKACN1  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG204652 representing NM\_181839  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTGTAAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGACTGATGTGGAACTACATATGCAGATTTTATTGCTTCAGGAAGAACAGGTAGAAGAAATGCAATAC  
 ATGATATCCTGGTTTCTCTGCAAGTGGCAACAGCAATGAATTAGCCTTGAAATTAGCAGGTCTTGATAT  
 CAACAAGACAGAAGGTGAAGAAGATGCACAACGAAGTTCTACAGAACAAAGTGGGAAGCCAGGGAGAA  
 GCAGCAAATCTGAAAGC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

**Protein Sequence:** >RG204652 representing NM\_181839  
 Red=Cloning site Green=Tags(s)


MTDVETTYADFIASGRTGRRNAIHDILVSSASGNSNELALKLAGLDINKTEGEEDAQRSSTEQSGEAQGE  
 AAKSES

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI


[View online »](#)

## Cloning Scheme:



ACCN: NM\_181839

ORF Size: 228 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).


Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq:	<u>NM_181839.3</u>
RefSeq Size:	2055 bp
RefSeq ORF:	231 bp
Locus ID:	5569
UniProt ID:	<u>P61925</u>
Cytogenetics:	8q21.13
Protein Families:	Druggable Genome
Gene Summary:	The protein encoded by this gene is a member of the cAMP-dependent protein kinase (PKA) inhibitor family. This protein was demonstrated to interact with and inhibit the activities of both C alpha and C beta catalytic subunits of the PKA. Alternatively spliced transcript variants encoding the same protein have been reported. [provided by RefSeq, Jul 2008]

## Product images:



Circular map for RG204652