

# Product datasheet for RG204744

### GH2 (NM\_002059) Human Tagged ORF Clone

### **Product data:**

#### **OriGene Technologies, Inc.**

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	GH2 (NM_002059) Human Tagged ORF Clone
Tag:	TurboGFP
Symbol:	GH2
Synonyms:	GH-V; GHB2; GHL; GHV; hGH-V
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-AC-GFP (PS100010)
E. coli Selection:	Ampicillin (100 ug/mL)
ORF Nucleotide Sequence:	<pre>&gt;RG204744 representing NM_002059 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGCC</mark>
	ATGGCTGCAGGCTCCCGGACGTCCCTGCTCCTGGCTTTTGGCCTGCTCTGCCTGTCCTGGCTTCAAGAGG

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	GH2 (NM_002059) Human Tagged ORF Clone – RG204744
Protein Sequence:	: >RG204744 representing NM_002059 Red=Cloning site Green=Tags(s)
	MAAGSRTSLLLAFGLLCLSWLQEGSAFPTIPLSRLFDNAMLRARRLYQLAYDTYQEFEEAYILKEQKYSF LQNPQTSLCFSESIPTPSNRVKTQQKSNLELLRISLLLIQSWLEPVQLLRSVFANSLVYGASDSNVYRHL KDLEEGIQTLMWRLEDGSPRTGQIFNQSYSKFDTKSHNDDALLKNYGLLYCFRKDMDKVETFLRIVQCRS VEGSCGF
	TRTRPLE - GFP Tag - V
Restriction Sites:	Sgfl-Mlul
Cloning Scheme:	Cloning sites used for ORF Shuttling: Sgf I ORF Miu I GCGATCGC C ATC NNEX ACG CGT
	Kozac         Consensus         EcoR I       BamH I Kpn I       RBS       Sgf I       Asc I         CTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGGAGGAGATCTGCCGCGCGCG
	Hind III Nhe I Rsr II <u>Mlu I</u> Not I Xho I GFP Tag CAAGCTTAACTAGCTAGCGGACCG ACG CGT ACG CGG CCG GTC GAG ATG GAG AGC GAC T R T R P L E <u>M E S D</u>
	GAA GAA AGA GTT TAA ACGGCCGGCCGCGGAGCT E E R V stop

ACCN:	NM_002059
ORF Size:	651 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).


This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

# GH2 (NM\_002059) Human Tagged ORF Clone – RG204744

Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 002059.5</u>
RefSeq Size:	821 bp
RefSeq ORF:	654 bp
Locus ID:	2689
UniProt ID:	<u>P01242</u>
Cytogenetics:	17q23.3
Domains:	hormone
Protein Families:	Druggable Genome, Secreted Protein
Protein Pathways:	Cytokine-cytokine receptor interaction, Jak-STAT signaling pathway, Neuroactive ligand- receptor interaction
Gene Summary:	The protein encoded by this gene is a member of the somatotropin/prolactin family of hormones which play an important role in growth control. The gene, along with four other related genes, is located at the growth hormone locus on chromosome 17 where they are interspersed in the same transcriptional orientation; an arrangement which is thought to have evolved by a series of gene duplications. The five genes share a remarkably high degree of sequence identity. Alternative splicing generates additional isoforms of each of the five growth hormones, leading to further diversity and potential for specialization. As in the case of its pituitary counterpart, growth hormone 1, the predominant isoform of this particular family member shows similar somatogenic activity, with reduced lactogenic activity. Mutations in this gene lead to placental growth hormone/lactogen deficiency. [provided by RefSeq, Jul 2008]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

## **Product images:**



Circular map for RG204744

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US