

Product datasheet for RG204749

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

CD16b (FCGR3B) (NM_000570) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CD16b (FCGR3B) (NM_000570) Human Tagged ORF Clone

Tag: TurboGFP Symbol: CD16b

Synonyms: CD16; CD16A; CD16b; FCG3; FCGR3A; FCR-10; FCRIII; FCRIIIb

Mammalian Cell Neomycin

Selection:


Vector: pCMV6-AC-GFP (PS100010)


E. coli Selection: Ampicillin (100 ug/mL)

Restriction Sites: Sgfl-Mlul

Cloning Scheme:







ACCN: NM_000570

ORF Size: 699 bp



CD16b (FCGR3B) (NM_000570) Human Tagged ORF Clone - RG204749

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 000570.3</u>, <u>NP 000561.3</u>

RefSeq Size:2300 bpRefSeq ORF:702 bpLocus ID:2215

 UniProt ID:
 O75015

 Cytogenetics:
 1q23.3

Domains: ig

Protein Families: ES Cell Differentiation/IPS, Secreted Protein, Transmembrane

Protein Pathways: Natural killer cell mediated cytotoxicity, Systemic lupus erythematosus


Gene Summary: The protein encoded by this gene is a low affinity receptor for the Fc region of gamma

immunoglobulins (IgG). The encoded protein acts as a monomer and can bind either monomeric or aggregated IgG. This gene may function to capture immune complexes in the peripheral circulation. Several transcript variants encoding different isoforms have been found for this gene. A highly-similar gene encoding a related protein is also found on

chromosome 1. [provided by RefSeq, Aug 2012]



Product images:



Circular map for RG204749