

## Product datasheet for **RG205391**

### **ADH1B (NM\_000668) Human Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** ADH1B (NM\_000668) Human Tagged ORF Clone  
**Tag:** TurboGFP  
**Symbol:** ADH1B  
**Synonyms:** ADH2; HEL-S-117  
**Mammalian Cell Selection:** Neomycin  
**Vector:** pCMV6-AC-GFP (PS100010)  
**E. coli Selection:** Ampicillin (100 ug/mL)  
**ORF Nucleotide Sequence:** >RG205391 representing NM\_000668  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGAGCACAGCAGGAAAAGTAATCAAATGCAAAGCAGCTGTGCTATGGGAGGTAAAGAAACCCCTTTTCCA  
TTGAGGATGTGGAGTTGCACCTCCTAAGGCTTATGAAGTTCGCATTAAGATGGTGGCTGTAGGAATCTG  
TCGCACAGATGACCACGTGGTTAGTGGCAACCTGGTGACCCCTTCTGTGATTTTAGGCCATGAGGCA  
GCCGGCATCGTGGAGAGTGTGGAGAAGGGGTGACTACAGTCAAACAGGTGATAAAGTCATCCCCTCT  
TTACTCCTCAGTGTGAAAATGCAGAGTTGTAAAACCCGGAGAGCAACTACTGCTTAAAAATGATCT  
AGGCAATCCTCGGGGACCTGCAGGATGGCACCAGGAGGTTACCTGCAGGGGGAAGCCATTCACCAC  
TTCCCTGGCACCAGCACCTTCTCCAGTACACGGTGGTGGATGAGAATGCAGTGGCCAAAATGATGCAG  
CCTCGCCCTGGAGAAAGTCTGCCTCATTGGCTGTGGATTCTCGACTGGTTATGGGTCTGCAGTTAACGT  
TGCCAAGGTACCCCAGGCTCTACCTGTGCTGTGTTTGGCCTGGGAGGGGTCGGCCTATCTGCTGTTATG  
GGCTGTAAAGCAGCTGGAGCAGCCAGAATCATTGCTGTGGACATCAACAAGGACAAATTTGCAAAGGCCA  
AAGAGTTGGGTGCCACTGAATGCATCAACCCTCAAGACTACAAGAAACCCATCCAGGAAGTGCTAAAGGA  
AATGACTGATGGAGGTGTGGATTTTTCGTTTGAAGTCATCGGTTCGGCTTGACACCATGATGGCTTCCCTG  
TTATGTTGTCATGAGGCATGTGGCACAAGCGTCATCGTAGGGGTACCTCCTGCTTCCAGAACCTCTCAA  
TAAACCCTATGCTGCTACTGACTGGACGACCTGGAAGGGGCTGTTTATGGTGGCTTAAAGAGTAAAGA  
AGGTATCCAAAACCTTGTGGCTGATTTTATGGCTAAGAAGTTTTCACTGGATGCGTTAATAACCCATGTT  
TTACCTTTTGA AAAAATAAATGAAGATTTGACCTGCTTCACTCTGGAAAAGTATCCGTACCGTCTCTGA  
CGTTT

**ACGCGT**ACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online >](#)


**Protein Sequence:** >RG205391 representing NM\_000668  
 Red=Cloning site Green=Tags(s)

MSTAGKVIKCKAAVLWEVKKPFSIEDVEVAPPKAYEVRIKMVAVGICRTDDHVVSGNLVTPLPVILGHEA  
 AGIVESVSGEVTTVKPGDKVIPLFTPQCCKRVCKNPESNYCLKNDLGNPRGTLQDGTTRRFTCRGKPIHH  
 FLGTSTFSQYTVVDENAVAKIDAASPLEKVCLIGCGFSTGYGSVAVNVAKVTPGSTCAVFLGGVGLSAVM  
 GCKAAGAARIIVDINKDKFAKAKELGATECINPQDYKKPIQEVLKEMTDGGVDFSFEVIGRLDTMMASL  
 LCCEACGTSVIVGPPASQNLNINPMLLLTGRTWKGAVYGGFKSKEGIPKLVADFMAKKFSLDALITHV  
 LPFEKINEGFDLLHSGKSIRTVLTF

TRTRPLE - GFP Tag - V

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**ACCN:** NM\_000668

**ORF Size:** 1125 bp


**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at [custsupport@origene.com](mailto:custsupport@origene.com) or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_000668.3</a></u> , <u><a href="#">NP_000659.2</a></u>
<b>RefSeq Size:</b>	2666 bp
<b>RefSeq ORF:</b>	1128 bp
<b>Locus ID:</b>	125
<b>UniProt ID:</b>	<u><a href="#">P00325</a></u>
<b>Cytogenetics:</b>	4q23
<b>Domains:</b>	ADH_zinc_N
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Drug metabolism - cytochrome P450, Fatty acid metabolism, Glycolysis / Gluconeogenesis, Metabolic pathways, Metabolism of xenobiotics by cytochrome P450, Retinol metabolism, Tyrosine metabolism
<b>Gene Summary:</b>	The protein encoded by this gene is a member of the alcohol dehydrogenase family. Members of this enzyme family metabolize a wide variety of substrates, including ethanol, retinol, other aliphatic alcohols, hydroxysteroids, and lipid peroxidation products. This encoded protein, consisting of several homo- and heterodimers of alpha, beta, and gamma subunits, exhibits high activity for ethanol oxidation and plays a major role in ethanol catabolism. Three genes encoding alpha, beta and gamma subunits are tandemly organized in a genomic segment as a gene cluster. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2013]

Product images:



Circular map for RG205391