

Product datasheet for RG205618

C10orf32 (BORCS7) (NM_144591) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Tag: TurboGFP

Symbol: C10orf32

Synonyms: C10orf32

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide Sequence: >RG205618 representing NM_144591

Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCGACTGGAACGCCAGAGTCTCAAGCGCGGTTCGGTCAGTCCGTGAAGGGGCTTCTCACGGAGAAGG TGACCACCTGTGGTACTGACGTAATCGCGCTCACCAAGCAGGTGCTGAAAGGCTCCCGGAGCTCCGAGCT GCTAGGTCAGGCAGCTCGAAACATGGTACTCCAGGAAGATGCCATCTTGCACTCAGAAGATAGTTTAAGG AAGATGGCAATAATAACAACACATCTTCAATACCAGCAAGAAGCTATTCAGAAGAATGTTGAACAGTCAT

CGGATCTACAGGACCAGTTGAATCATCTGTTGAAA

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG205618 representing NM_144591

Red=Cloning site Green=Tags(s)

MATGTPESQARFGQSVKGLLTEKVTTCGTDVIALTKQVLKGSRSSELLGQAARNMVLQEDAILHSEDSLR

KMAIITTHLQYQQEAIQKNVEQSSDLQDQLNHLLK

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

EU: info-de@origene.com CN: techsupport@origene.cn



Cloning Scheme:





ACCN: NM_144591

ORF Size: 315 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.



C10orf32 (BORCS7) (NM_144591) Human Tagged ORF Clone | RG205618

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um

filter is required.

RefSeq: <u>NM_144591.2</u>

RefSeq Size: 867 bp

RefSeq ORF: 321 bp

Locus ID: 119032

UniProt ID: Q96B45

Cytogenetics: 10q24.32


Gene Summary: As part of the BORC complex may play a role in lysosomes movement and localization at the

cell periphery. Associated with the cytosolic face of lysosomes, the BORC complex may recruit

ARL8B and couple lysosomes to microtubule plus-end-directed kinesin motor.

[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RG205618