

## **Product datasheet for RG205809**

## CACNG6 (NM\_145814) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: CACNG6 (NM\_145814) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: CACNG6

Mammalian Cell Neomycin

Selection:

**Vector:** pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG205809 representing NM\_145814

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

CCGGGCCACC

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com **Protein Sequence:** 

>RG205809 representing NM\_145814 Red=Cloning site Green=Tags(s)


MMWSNFFLQEENRRRGAAGRRRAHGQGRSGLTPEREGKVKLALLLAAVGATLAVLSVGTEFWVELNTYKA NGSAVCEAAHLGLWKACTKRLWQADVPVDRDTCGPAELPGEANCTYFKFFTTGENARIFQRTTKKEVNLA AAVIAVLGLAVMALGCLCIIMVLSKGAEFLLRVGAVCFGLSGLLLLVSLEVFRHSVRALLQRVSPEPPPA PRLTYEYSWSLGCGVGAGLILLLGAGCFLLLTLPSWPWGSLCPKRGHRAT


TRTRPLE - GFP Tag - V

**Restriction Sites:** 

Sgfl-Mlul

Cloning Scheme:





**ACCN:** NM 145814

ORF Size: 780 bp

**OTI Disclaimer:** Due to the inherent nature of this plasmid, standard methods to replicate additional amounts

of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at <a href="mailto:customercom">customercom</a> or by

calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

**OTI Annotation:** 

This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

## CACNG6 (NM\_145814) Human Tagged ORF Clone - RG205809

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 145814.1</u>, <u>NP 665813.1</u>

RefSeq Size: 1886 bp
RefSeq ORF: 783 bp
Locus ID: 59285
UniProt ID: Q9BXT2
Cytogenetics: 19q13.42

**Protein Families:** Druggable Genome, Ion Channels: Other, Transmembrane

Protein Pathways: Arrhythmogenic right ventricular cardiomyopathy (ARVC), Cardiac muscle contraction, Dilated


cardiomyopathy, Hypertrophic cardiomyopathy (HCM), MAPK signaling pathway

**Gene Summary:** Voltage-dependent calcium channels are composed of five subunits. The protein encoded by

this gene represents one of these subunits, gamma, and is one of two known gamma subunit proteins. This particular gamma subunit is an integral membrane protein that is thought to stabilize the calcium channel in an inactive (closed) state. This gene is part of a functionally diverse eight-member protein subfamily of the PMP-22/EMP/MP20 family and is located in a cluster with two family members that function as transmembrane AMPA receptor regulatory proteins (TARPs). Alternative splicing results in multiple transcript variants. Variants in this gene have been associated with aspirin-intolerant asthma. [provided by RefSeq, Dec 2010]



## **Product images:**



Circular map for RG205809