

Product datasheet for RG205819

FXYD7 (NM 022006) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: FXYD7 (NM_022006) Human Tagged ORF Clone

Tag: TurboGFP

Symbol: FXYD7

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-AC-GFP (PS100010)

E. coli Selection: Ampicillin (100 ug/mL)

ORF Nucleotide >RG205819 representing NM_022006

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCGACCCCGACCCAGACCCCCACAAAGGCTCCTGAGGAACCTGACCCATTTTACTATGACTACAACA CGGTGCAGACTGTGGGCATGACTCTGGCAACCATCTTGTTCCTGCTGGGTATCCTCATCGTCATCAGCAA GAAGGTGAAGTGCAGGAAGGCGGACTCCAGGTCTGAGAGCCCAACCTGCAAATCCTGTAAGTCTGAGCTT

 ${\tt CCCTCTTCAGCCCCTGGTGGCGGCGCGTG}$

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA

Protein Sequence: >RG205819 representing NM_022006

Red=Cloning site Green=Tags(s)

MATPTQTPTKAPEEPDPFYYDYNTVQTVGMTLATILFLLGILIVISKKVKCRKADSRSESPTCKSCKSEL

PSSAPGGGGV

TRTRPLE - GFP Tag - V

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





ACCN: NM_022006

ORF Size: 240 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 022006.2</u>



 RefSeq Size:
 713 bp

 RefSeq ORF:
 243 bp

 Locus ID:
 53822

 UniProt ID:
 P58549


 Cytogenetics:
 19q13.12

Protein Families: Ion Channels: Other, Transmembrane

Gene Summary: This reference sequence was derived from multiple re

This reference sequence was derived from multiple replicate ESTs and validated by similar human genomic sequence. This gene encodes a member of a family of small membrane proteins that share a 35-amino acid signature sequence domain, beginning with the sequence PFXYD and containing 7 invariant and 6 highly conserved amino acids. The approved human gene nomenclature for the family is FXYD-domain containing ion transport regulator. Transmembrane topology has been established for two family members (FXYD1 and FXYD2), with the N-terminus extracellular and the C-terminus on the cytoplasmic side of the membrane. FXYD2, also known as the gamma subunit of the Na,K-ATPase, regulates the properties of that enzyme. FXYD1 (phospholemman), FXYD2 (gamma), FXYD3 (MAT-8), FXYD4 (CHIF), and FXYD5 (RIC) have been shown to induce channel activity in experimental expression systems. This gene product, FXYD7, is novel and has not been characterized as a protein. [RefSeq curation by Kathleen J. Sweadner, Ph.D., sweadner@helix.mgh.harvard.edu., Dec 2000]

Product images:



Circular map for RG205819