

Product datasheet for **RG205968**

CTRP5 (C1QTNF5) (NM_015645) Human Tagged ORF Clone

Product data:

| | |
|---------------------------|---|
| Product Type: | Expression Plasmids |
| Product Name: | CTRP5 (C1QTNF5) (NM_015645) Human Tagged ORF Clone |
| Tag: | TurboGFP |
| Symbol: | C1QTNF5 |
| Synonyms: | CTRP5; MFRP |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-AC-GFP (PS100010) |
| E. coli Selection: | Ampicillin (100 ug/mL) |
| ORF Nucleotide Sequence: | >RG205968 representing NM_015645 Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAGGCCACTCCTCGTCCTGCTCCTGGGCCGTCGGCGCCGGCTCGCCCCACTGGACGACAACAAGA
TCCCCAGCCTCTGCCCGGGGCACCCGGCCTTCCAGGCACGCCGGGCCACCATGGCAGCCAGGGCTTGCC
GGGCCGCGATGGCCGCGACGGCCGCGACGGCGCGCCCGGGGCTCCGGGAGAGAAAGGCGAGGGCGGGAGG
CCGGGACTGCCGGACCTCGAGGGGACCCGGGCCGCGAGGAGAGCGGGACCCGCGGGGCCACCGGGC
CTGCCGGGAGTGCTCGGTGCCTCCGCGATCCGCCTTCAGCGCCAAGCGCTCCGAGAGCCGGGTGCCTCC
GCCGTCTGACGCACCCTTGCCCTTCGACCGCGTCTGGTGAACGAGCAGGGACATTACGACGCCGTCAAC
GGCAAGTTCACCTGCCAGGTGCCTGGGGTCTACTACTTCCGCCGTCCATGCCACCCTTACCGGGCCAGCC
TGCAGTTTGATCTGGTGAAGAATGGCGAATCCATTGCCTTTTCTCCAGTTTTTTCGGGGGGTGGCCAA
GCCAGCCTCGCTCTCGGGGGGGCCATGGTGAGGCTGGAGCCTGAGGACCAAGTGTGGGTGCAGGTGGGT
GTGGGTGACTACATTGGCATCTATGCCAGCATCAAGACAGACAGCACCTTCTCCGGATTTCTGGTGTACT
CCGACTGGCACAGCTCCCCAGTCTTTGCT

ACGCGTACGCGGCCGCTCGAG - GFP Tag - GTTTAA



[View online »](#)

Protein Sequence: >RG205968 representing NM_015645
Red=Cloning site Green=Tags(s)

MRPLLVLVLLGLAAGSPPLDDNKIPSLCPGHPGLPGTPGHHSQGLPGRDGRDGRDGAPGAPGEGKGEGR
 PGLPGPRGDPGPRGEAGPAGPTGPAGECSVPPRSAFSAKRSESRVPPSPDAPLPFDRVLVNEQGHYDAVT
 GKFTCQVPGVYYFAVHATVYRASLQFDLVKNGESIASFFQFFGGWPKPASLGGAMVRLPEPQVWVQVG
 VGDYIGIYASIKTDSTFSGFLVYSDWHSSPVFA

TRTRPLE - GFP Tag - V


Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shutting:



Plasmid Map:



ACCN: NM_015645

ORF Size: 729 bp

| | |
|-------------------------------|--|
| OTI Disclaimer: | <p>Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.</p> <p>The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info</p> |
| OTI Annotation: | <p>This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.</p> |
| Components: | <p>The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).</p> |
| Reconstitution Method: | <ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C. |
| RefSeq: | NM_015645.5 |
| RefSeq Size: | 3927 bp |
| RefSeq ORF: | 732 bp |
| Locus ID: | 114902 |
| UniProt ID: | Q9BXJ0 |
| Cytogenetics: | 11q23.3 |
| Domains: | C1Q, Collagen |
| Protein Families: | Secreted Protein |
| Gene Summary: | <p>This gene encodes a member of a family of proteins that function as components of basement membranes and may play a role in cell adhesion. Mutations in this gene have been associated with late-onset retinal degeneration. The protein may be encoded by either a bicistronic transcript including sequence from the upstream membrane frizzled-related protein gene (MFRP), or by a monocistronic transcript expressed from an internal promoter. [provided by RefSeq, Jun 2013]</p> |